				SU	BJECT II	LABEL HER
	DIAGNOSTIC INTE	RVIEW (DIG		TIC ST	UDIES	
	NIMH MOLECULAR	GENET	ICS INIT	IATIVE		
SUBJECT ID:						
	мотне	ER ID:				
FAMILY ID:						
	FATH	ER ID:				
SUBJECT NAME:	First		 Middle		Last	
NICKNAME:						
RELATIONSHIP TO	PRIMARY PROBANI) : _				
INTERVIEW DATE:	D D] - [M O	N		Y Y
INITIAL or RETES	T:	I	R			
IN PERSON or TEL	EPHONE:	P	T			
RATER NAME:						
RATER NO:	First]	ΜI		Last	
START/END TIME:	: /	:	TOTAL	TIME:		:
	hr. min. hr.	min.			# hr	: # min.

ACKNOWLEDGMENTS

Development of the DIGS instrument and training manual was supported by the NIMH Diagnostic Centers for Psychiatric Linkage Studies (extramural grant numbers U01 MH 46276, 46289, 46318, 46274, 46282, 46280, and the Clinical Neurogenetics Branch, Intramural Research Program, NIMH).

Members of the NIMH Diagnostic Centers for Psychiatric Linkage Studies Cooperative Agreement who participated in the development of the DIGS include:

Sandra Barton, Kate Berg, Ph.D., Mary Blehar, Ph.D., Elizabeth Bowman, M.D., C. Robert Cloninger, M.D., J. Raymond Depaulo, Jr., M.D., Stephen Faraone, Ph.D., Jill Harkavy Friedman, Ph.D., Elliot Gershon, M.D., Juliet Guroff, M.S.W., Charles Kaufmann, M.D., Darrell Kirch, M.D., Dolores Malaspina, M.D., Mary Elizabeth Maxwell, M.S.W., Aimee Mayeda, M.D., Martin McElhiney, M.S., Francis J. McMahon, M.D., Marvin Miller, M.D., John Nurnberger, Jr., M.D., Ph.D., Beth O'Dell, B.S., John Pepple, Ph.D., H. Matthew Quitkin, A.B., Leela Rau, M.D., Theodore Reich, M.D., A. Louise Ritz, M.B.A., Joanne Severe, M.S., Sylvia Simpson, M.D., Carrie Smiley, R.N., Ming T. Tsuang, M.D., Ph.D., D.Sc., Debra Wynne, M.S.W., Scott Yale, M.S.W., and Carolyn York, R.N.

A complete list of references for the DIGS instrument is included in the training manual.

We gratefully acknowledge the assistance of Jean Endicott, Ph.D., Kenneth Kendler, M.D., Philip Lavori, Ph.D., and Lee Robins, Ph.D., for critical review of the instrument.

A blank copy of the current version of the DIGS, DIGS code manual, DIGS training manual, and DIGS software are available on the World Wide Web at http://www-grb.nimh.nih.gov/gi.html.

CONTENTS

	SECTION NAME	PAGE
Α.	DEMOGRAPHICS	1
В.	MEDICAL HISTORY	5
C.	MODIFIED MINI-MENTAL STATUS EXAMINATION (IF APPLICABLE)	10
D.	SOMATIZATION	12
E.	OVERVIEW OF PSYCHIATRIC DISTURBANCE	18
F.	MAJOR DEPRESSION	24
G.	MANIA/HYPOMANIA	33
н.	DYSTHYMIA/DEPRESSIVE/HYPERTHYMIC PERSONALITY	41
I.	ALCOHOL ABUSE AND DEPENDENCE	44
J.	DRUG ABUSE AND DEPENDENCE	53
к.	PSYCHOSIS	61
L.	SCHIZOTYPAL PERSONALITY FEATURES (BIPOLAR CENTERS)	87
Μ.	MODIFIED STRUCTURED INTERVIEW FOR SCHIZOTYPY (SCHIZOPHRENIA CENTERS)	89
N.	COMORBIDITY ASSESSMENT	113
Ο.	SUICIDAL BEHAVIOR	115
P.	ANXIETY DISORDERS	117
Q.	EATING DISORDERS (BIPOLAR CENTERS)	125
R.	PATHOLOGICAL GAMBLING (SITE OPTIONAL)	127
s.	ANTISOCIAL PERSONALITY	128
т.	GLOBAL ASSESSMENT SCALE (GAS)	131
U.	SCALE FOR THE ASSESSMENT OF NEGATIVE SYMPTOMS (SANS)	132
V.	SCALE FOR THE ASSESSMENT OF POSITIVE SYMPTOMS (SAPS)	135
W.	SIS RATINGS (SCHIZOPHRENIA CENTERS)	138
х.	INTERVIEWER'S RELIABILITY ASSESSMENT	145
Υ.	NARRATIVE SUMMARY	145
Z.	MEDICAL RECORDS INFORMATION	147
AA.	OPCRIT INFORMATION	148

INTERVIEWER: If it appears that the subject's mental status is interfering with his/her ability to provide accurate information, skip to the Modified Mini-Mental Status Examination (page 10).

INTERVIEWER:	Circle ser	code.			[10	MALE 0	<u>F</u>	<u>'EMA'</u> 1	<u>LE</u>
What is your bi	rth date?		[20]				7_		
				D D	M	O N	_	Y	Y
				2 2		NO	YES		UNK
Were you adopted	d?				[30]		1	='	U
(IF YES:) Clar for further inf	ify nature of ormation.)	adoption. [40]_	(See	manual					
In which country Record response									
What is the eth	nic backgrour	nd of your b	iologi	cal par	ents?				
INTERVIEWER:		o four ethni sides if pos			ernal	and			
Record response									
Mother[60									
Father [10	0]	[110]		_[120]_			130]		
01 = Anglo-Saxon 02 = Northern Eu 03 = West Europe	ropean (e.g.,			5.a) [140]	MOTH		e) 50]	FAT	HER
4 = East Europe 5 = Russian 6 = Mediterrane	an, Slavic	ileir, German		5.b) [160]		5. [1	f) 70]		
07 = Ashkenazi J 08 = Sephardic J 09 = Hispanic (n	ew ot Puerto Ric	an)		5.c) [180]		5. [19	g) 90]		
10 = Puerto Rica 11 = Mexican His 12 = Asian	n Hispanic panic			5.d) [200]		5. [23	h) 10]		
13 = Arab 14 = Native Amer 15 = African Ame 16 = Other, Spec UU = Unknown	rican, not of	Hispanic Or	igin						
What was your c	hildhood reli	igious affil	iation	1? [230]				
1 = Catholic									
2 = Protestant									
3 = Jewish									
4 = Moslem	_								
5 = Not Affiliat									
6 = Other, Spec	ify:	[240]							

7.	What is your current marital status? [250]	
	1 = Married	
	2 = Separated	
	3 = Divorced	
	4 = Widowed	
	5 = Never Married	
		MARRIAGES
	7.a) (IF EVER MARRIED:) How many times have you been legally married?	[260]
8.	How many living children do you have?	CHILDREN [270]
9.	Are you living alone or with others? [280]	
	1 = Alone	
	<pre>2 = With partner (for at least one year), but not legally married</pre>	
	3 = In own home with spouse and/or children	
	4 = In home of parents or children	
	5 = In home of siblings or other non-lineal relatives	
	6 = In shared home with other relatives or friends	
	7 = In Residential Treatment Facility	
	8 = Other, <i>Specify</i> :[290]	

	is your present occupation? Code occupation [300]
Recor	d response:[310]
10.a)	What is the most responsible job you have ever held? Code occupation using chart below. [320]
	Record response:[330]
10.b)	(IF SUBJECT NOT HEAD OF HOUSEHOLD:) What is/was the occupation of the head of household during most of [340] their working career? Code occupation using chart below.
	Record response:[350]
	Managerial and Professional Specialty Occupations
	01 = Executive, Administrative, and Managerial Occupations 02 = Professional Specialty Occupations 03 = Writers, Artists, Entertainers, and Athletes
	Technical, Sales, and Administrative Support Occupations
	04 = Technicians and Related Support Occupations 05 = Sales Occupations 06 = Administrative Support Occupations, Including Clerical
	Service Occupations
	07 = Private Household Occupations 08 = Protective Service Occupations 09 = Service Occupations, Except Protective and Private Household
	Farming, Forestry, and Fishing Occupations
	10 = Farm Operators and Managers 11 = Other Farming, Forestry, and Fishing Occupations
	Precision Production, Craft, and Repair Occupations
	12 = Mechanics and Repairers, Construction Trades, Extractive Occupations, Precision Production Occupations
	Operators, Fabricators, and Laborers
	13 = Machine Operators, Assemblers, and Inspectors 14 = Transportation and Material-Moving Occupations 15 = Handlers, Equipment Cleaners, Helpers, and Laborers
	<u>Other</u>
	16 = Armed Services 17 = Disabled 18 = Housewife/Homemaker 19 = Never worked 20 = Full time student 21 = Unemployed/Retired UU = Unknown/No Answer

YEARS How many years of school did you complete? 11. [360] Record response: _____[370]____ YES NO <u>UNK</u> [380] 0 12. Have you ever been in the Military? U 12.a) (IF NO:) Were you ever rejected for Military Service? Why? 1 = Never called up or never rejected (include females). 2 = Rejected for physical defect. [390] 3 = Rejected for low IQ. 4 = Rejected for delinquency or criminal record. 5 = Rejected for other psychiatric reasons. 6 = Rejected for reasons uncertain. 13. (IF YES TO Q.12:) What kind of discharge did you receive? [400] 1 = Honorable 2 = General 3 = Medical 4 = Without Honor 5 = Undesirable 6 = Dishonorable 7 = Not Discharged, Currently in Active or Reserve Military

B. MEDICAL HISTORY

INTERVIEWER:	When information from medical records may be relevant
	to psychiatric condition, record physician name,
	hospital name, city, state, and treatment dates
	on the Medical Records Information form at the end
	of the interview.

	_				
					NO YES UNK
1.	Have you problems	ever had any seriou?	s physical il	llnesses or medi [41	
	(IF YES:) Specify:	[420]		
				 	
					# OF TIMES
2.		times have you been ng surgery?	in a hospita	al <u>overnight</u>	[430]
INTER	RVIEWER:	Exclude psychiatric treatment and pregna	or substance ncies.	abuse	
		# of Nights Desc in Hospital of P		Name <u>of Hospital</u>	Hospital <u>Location</u>
2.a)	19_ [440]	_[450][4	60]	[470]	[480]
2.b)	19_[490]	_[500][5	10]	[520]	[530]
2.c)	19_[540]	_[550][5	60]	[570]	[580]
2.d)	19_[590]	_[600][6	10]	[620]	[630]
3. H	Have vou h	ead any of the follow	ing conditior	ns:	
	_	-	NO YES	YEAR OF ONSET	<u>NOTES</u>
		yroid or Other rmonal Disorders?	0 [640] 1	19_[650][6	660]
	(IF YE	S:)			
	3.a.1)	Overactive Thyroid	0 [670] 1	19_[680][6	90]
	3.a.2)	Underactive Thyroid	0 [700] 1	19_[710][7	20]
	3.a.3)	Enlarged Thyroid	0 [730] 1	19_[740][7	750]
	3.a.4)	Cushings Disorder	0 [760] 1	19_[770][7	780]
	3.b) <i>Mig</i>	raine Headaches?	0 [790] 1	19_[800][8	310]

B. MEDICAL HISTORY (Cont'd)

		<u>NO</u>	<u>YES</u>	YEAR OF ONSET	NOTE	IS_	
3.c)	Ulcers or Other Bowel Diseases?	0 [820] 1	19_[830]	[840]		
(IF	YES:)						
3.c	.1) Peptic Ulcers	0 [850] 1	19_[860] _	[870]		
3.c	.2) Crohn's Disease	0 [88]] 1	19_[890] _	_[900]		
3.c	.3) Ulcerative Colitis	0 [910] 1	19_[920]	[930]		
3.d)	Vitamin Deficiency?	0 [940] 1	19_[950] _	[960]		
3.e)	Learning Disabilities/ Hyperactivity?	0 [970] 1	19_[980]	[990]		
3.f)	<i>Meningitis/Other Brain Disorders?</i>	0 [100	0] 1	19_[1010]	[1020]		
3.g)	Parkinson's Disease/ Other Movement Disorders?	0 [103	0] 1	19_[1040] _	[1050]		
3.h)	Multiple Sclerosis?	0 [106	0] 1	19_[1070]	[1080]		
3.i)	Huntington's Disease?	0 [109	0] 1	19_[1100]	[1110]		
3.j)	Stroke?	0 [112	0] 1	19_[1130]	[1140]		
3.k)	Epilepsy/Convulsions/ Seizures?	0 [200	00] 1	19_[20010]	[20020]		
	YES:) .a.) How many times have	rrou h	.d	20191702	#	OF T	IMES
3.K	.a.) now many times have	you m	iu a s	eizuie:	[20030]		
							E
3.k.b.) How old were you the first time?							
3.k	.c.) Was a cause found f	or the	seizu	re(s)?	[20050]	<u>NO</u> 0	<u>YES</u> 1
	(IF YES:) Specify:		20060]	_		

B. MEDICAL HISTORY (Cont'd)

			NO YES	YEAR OF ONSET	NOTES
	3.1) Serious he	ad injury?	0 [20070] 1	19_[20080] _	[20090]
	(IF YES:) 3.1.a.) How ma head i		e you had a se		# OF TIMES 20100]
	3.1.b.) <i>Did yo</i>	u lose consc	iousness?		[20110] NO YES 1
	(IF YE	S:) Specify h	now long:	MINUTES [20120]	OR DAYS [20130]
	3.1.c.) How ol	d were you?]	AGE 20140]
	INTERVIEWER:		sness if there	t episode with has been more	
4.	Have you ever ha	d any of the	following tes	ts:	
		<u>NO</u> <u>YE</u>	S YEAR - (MOST RECENT TEST)	(Include	ID RESULTS dates of ests here)
	4.a) EEG/"Brain wave" tests	? 0 [1180]	1 19_[1190]	[1200]	
	4.b) Head CAT scan?	0 [1210]	1 19_[1220]	[1230	0]
	4.c) Head MRI?	0 [1240]	1 19_[1250]	[1260]	
					NO YES
5.	Are you currentl (include aspirin	y taking any and oral co	medications ntraceptives)?		[1270] 0 1
	(IF YES:) Speci	fy medicatio	n, dosage, and	duration:	
	<u>Medication</u>		Dosage Per Day	<u>Dur</u>	ration of Usage
	[20150]		[20160]		WEEKS [20170]
	[20180]		[20190]		WEEKS [20200]
	[20210]		[20220]		WEEKS [20230]
	[20240]		[20250]		WEEKS [20260]
	[20270]		[20280]		WEEKS [20290]
	[20300]		[20310]		WEEKS [20320]

6.	any w	ay?	[1330]	NO 0	<u>YES</u> 1	<u>UNK</u> U
	6.a)	Were there any problems with your mother's		<u>NO</u>	<u>YES</u>	<u>UNK</u>
		health while she was pregnant with you, or with your birth, such as prematurity or birth complications?	[20330]	0	1	Ū
		(IF YES:) Specify:[20340]				
				<u>NO</u>	<u>YES</u>	<u>UNK</u>
	6.b)	Was your development abnormal in any way, for example did you walk or talk later than other children?	[20350]	0	1	U
		(IF YES:) Specify:[20360]				
		<u>NO</u>	YES CURREN		YES <u>P</u>	, IN <u>AST</u>
7.		you ever smoked cigarettes on a daily ? (IF YES:) Are you currently smoking? 0	[13	350]		2
	7.a)	(IF YES AND EVER A CIGARETTE SMOKER:) Estimate number of "pack-years".	[1360]	PAG	CK YE	ARS
		Record: [1370] X[1380] #PPD #YRS	_			
INTE	RVIEWE	R: FOR MALES, SKIP TO MINI-MENTAL STATUS (PAGE	10).			
				NO	YES	<u>UNK</u>
8.	Have	you ever been pregnant?	[1390]		1	U
	IF N	O, SKIP TO Q.9.				
	(IF Y	ES:)		וקס	EGNAN	TES
	8.a)	How many times have you been pregnant including miscarriages, abortions, and still births?	g [14		2147 1111	
		Record response:[1410]	-			

					LI BIR	. —
	8.b)	How many live births?	[14	20]		
				<u>NO</u>	<u>YES</u>	<u>UNK</u>
	8.c)	Have you ever had any severe emotional problem during a pregnancy or within a month of child.			[1430 1] U
		(IF YES:) Specify:[1440]				
9.				<u>NO</u>	YES	<u>UNK</u>
9.		you ever noticed regular mood changes in the nstrual or menstrual period?	[1450]	0	1	U
	9.a)	(IF YES:) Specify:[1460]				
				<u>NO</u>	<u>YES</u>	<u>UNK</u>
10.	Have :	you gone through menopause?	[1470]	0	1	U
	10.a)	(IF YES:) Have you ever had any severe emotion problems associated with menopause?		0	1	U
		(IF YES:) Specify:[1490]				
			<u> </u>			

[1580]

INT	ERVIEV		JBJECT'S	MENTAL STATUS
		IS QUESTIONABLE. Check here if this section does not	apply t	o subject. [1500]
Now	I am g	roing to ask you to perform some quick tas	ks.	
			MAXIMUI SCORE	
1.	<u>Orien</u>	<u>tation</u>	BCORE	
	1.a)	What is the: (Year) (Season) (Date) (Day) (Month)?	5	[1510]
	1.b)	Where are we: (Country) (State) (Town) (Hospital/Bldg) (Floor/Street)?	5	[1520]
2.	Regis	<u>tration</u>	3	[1530]
	will to re Give Repea	second to say each. Tell subject s/he be asked to recall them. Ask the subject speat all three after you have said them. one point for each correct answer. It them until subject learns all three so six trials).	=	
3.	<u>Atten</u>	tion and Calculation		
	100 k	ol 7's. Count backward from by 7. Score one point for each ect. Stop after five answersand-	5	[20370]
	word)	"world" (or some other 5-letter backward. Score one point for each er in correct order.	5	[20380]
4.	Recal	1	3	[1550]
		the subject to name the three objects ated above. Score one point for each act.		[1330]
5.	Langu	<u>age</u>		
	5.a)	Point to a pencil and watch. Ask the subject "What is this called?" for each. Score two points.	2	[1560]
	5.b)	Ask the subject to repeat the following "No ifs, ands, or buts." Score one point.	1	[1570]

5.c) Ask the subject to follow a three-stage command. (E.g., "Take a paper

Score three points.

in your right hand, fold it in half,
and put it on the floor.")

*6.	Cognitive State	MAXIMUM SCORE	SUBJECT SCORE
	6.a) Hand the subject the MMS Card that reads "Close Your Eyes" Score one point.	1 [1590]
	6.b) Write a sentence. Score one point.	1 [1600]
	6.c) Copy the design below. Score one point.	1 [1610]
7.	Record Total Score	35 [1620]	
8.	INTERVIEWER: Assess level of consciousness.	[1630]	
	1 = Alert		
	2 = Drowsy		
	3 = Stupor		

INTERVIEWER: IF SCORE IS 15 OR LESS, DISCONTINUE INTERVIEW AT THIS TIME.

^{*}Adapted, with permission, from Folstein, M.F., Folstein, S.E., McHugh, P., "Mini Mental State": A practical method for grading the cognitive state of patients for the clinician, <u>Journal of Psychiatric Research</u> 12:189-198, 1975.

I am going to ask you a few more questions about your health.

		God	od F	<u>air</u>	
Genei	rally, what has your physical health been like? [16	40]	1	2	
Reco	rd response:[1650]				
				<u>NO</u>	
Have your	you ever been bothered by problems with pains in				
2.a)	abdomen or stomach (other than during menstruation)	?	[166	0] (0
2.b)	back?		[167	0] (0
2.c)	joints?		[168	0] (0
2.d)	arms or legs (other than in the joints)?		[169	0] (0
2.e)	chest?		[170	0] (0
2.f)	<pre>painful sexual intercourse (other than after childbirth) ?</pre>		[172	n 1 (Λ
2.g)	genitals or rectum (other than during intercourse)?		[171		
	during urination?		[173	0] (0
2.i)	(IF FEMALE:) painful menstrual periods?		[174	0] (0
2 +1	headaches?		[1765	9] (0
∠•J/					

INTERVIEWER: IF LESS THAN 4 CODED YES, (DO NOT COUNT Q.2.j -- head-aches), SKIP TO OVERVIEW (PAGE 18).

INTERVIEWER:	For	each	symptom	coded	YES	in	0.2	above.	ask	the	following.
TIATERY ATEMPTS.	LOT	Cacii	Bymp com	Coaca	120		2.2	above	abit	CIIC	TOTTOWING.

3.a) Abdominal pains: Who seen: [1770] What told: [1780] 3.b) Back pain: Who seen: [1800] What told: [1810] 3.c) Pain in the joints: Who seen: [1830] What told: [1840] 3.d) Pain in the arms/legs: Who seen: [1860] What told: [1870] 3.e) Chest pains: Who seen: [1890] What told: [1900]	CODE 0 1 2 3 4 [1790] [1820]
Who seen: [1800] What told: [1810] 3.c) Pain in the joints: Who seen: [1830] What told: [1840] 3.d) Pain in the arms/legs: Who seen: [1860] What told: [1870] 3.e) Chest pains:	[1850]
Who seen: [1830] What told: [1840] 3.d) Pain in the arms/legs: Who seen: [1860] What told: [1870] 3.e) Chest pains:	
Who seen: [1860] What told: [1870] 3.e) Chest pains:	
	[1880]
MITO BEGIL! 1090] MITAC COTA: 1300]	[1910]
3.f) Painful sexual intercourse: Who seen: [1950] What told: [1960]	[1970]
3.g) Genital/rectal pain: Who seen: [1920] What told: [1930]	[1940]
3.h) Painful urination: Who seen: [1980] What told: [1990]	[2000]
3.i) (IF FEMALE:) Painful menstrual periods:	[2030]
3.j) Headaches:	[17662]
3.k) Other pain (excluding headaches) , Specify:[2040]	[2070]
INTERVIEWER: IF 4 OR MORE ARE CODED 4 (DO NOT COUNT Q.3.j Headaches), SKIP TO Q.5. 3.1) (IF 4 OR MORE ARE CODED 3 OR 4:) Probe for age of onset, duration of problems, number of contacts with medical personnel. Note whether complaints are limited to discrete periods of medically explainable illness. Record response: [2080]	
INTERVIEWER: Do you suspect, based upon subject's responses and medical history, somatization disorder? [2090 SKIP TO OVERVIEW (PAGE 18)	NO YES 0 1
IMPAIRMENT CODES	

- 0 = None.
- 1 = Yes, mild (never saw physician/never took medication/
 did not interfere with usual activities).
- 2 = Yes, always secondary to alcohol or drug use.
- 3 = Yes, always part of medically explained physical disorder. 4 = Yes, medically <u>un</u>explained.

[2280]

ONS AGE How old were you the <u>first</u> time you had any of the problems like (Review all items coded 2, 3, [2100] or 4 in Q.3 above)? REC AGE How old were you the last time you had any of [2110] these problems? 7. Have you ever been bothered by any stomach or digestive problems such as: **IMPAIRMENT** CODE 7.a) vomiting or regurgitation of food (when not pregnant)? 0 1 2 3 4 Who seen: [2120] What told: [2130] [2140] 7.b) nausea (other than motion sickness)? Who seen: [2150] What told: [2160] [2170] 7.c) excessive gas or bloating of your stomach or abdomen? Who seen: [2180] What told: [2190] [2200] 7.d) loose bowels or diarrhea? Who seen: [2210] What told: [2220] [2230] 7.e) three or more foods making you sick? Who seen: [2240] What told: [2250] [2260] INTERVIEWER: IF Q.7.a-e ALL CODED 0 OR 1, SKIP TO OVERVIEW (PAGE 18). ONS AGE 8. How old were you the <u>first</u> time you had any of the problems like (Review all items coded 2, 3, [2270] or 4 in Q.7 above)? REC AGE

IMPAIRMENT CODES

0 = None.

these problems?

- 1 = Yes, mild (never saw physician/never took medication/ did not interfere with usual activities).
- 2 = Yes, always secondary to alcohol or drug use.

How old were you the <u>last</u> time you had any of

- 3 = Yes, always part of medically explained physical disorder. 4 = Yes, medically <u>un</u>explained.

D. SOMATIZATION (Cont'd)

Have you ever had any neurological problems such as: **IMPAIRMENT** CODE 10.a) temporary blindness in one or both eyes 0 1 2 3 4 lasting several seconds or more? Who seen: [2290] What told: [2300] [2310] double vision? 10.b) Who seen: [2320] What told: [2330] [2340] completely losing your hearing for a few seconds 10.c) or longer? Who seen: [2350] What told: [2360] [2370] being paralyzed, where you could not move 10.d) a part of your body for at least a few minutes? Who seen: [2380] What told: [2390] [2400] periods of weakness where you could not 10.e) lift or move things you could normally lift or move? Who seen: [2410] What told: [2420] [2430] trouble walking? (balance or coordination problems) Who seen: [2440] What told: [2450] [2460] 10.a) being unable to urinate or having difficulty urinating for 24 hours or longer or having to be catheterized (other than after childbirth or surgery)? Who seen: [2470] What told: [2480] [2490] having a lump in your throat that made it difficult to swallow (other than when you feel like crying)? Who seen: [2500] What told: [2510] [2520] having a seizure or convulsion (where you had staring 10.i) spells or were unconscious and your body jerked)? Who seen: [2530] What told: [2540] [2550] being unconscious or fainting (not seizures)? Who seen: [2560] What told: [2670] [2580] amnesia for a period of several hours or days where you could not remember afterwards anything that happened? Who seen: [2590] What told: [2600] [2610] INTERVIEWER: IF Q.10 ALL CODED 0 OR 1, SKIP TO Q.13 ONS AGE 11. How old were you the \underline{first} time you had any of the problems like (Review all items coded 2, 3, or 4 in [2620] Q.10 above)? REC AGE 12. How old were you the <u>last</u> time you had any of [2630] these problems?

IMPAIRMENT CODES

- 0 = None.
- 1 = Yes, mild (never saw physician/never took medication/
 did not interfere with usual activities).
- 2 = Yes, always secondary to alcohol or drug use.
- 3 = Yes, always part of medically explained physical disorder.
- 4 = Yes, medically <u>un</u>explained.

13.	Have y	you ever been bothered by problems such as:	IMPAIRMENT CODE
		feeling that your sex life was not very important Who seen: [2640] What told: [2650]	0 1 2 3 4 ?
		having sexual difficulties? Who seen: [2670] What told: [2680]	[2690]
	((IF YES:)	
		13.b.1) (IF MALE:) impotence? Who seen: [17663] What told: [17664]	[17665]
		13.b.2) (IF FEMALE:) anorgasmia? Who seen: [17666] What told: [17667]	[17668]
INT	ERVIEWE	ER: FOR MALE SUBJECTS, SKIP TO Q.14.	
		(Code from Q.3.i on page 13 without asking.) Pai	nful
		menstruation? Who seen: [2700] What told: [2710]	[2720]
		excessive menstrual bleeding (not within two years of menopause)?	
		Who seen: [2730] What told: [2740]	[2750]
		having irregular menstrual periods? Who seen: [2760] What told: [2770]	[2780]
	f	<pre>vomiting throughout a pregnancy or being hospital for vomiting during pregnancy? Who seen: [2790] What told: [2800]</pre>	ized [2810]
			[2010]
	INTE	RVIEWER: IF Q.13 ALL CODED 0 OR 1, SKIP TO Q.16	
14.	proble	<pre>ld were you the first time you had any ems like (Review all items coded 2, 3, in Q.13 above)?</pre>	ONS AGE 7669]
15.		ld were you the <u>last</u> time you had any of problems?	REC AGE

IMPAIRMENT CODES

- 0 = None.
- 1 = Yes, mild (never saw physician/never took medication/ did not interfere with usual activities).
- 2 = Yes, always secondary to alcohol or drug use.
 3 = Yes, always part of medically explained physical disorder.
 4 = Yes, medically unexplained.

IMPAIRMENT


16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper? Who seen: [2880] What told: [2890] [2900] 16.d) fainting spells where you felt weak, dizzy, and passed out? Who seen: [2910] What told: [2920] [2930] 16.e) your heart beating so hard you could feel it pounding in your chest? Who seen: [2940] What told: [2950] [2960] 16.f) dizziness? Who seen: [2970] What told: [2980] [2990] 16.g) feeling sickly for most of your life? Who seen: [3000] What told: [3010] [3020] INTERVIEWER: IF Q.16 ALL CODED 0 or 1, SKIP TO OVERVIEW (PAGE 18). How old were you the first time you had any of the problems like (Review all items coded 2, 3, or 4 in Q.16 above)? REC AG	or 4 is How old these	problems? [3100] any years have you been having these problems?	REC AGI
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper? Who seen: [2880] What told: [2890] [2900] 16.d) fainting spells where you felt weak, dizzy, and passed out? Who seen: [2910] What told: [2920] [2930] 16.e) your heart beating so hard you could feel it pounding in your chest? Who seen: [2940] What told: [2950] [2960] 16.f) dizziness? Who seen: [2970] What told: [2980] [2990] 16.g) feeling sickly for most of your life? Who seen: [3000] What told: [3010] [3020] INTERVIEWER: IF Q.16 ALL CODED 0 or 1, SKIP TO OVERVIEW (PAGE 18). How old were you the first time you had any of the problems like (Review all items coded 2, 3, or 4 in Q.16 above)? REC AG	or 4 i	d were you the <u>last</u> time you had any of problems? [3100]	
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper? Who seen: [2880] What told: [2890] [2900] 16.d) fainting spells where you felt weak, dizzy, and passed out? Who seen: [2910] What told: [2920] [2930] 16.e) your heart beating so hard you could feel it pounding in your chest? Who seen: [2940] What told: [2950] [2960] 16.f) dizziness? Who seen: [2970] What told: [2980] [2990] 16.g) feeling sickly for most of your life? Who seen: [3000] What told: [3010] [3020] INTERVIEWER: IF Q.16 ALL CODED 0 or 1, SKIP TO OVERVIEW (PAGE 18).	_		
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper? Who seen: [2880] What told: [2890] [2900] 16.d) fainting spells where you felt weak, dizzy, and passed out? Who seen: [2910] What told: [2920] [2930] 16.e) your heart beating so hard you could feel it pounding in your chest? Who seen: [2940] What told: [2950] [2960] 16.f) dizziness? Who seen: [2970] What told: [2980] [2990] 16.g) feeling sickly for most of your life? Who seen: [3000] What told: [3010] [3020] INTERVIEWER: IF Q.16 ALL CODED 0 or 1, SKIP TO OVERVIEW (PAGE 18).	How old	oblems like (Review all items coded 2, 3, [3090]	ONS AGI
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper? Who seen: [2880] What told: [2890] [2900] 16.d) fainting spells where you felt weak, dizzy, and passed out? Who seen: [2910] What told: [2920] [2930] 16.e) your heart beating so hard you could feel it pounding in your chest? Who seen: [2940] What told: [2950] [2960] 16.f) dizziness? Who seen: [2970] What told: [2980] [2990] 16.g) feeling sickly for most of your life? Who seen: [3000] What told: [3010] [3020]	INT	ERVIEWER: IF Q.16 <u>ALL</u> CODED 0 or 1, SKIP TO OVERVIEW (PAGE	
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper? Who seen: [2880] What told: [2890] [2900] 16.d) fainting spells where you felt weak, dizzy, and passed out? Who seen: [2910] What told: [2920] [2930] 16.e) your heart beating so hard you could feel it pounding in your chest? Who seen: [2940] What told: [2950] [2960]	W)	ho seen: [3000] What told: [3010]	[3020
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper? Who seen: [2880] What told: [2890] [2900] 16.d) fainting spells where you felt weak, dizzy, and passed out? Who seen: [2910] What told: [2920] [2930] 16.e) your heart beating so hard you could feel it pounding in your chest?	,		[2990
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper? Who seen: [2880] What told: [2890] [2900] 16.d) fainting spells where you felt weak, dizzy, and passed out?	p	ounding in your chest?	[2960
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper? Who seen: [2880] What told: [2890] [2900]	a	nd passed out?	[2930
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses? Who seen: [2850] What told: [2860] [2870] 16.c) losing your voice for 30 minutes or more and only being able to whisper?			[2900
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840] 16.b) temporary blurred vision not due to needing/changing glasses?	0	nly being able to whisper?	
Have you ever been bothered by any general problems such as: 16.a) shortness of breath when you had not exerted yourself? Who seen: [2820] What told: [2830] [2840]	g	lasses?	[2870
Have you ever been bothered by any general problems such as:	W	ho seen: [2820] What told: [2830]	[2840
U 2 3	_	ms such as:	

- 1 = Yes, mild (never saw physician/never took medication/ did not interfere with usual activities).
- 2 = Yes, always secondary to alcohol or drug use.
 3 = Yes, always part of medically explained physical disorder.
 4 = Yes, medically <u>un</u>explained.


E. OVERVIEW OF PSYCHIATRIC DISTURBANCE

1			, ,	<u>NO</u>	<u>YES</u>	<u>UNK</u>
1.	Have you ever had any emoushen you were not feeling self?			0	1	U
2.	Have you ever seen any problems, your nerves, or feeling or acting?	rofessional for emot: r the way you were	ional [3120]	0	1	U
	(IF YES:)					AGE
	2.a) How old were you who someone for (Emotion			[313	0]	
	2.b) Were you employed as	t the time?	[17682]	<u>NO</u> 0	YES 1	<u>UNK</u> U
3.	Has there ever been a perwere unable to work, go to other responsibilities be or emotional reasons?	to school, or take ca	are of	0	1	U
4.	Have you ever taken medic or any emotional or menta		7es [3150]	0	1	U
	INTERVIEWER: Circle all	individual medication	ns that apply	γ.		
	Desyrel - [3170], Ludiomil - [3190],	Anafranil - [20390] Effexor - [20400], Norpramin - [3200], Prozac - [3220], Tofranil - [3250], Zoloft - [20420].	Elavil - [31 Pamelor - [3	80],		
	MAOI's: Marplan - [3280)], Nardil - [3290]	, Parnate	- [3300]	
	Sedatives/Hypnotics/ Minor Tranquilizers: Benadryl - [3330], Dalmane - [3360], Librium - [3390], Restoril - [3420], Tranxene - [3450],	Atarax - [3310], Buspar - [3340], Halcion - [3370], Miltown - [3400], Seconal - [3430], Valium - [3460],	Ativan - [33 Chloral Hydra Inderal - [3 Placidyl - Serax - [344 Xanax - [347	ate - 3380] 3410 [0],	[335 1,	50],
	Antipsychotics: Loxitane - [3490], Navane - [3520], Serentil - [3540], Thorazine - [3560],	Clozapine - [16523] Mellaril - [3500], Prolixin - [3530], Stelazine - [3550], Trilafon - [3570].	,Haldol - [34 Moban - [351 Risperidone Taractan -	.0], - [2		,
	Stimulants:	Cylert - [3580],	Ritalin - [3	3590]	•	
	Antimanic Agents:	Klonopin - [3600], Tegretol - [3620],	Lithium - [3 Valproic Aci	8610] d -	, [3630]	1.
	Antiparkinsonian Agents:	Akineton - [16525], Cogentin - [16527],		[165]	26],	
	(IF OTHERS:) Specify:	[3640]		_		
5.	Have you ever received e. (ECT, shock treatments)? (IF YES:) How many cours		[20440]	# 	YES 1 OF CO	UNK U DURSES
	-	-	[2045	0]		

<u>UNK</u> NOYES 6. Have you ever been admitted to a hospital because of problems with your mood, emotions, or how you were acting? [3650] 0 U (IF YES:) HOSPITALIZATIONS 6.a) How many times? [3660] 6.b) (IF ANY:) Were any primarily for alcohol ALC/DRUG HOSPITALIZATIONS and/or drug treatment? INTERVIEWER: Code number of hospitalizations for alcohol and/or drug treatment. [3670] 6.c) How old were you at the time of your first [3680] psychiatric hospitalization? INTERVIEWER: IF SUBJECT REPORTED ANY EMOTIONAL PROBLEMS (Q.1-Q.6), SKIP TO Q.8 <u>UNK</u> <u>NO</u> YES 7. Was there ever a time when you or someone else thought you needed professional help because of your feelings or the way you were acting? [3690] U SKIP TO MAJOR DEPRESSION (PAGE 24). 8. Please tell me more about these periods we've just discussed. [17683]



SAMPLE: Affective Illness Only



SAMPLE: Psychosis and Affective Illness



PATIENT:

AGE	TYPE OF EPISODE OR SYMPTOMS	DURATION (WEEKS)	TREATMENT
[17684]	[17685]	[17686]	[17687]
[17688]	[17689]	[17690]	[17691]
[17692]	[17693]	[17694]	[17695]

F. MAJOR DEPRESSION

Now I'm going to ask you some questions about your mood.

		NO	YES	UNK
Have you ever had a period of at least one week				
you were bothered most of the day, nearly every	day,			
by feeling depressed, sad, down, low?	[3700]	0	1	U
1.a) (IF NO:) By feeling irritable?	[17673]	0	1	U
Have you ever had a period of at least one week				
when you did not enjoy most things, even things				
you usually like to do?	[3710]		1	. U
SKIP TO MANIA/HYPOMANIA (PAGE 33).				
		DEP	ANHE-	
	· · · · · · · · · · · · · · · · · · ·	<u>MOOD</u>	DONIA	<u>UNK</u>
Have you been feeling that way recently (i.e., f				
at least one week during the past 30 days)?		1	2	U
(IF YES): INTERVIEWER: Determine if depressed				
mood or anhedonia only.			ו ידועו	ישק
3.a) (IF YES:) How long have you felt this way?			WEI	EKS
J.a, (II III), now long have you lett this way.	[373	0]		
				[3740]
Think about the most <u>severe</u> period in your		1 1		[3/40]
life when you were feeling depressed or	1		_	
unable to enjoy things. When did it begin?	D M	0	N	Y Y
Record response:[3750]				
Record Tesponse:[5/30]				
				AGE
4.a) INTERVIEWER: Compute age.		[376	n 1	
		[3700	<i>J</i>]	
A le Vitaria Tarria del di telegia de la constanti Tarria			W]	EEKS
4.b) How long did that period last?	[377	0]		
	Т	DEP A	NHE-	
		100D I		<u>UNK</u>
4.c) INTERVIEWER: Code for either depressed	_			_
mood or anhedonia only.	[17674]	1	2	U
		<u>NO</u>	<u>Y</u>]	<u>ES</u>
INTERVIEWER: Is the current episode also	[a = a = =	1 0	_	
the most severe episode?	[17675] 0	1	-

INTERVIEWER: If current episode is also the most severe episode, code the episode only in the Most Severe column. If current episode is not the most severe episode, complete Current Episode first.


CURRENT MOST SEVERE **EPISODE EPISODE** During this current episode: (PAST MONTH) During the most severe episode: Did you have a loss of appetite or [3780] [3790] did your appetite greatly increase? 0 = No0 = No1 = Yes,1 = Yes,decreased decreased 2 = Yes,2 = Yes,increased increased 3 = Yes,3 = Yes,mixture mixture U = Unknown/ U = Unknown/ No Info. No Info. NO LOSS GAIN UNK NO LOSS GAIN UNK 6.a) Did you lose/gain weight 0 1 2 ŢŢ 0 1 2 U [3810] [3800] when you were not trying to? (IF YES:) POUNDS [3820] POUNDS [3830] 6.b) What was your weight before the loss/gain? [3840] [3850] POUNDS POUNDS 6.c) What was your weight <u>after</u> the loss/gain? WEEKS [3860] WEEKS [3870] 6.d) Over what period of time did you lose/gain this amount of weight? {7/7/15 corrected version: variables 3860/3870 changed from "pounds" to YES UNK YES UNK NONO "weeks" 1 TT 7. Did you have trouble sleeping or were you sleeping more than usual? [3880] [3890] (IF YES:) [3900] [3910] 7.a) Were you unable to fall asleep? 7.b) (IF YES:) Was this for at least one hour? [3920] [3930] 7.c) Were you waking up in the middle of the night and not able to go back [3940] [3950] to sleep? 7.d) Were you waking up too early in [3960] [3970] the morning? 7.e) (IF YES:) Was this at least one [3980] [3990] hour earlier than usual? 7.f) Were you sleeping much more than [4000] [4010] usual?

		CURRENT EPISODE (PAST MONTH)		
		NO YES UNK 0 1 U	NO YES <u>UNK</u> 0 1 U	
8.	Were you so fidgety or restless that other people could have noticed (e.g., pacing or wringing hands)?	[4020]	[4030]	
9.	Were you moving or speaking so slowly that other people could have noticed?	[4040]	[4050]	
10.	Were you less interested in things or less able to enjoy sex or other pleasurable activities?	[4060]	[4070]	
11.	Were you feeling a loss of energy or more tired than usual?	[4080]	[4090]	
12.	Were you feeling guilty or that you were a bad person?	[4100]	[4110]	
13.	Were you feeling that you were a failure or worthless?	[4120]	[4130]	
14.	Were you having difficulty thinking, concentrating, or making decisions?	[4140]	[4150]	
15.	Were you frequently thinking about death, or wishing you were dead, or thinking about taking your life?	[4160]	[4170]	
16.	Did you actually try to harm yourself?	[4180]	[4190]	
17.	INTERVIEWER: Enter number of boxes with at least one YES response in Q.6-16. ERVIEWER: IF LESS THAN THREE, RETURN TO Q.6 AND CODE MOST SEVERE EPISODE.	_	BOXES [4210]	
INT	ERVIEWER: IF LESS THAN THREE, SKIP TO			
	MANIA/HYPOMANIA (PAGE 33).	NO YES UNK U	NO YES UNK 0 1 U	
18.	Were the symptoms (Review symptoms in Q.6-16 plus depressed mood) present nearly every day for at least a two-week period?	[4220]	[4230]	
	INTERVIEWER: At least five symptoms (including depressed mood or anhedonia as one of the five) are required for a "YES" response (DSM III-R criteria).	MO <u>AM</u> <u>PM</u> <u>DIF</u> 0 1 2	NO <u>AM PM DIF</u> 0 1 2	
19.	Did you tend to feel worse in the morning or in the evening or was there no difference? {7/7/2015: corrected version where second half of question added to DIGS)	[17676]	[17681]	

			CUDDENT	MOCH CEVEDE
			CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
			NO YES UNK	NO YES UNK
20.	belief;	this episode, did you have s or ideas that you later found re not true?	0 1 U [4240]	0 1 U [4250]
	(IF YE	S:) Specify:	[4060]	[4000]
			[4260]	[4270]
			NO YES UNK	NO YES UNK
	20.a)	Did these beliefs occur either just before this depression or after it cleared?	0 1 U [16529]	0 1 U [17421]
			DAYS [17422]	DAYS [17423]
	20.b)	(IF YES:) How long did they last?	[1/422]	[17423]
			NO YES UNK	NO YES UNK
21.	people	u see or hear things that other could not see or hear? S:) Specify:	0 1 U [4280]	0 1 U [4290]
	(IF IE	s:) Specily:	[4300]	[4310]
			NO YES UNK	NO YES UNK
	21.a)	Did these visions or voices occur either just before this depression or after it cleared?	0 1 U [17424]	0 1 U [17425]
			DAYS [17426]	DAYS [17427]
	21.b)	(IF YES:) How long did they last?	[17420]	[1/12/]
			NO YES UNK 0 1 U	NO YES UNK 0 1 U
22.		S TO Q.20 OR Q.21:) INTERVIEWER:		
	that wat	ychotic symptoms have content as <u>inconsistent</u> with depressive such as poverty, guilt, illness, al inadequacy or catastrophe?	[4360]	[4370]
	22.a)	(IF YES:) INTERVIEWER: Was subject preoccupied with psychotic symptoms to the exclusion of other symptoms or concerns?		[17678]
23.	doctor	u seek or receive help from a or other professional for this of depression?	[4380]	[4390]
24.	Were ye depres	ou prescribed medication for sion?	[4400]	[4410]
	(IF YE	S:) Specify:	[4400]	[4420]
			[4420]	[4430]
			NO YES UNK	NO YES UNK
25.	Did yo	u receive ECT (shock treatments)?	0 1 U [4440]	0 1 U [4450]
				_

				CURRENT EPISODE (PAST MONTH)				MOST SEVERE EPISODE			
26.	hospit	this episode were you alized for depression? (IF YES:) For how long?	ſ		YES 1 [4460 PAYS [480]	UNK U	<u>NO</u> 0	YES 1 [4470 DAYS [4490	5		
INT	ERVIEWE	R: IF PATIENT WAS HOSPITALIZED TWO DAYS OR MORE, HAD ECT, OR HAD PSYCHOTIC SYMPTOMS, SKIP TO Q.29 AND CODE INCAPACITATION.					<u>L</u>				
					[4500]		[4510]		
27.		ur major responsibility during		1	= Job)	1	= Joh)		
	this episode job, home, school, or something else?			2 = Home			2 = Home				
					3 = School			3 = School			
				4 = Other			4 = Other				
	(IF OT	HER:) Specify:		[4520]			[4530]				
28.		ur functioning (in this affected?		<u>NO</u> 0	YES 1 [4540	UNK U	<u>NO</u> 0	<u>YES</u> 1 [4550	UNK U		
	(IF YE	S:) Specify:			[4560)]		[4570]		
				<u>NO</u>	YES	<u>UNK</u>	<u>NO</u>	<u>YES</u>	<u>UNK</u>		
	28.a)	Did something happen as a result of this? (such as marital separation, absence from work or school, loss of a job, or lower grades)		0	1 [4580	U]	0	1 [4590	U]		
	(IF YES:) Specify:			[4600]			[4610]		
	28.b)	(IF NO TO Q.28.a:) Did someone comment on your difficulty functioning?	_	<u>NO</u> 0	<u>YES</u> 1 [17679	UNK U	<u>NO</u> 0	<u>YES</u> 1 [17680	<u>UNK</u> U		

		CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
29. INTERVIE Modified RDC IMPAIRMENT:	EWER: Code based on answers to Q.20,Q.21, and Q.25-28.a. A decrease in quality of	[4620] 0 = No Change 1 = Impairment	[4630] 0 = No Change 1 = Impairment
	the most important role performance (noticeable to others). This usually requires a decrease in the amount of performance; it may be manifested by a person taking ten hours to do what normally may require five hours.	2 = Incapac. U = Unknown	2 = Incapac. U = Unknown
Modified RDC INCAPACITATIO	ON: Complete inability to function in principal role for two days, or hospitalized for two or more days, ECT, or delusions or hallucinations present. For example, a housewife is unable to maintain her household duties or a person stays home from work or from studies.		
	(IF IMPAIRED OR INCAPAC.:) Specify:	[4640]	[4650]
30. RDC MINO	OR ROLE DYSFUNCTION:	<u>NO YES UNK</u>	<u>no yes unk</u>
function	CHANGE IN Q.29:) Was your ning in any other your life affected?	0 1 U [4660]	0 1 U [4670]
(IF YES:	:) Specify:	[4680]	[4690]
	s episode occur during or after an illness of some kind?	NO YES UNK 0 1 U [4700]	NO YES UNK 0 1 U [4710]
	EWER: The following illnesses, thers, may be relevant:		
titis, (roidism, CVA, MS, Mono, Hepa- Cancer, Parkinson's, HIV, 's or other endocrine illnesses.		
(II	YES:) Specify:	[4720]	[4730]
INTERVIEWER:	: IF MALE OR NEVER PREGNANT, SKIP TO Q.33.]	



During	this episode of depressic	on did				<u>NO</u>	YES	<u>UNK</u>
0	veractive				[20500]	0	1	U
М	ore talkative/pressured sp	peech			[20510]	0	1	U
R	acing thoughts/speech hard	l to follow			[20520]	0	1	U
G	randiosity				[20530]	0	1	U
D	ecreased need for sleep				[20540]	0	1	U
D	istractibility				[20550]	0	1	U
R	isky or indiscreet behavio	r			[20560]	0	1	U
s not t	he most severe episode, re	eturn						
ned (moorganic stion, o	st severe) was precipitate factor or that it was a gr r a mixed episode (Q.37 ha ms marked "YES") attempt t	rief as 4 or to establish				NO	VEC	IDII/
INTERV	IEWER: Has there been at	least one				NO	YES	<u>UNK</u>
"clean	" episode?				[4940]	0	1	U
	MORE THAN ONE INCAPACI DEPRESSIVE EPISODE, SK	TTATING MAJOR CIP TO Q.40.	HAD			<u>NO</u>	<u>YES</u>	<u>UNK</u>
when y one we	ou were depressed for at l	east						
you ac	scribed?				[4950]	0	1	U
(IF YE	scribed?				[4950]	0	1	U
_	scribed?	[4960]			[4950]	0	1 7 _ [U
(IF YE	scribed? S:)	[4960]	D	D	[4950] —	0 N]-[
(IF YE	scribed? S:)	[4960]	D	D	- <u> </u>	O N		Y
(IF YE	scribed? S:) When did it begin? INTERVIEWER: Symptom checked be used as an aid in esta	cklist may	D	D	- <u> </u>]-[
,	you al (Mark O M R G D R ERVIEWER S not t 0.6 and rou susp ned (mo organic ction, o csympto cher sev INTERV "clean "ERVIEWE	Overactive More talkative/pressured sp Racing thoughts/speech hard Grandiosity Decreased need for sleep Distractibility Risky or indiscreet behavio ERVIEWER: If coding current episods on the most severe episode, received and code for Most Severe episods or suspect that the episode just and (most severe) was precipitate or spanic factor or that it was a greation, or a mixed episode (Q.37 has symptoms marked "YES") attempt to the severe episode without such a symptoms marked "YES") attempt to the severe episode. ERVIEWER: If IT IS CLEAR THAT THE MORE THAN ONE INCAPACTE DEPRESSIVE EPISODE, SK Did you have at least one other when you were depressed for at 1	More talkative/pressured speech Racing thoughts/speech hard to follow Grandiosity Decreased need for sleep Distractibility Risky or indiscreet behavior ERVIEWER: If coding current episode and so not the most severe episode, return 2.6 and code for Most Severe episode. Fou suspect that the episode just and (most severe) was precipitated by organic factor or that it was a grief stion, or a mixed episode (Q.37 has 4 or a symptoms marked "YES") attempt to establish ther severe episode without such a precipitant. INTERVIEWER: Has there been at least one "clean" episode?	you also experience any of these symptoms? (Mark "YES" or "NO" for each symptom) Overactive More talkative/pressured speech Racing thoughts/speech hard to follow Grandiosity Decreased need for sleep Distractibility Risky or indiscreet behavior ERVIEWER: If coding current episode and s not the most severe episode, return 2.6 and code for Most Severe episode. Fou suspect that the episode just ned (most severe) was precipitated by organic factor or that it was a grief tion, or a mixed episode (Q.37 has 4 or symptoms marked "YES") attempt to establish ther severe episode without such a precipitant. INTERVIEWER: Has there been at least one "clean" episode? PERVIEWER: IF IT IS CLEAR THAT THE SUBJECT HAS HAD MORE THAN ONE INCAPACITATING MAJOR DEPRESSIVE EPISODE, SKIP TO Q.40. Did you have at least one other episode when you were depressed for at least	you also experience any of these symptoms? (Mark "YES" or "NO" for each symptom) Overactive More talkative/pressured speech Racing thoughts/speech hard to follow Grandiosity Decreased need for sleep Distractibility Risky or indiscreet behavior ERVIEWER: If coding current episode and so not the most severe episode, return 2.6 and code for Most Severe episode. Fou suspect that the episode just severe index and severe episode (Q.37 has 4 or esymptoms marked "YES") attempt to establish there severe episode without such a precipitant. INTERVIEWER: Has there been at least one "clean" episode? ERVIEWER: IF IT IS CLEAR THAT THE SUBJECT HAS HAD MORE THAN ONE INCAPACITATING MAJOR DEPRESSIVE EPISODE, SKIP TO Q.40. Did you have at least one other episode when you were depressed for at least	you also experience any of these symptoms? (Mark "YES" or "NO" for each symptom) Overactive More talkative/pressured speech Racing thoughts/speech hard to follow Grandiosity Decreased need for sleep Distractibility Risky or indiscreet behavior ERVIEWER: If coding current episode and so not the most severe episode. Tou suspect that the episode just and (most severe) was precipitated by organic factor or that it was a grief exion, or a mixed episode (Q.37 has 4 or a symptoms marked "YES") attempt to establish ther severe episode without such a precipitant. INTERVIEWER: Has there been at least one "clean" episode? ERVIEWER: IF IT IS CLEAR THAT THE SUBJECT HAS HAD MORE THAN ONE INCAPACITATING MAJOR DEPRESSIVE EPISODE, SKIP TO Q.40. Did you have at least one other episode when you were depressed for at least	During this episode of depression did you also experience any of these symptoms? (Mark "YES" or "NO" for each symptom) Overactive [20500] 0 More talkative/pressured speech [20510] 0 Racing thoughts/speech hard to follow [20520] 0 Grandiosity [20530] 0 Decreased need for sleep [20540] 0 Distractibility [20550] 0 Risky or indiscreet behavior [20560] 0 ERVIEWER: If coding current episode and so not the most severe episode, return (2.6 and code for Most Severe episode. Fou suspect that the episode just (2.37 has 4 or companie factor or that it was a grief (2.37 has 4 or compa	During this episode of depression did you also experience any of these symptoms? (Mark "YES" or "NO" for each symptom) Overactive More talkative/pressured speech Racing thoughts/speech hard to follow Grandiosity Decreased need for sleep Distractibility Risky or indiscreet behavior ERVIEWER: If coding current episode and so not the most severe episode. You suspect that the episode just and code for Most Severe episode. You suspect that the episode (Q.37 has 4 or asymptoms marked "YES") attempt to establish ther severe episode (YES") attempt to establish ther severe episode? INTERVIEWER: If II IS CLEAR THAT THE SUBJECT HAS HAD MORE THAN ONE INCAPACITATING MAJOR DEPRESSIVE EPISODE, SKIP TO Q.40. Did you have at least one other episode when you were depressed for at least

						SX
	39.c)	INTERVIEWER: Enter number of symptoms marked "YES" in Q.39.b.	[5	060]		
	39.d)	Was it preceded by a medical illness, use of medication/drugs/alcohol, or		<u>NO</u>	<u>YES</u>	<u>UNK</u>
		the loss of a loved one?	[5070]	0	1	U
	39.e)	Was there a difference in the way [5080] you managed your work, school, or	0	= No		
		household tasks?	1	= Imp	pair.	
		(IF YES:) Specify:[5090]	2	= Ind	cap.	
		, 	U	= Unl	2	
					WEEKS	
	39.f)	How long did this episode last?	[5100]			
	39.q)	Did you receive any treatment or were you		<u>NO</u>	<u>YES</u>	<u>UNK</u>
	39.97	hospitalized during this episode?	[5110]	0	1	U
		(IF YES:) Specify treatment:[5120]	_			
					ONS	AGE
40.	How ol	d were you the <u>first</u> time you had an e of depression like this?	[5	130]		
					REC	AGE
41.		d were you the <u>last</u> time you had an e of depression like this?	[5	140]		
					EPIS	ODES
42.	How ma like t	ny separate times have you been depressed his?	[5	150]		
				HOS	PITAL	IZED
43.		ny times were you hospitalized for an episode ression?	[20	570]		
				#	OF T	IMES
44.	How ma	ny times have you had ECT for depression?	[20	580]		
				<u>NO</u>	YES	<u>UNK</u>
45.		u ever feel high or were you overactive ing medical treatment for depression?	[17428]	0	1	U
	(IF YE	S:) Describe:[17429]				

G. MANIA/HYPOMANIA

			NO	YES	U
1.a)	Did you ever have a period when you felt extremely good or high, clearly different from your normal self? (Was this more than just feeling good?)	[5160]	0	1	Ţ
1 h)	(IF NO:) Did you ever have a period when you				
1.07	were unusually irritable, clearly different from your normal self so that you would shout at people or start fights or arguments?	[5170]	0	1	τ
1.c)	INTERVIEWER: Probe for description if necessar using additional probes (e.g., Did you experient increased energy? increased activity? a need for less sleep? increased talkativeness?)	nce			
	[5180]	_			
		_			
		_			
1.d)	(IF YES TO Q.1.a OR Q.1.b:) Did this last		<u>NO</u>	YES	
1.d)	(IF YES TO Q.1.a OR Q.1.b:) Did this last persistently throughout the day or intermittent for two days or more?	: <i>ly</i> [5190]			
	persistently throughout the day or intermittent				-
	persistently throughout the day or intermittent for two days or more? INTERVIEWER: Do you suspect a past or current episode from subject's responses, behavior, or	[5190]	0	1	-
1.e)	persistently throughout the day or intermittent for two days or more? INTERVIEWER: Do you suspect a past or current episode from subject's responses, behavior, or	[5190]	0	1	-
1.e)	persistently throughout the day or intermittent for two days or more? INTERVIEWER: Do you suspect a past or current episode from subject's responses, behavior, or other information?	[5190] [5200]	0	1	-
1.e) sk Have the	persistently throughout the day or intermittent for two days or more? INTERVIEWER: Do you suspect a past or current episode from subject's responses, behavior, or other information? IP TO HYPOMANIA SCREEN (Q.37, PAGE 40).	[5190]	0	1	
1.e) SK Have the (IF 2.a)	persistently throughout the day or intermittent for two days or more? INTERVIEWER: Do you suspect a past or current episode from subject's responses, behavior, or other information? IP TO HYPOMANIA SCREEN (Q.37, PAGE 40). you been feeling this way recently (i.e., during past 30 days)? YES:) How long have you felt this way? less than one week, code DAYS.)	[5190] [5200]	0 0	1 1	<u>I</u>
1.e) SK Have the (IF 2.a) (If Thin in y unus	persistently throughout the day or intermittent for two days or more? INTERVIEWER: Do you suspect a past or current episode from subject's responses, behavior, or other information? IP TO HYPOMANIA SCREEN (Q.37, PAGE 40). you been feeling this way recently (i.e., during past 30 days)? YES:) How long have you felt this way? less than one week, code DAYS.)	[5190] [5200] [5210] DAYS OR [5220]	0 0	1 1 weeks	
1.e) SK Have the (IF 2.a) (If Thin in y unus	persistently throughout the day or intermittent for two days or more? INTERVIEWER: Do you suspect a past or current episode from subject's responses, behavior, or other information? IP TO HYPOMANIA SCREEN (Q.37, PAGE 40). you been feeling this way recently (i.e., during past 30 days)? YES:) How long have you felt this way? less than one week, code DAYS.) k about the most extreme period our life when you were feeling ually good, high, or irritable. did it begin?	[5190] [5200] [5210] DAYS [5220] M (6	0 0	1 1 WEEKS [5230]	

<u>YES</u>

4. INTERVIEWER: Is the current episode <u>also</u> the most severe episode?

[17696] 0 1

NO

INTERVIEWER: If the current episode is also the most severe episode, code the episode only in the Most Severe column. If it is not the most severe episode, complete Current Episode first.

During the current episode:	CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
During the most severe episode:	<u>IRR</u> <u>ELA</u>	<u>IRR</u> <u>ELA</u>
5. INTERVIEWER: Specify irritable or elated mood.	1 2 [5280] <u>NO YES UNK</u>	1 2 [5290] <u>NO YES UNK</u>
6. Were you more active than usual either sexually, socially, or at work, or were you physically restless?	0 1 U	0 1 U
7. Were you more talkative than usual or divoke you feel pressure to keep on talking?	d [5320]	[5330]
8. Did your thoughts race or did you talk s fast that it was difficult for people to follow what you were saying?	[5340]	[5350]
9. Did you feel you were a very important person, or that you had special powers, plans, talents, or abilities?	[5360]	[5370]
10. Did you need less sleep than usual?	[5380]	[5390]
(IF YES:)	HOURS [5400]	HOURS [5410]
10.a) How many hours of sleep did you ge per night?	HOURS [5420]	HOURS [5430]
10.b) How many hours of sleep do you usu get per night?	ally UNK 0 1 U	NO YES UNK U
11. Did you have more trouble than usual concentrating because your attention kep jumping from one thing to another?	[5440]	[5450]
12. Did you do anything that could have gotten you into troublelike buy things, make business investments, have sexual indiscretions, drive recklessly?	[5460]	[5470]
(IF YES:) Specify:	[5480] 	[5490]

		_			•	
			CURREN		MOST S	
			EPISOD: (PAST MON		EPIS	SODE
		<u>L</u>			NO VEG	TINTIZ
			NO YES 0 1	<u>UNK</u> U	NO YES 1	<u>UNK</u> U
13.	Would y	ou say your behavior was	-	· ·		Ü
	provoca	ntive, obnoxious, arrogant,				
		pulative enough to cause				
		ns for your family, friends, vorkers?	[550	0 1	[5510)]
	(IF YES	S:) Specify:				
			[552	0]	[5530]
			BOXE	<u>IS</u>	BOXE	S
14.		EWER: Enter number of boxes with				
	at leas	st one YES response in Q.6-12.	[5540]		[5550]	
TN	TEDVIEWE	R: IF ONLY ONE OR NONE FOR BOTH			[3330]	
		PISODE AND MOST SEVERE EPISODE,				
SK	IP TO DY	STHYMIA (PAGE 41).				
			NO YES 0 1	<u>UNK</u>	NO YES 1	<u>UNK</u> II
15.	Were vo	ou so excited that it was almost	0 1	U	0 1	U
		ble to hold a conversation with you	i? [556)	0]	[5570)]
16	Did	have haliafa an ideas that way				
16.		n have beliefs or ideas that you Tound out were not true?	[558	0]	[5590)]
	(TE VEC	(a) Congifer				
	(IF IES	S:) Specify:	[5600]	[5610]
	16.a)	Did these beliefs occur either	NO YES	UNK	NO YES	<u>UNK</u>
		just before this mania or after				
		it cleared?	0 1 [1743	U 81	0 1 [1743]	U 91
			DAYS	1	DA	
			[17440	J	[17	441]
	16.b)	(IF YES:) How long did they last?			1 1 1	
			NO YES	UNK	NO YES	UNK
1 7	D: 3					
17.		see or hear things that other could not see or hear?	0 1 [562	U 0]	0 1 [5630	U)]
	(IF IES	S:) Specify:	[564	0]	[5650]
	17.a)	Did these visions or voices occur	NO YES	UNK	NO YES	UNK
	,	either just before this mania or				·
		after it cleared?	0 1 [1743	U 4]	0 1 [1743]	U 5]
				-		
			DAYS [17436]	DA: [17	YS 437]
			1 1	_		
	17.b)	(IF YES:) How long did they last?				
			·	·		

	CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
psychotic symptoms have content that was		<u>NO YES UNK</u> 0 1 U
	ty, [5710]	[17755]
preoccupied with psychotic sympto	ms	[17698]
Did you seek or receive help from someon like a doctor or other professional?	e [5720]	[5730]
	[5740]	[5750]
(IF YES:) Specify:	[5760]	[5770] <u></u>
	NO YES UNK U	<u>NO YES UNK</u> 0 1 U
Did you receive ECT?	[5780]	[5790]
During this episode, were you hospitalized for mania?	[5800]	[5810]
22.a) (IF YES:) For how long?	DAYS [5820]	DAYS [5830]
O DAYS OR MORE, HAD ECT OR HAD PSYCHOTIC MPTOMS, SKIP TO Q.25 AND CODE INCAPACI-		
Was your major responsibility at that ti job, home, school, or something else?	me [5840] 1 = Job 2 = Home 3 = School 4 = Other	[5850] 1 = Job 2 = Home 3 = School 4 = Other
(IF OTHER:) Specify:	[5860]	[5970]
Did your functioning decline (in this role)?	NO YES UNK 0 1 U [5880]	NO YES UNK 0 1 U [5890]
(IF YES:) Specify:	[5900]	[5910]
	psychotic symptoms have content that was inconsistent with manic themes such as inflated worth, power, knowledge, idention special relationship to a deity or a famous person? 18.a) (IF YES:) INTERVIEWER: Was subjected with psychotic symptom to the exclusion of other symptom or concerns? Did you seek or receive help from someon like a doctor or other professional? Were you prescribed medication for this? (IF YES:) Specify: Did you receive ECT? During this episode, were you hospitalized for mania? 22.a) (IF YES:) For how long? TERVIEWER: IF PATIENT WAS HOSPITALIZED O DAYS OR MORE, HAD ECT OR HAD PSYCHOTIC MPTOMS, SKIP TO Q.25 AND CODE INCAPACITION. Was your major responsibility at that tipob, home, school, or something else? (IF OTHER:) Specify:	CIF Q.16 OR Q.17 IS YES:) INTERVIEWER: Did psychotic symptoms have content that was inconsistent with manic themes such as inflated worth, power, knowledge, identity, or special relationship to a deity or a famous person? [5710] 18.a) (IF YES:) INTERVIEWER: Was subject preoccupied with psychotic symptoms to the exclusion of other symptoms or concerns? [17697] Did you seek or receive help from someone like a doctor or other professional? [5720] Were you prescribed medication for this? [5740] (IF YES:) Specify: [5760] Did you receive ECT? [5780] Did you receive ECT? [5800] Days of More, school, or something else? [5840] TERVIEWER: IF PATIENT WAS HOSPITALIZED ODAYS OR MORE, HAD ECT OR HAD PSYCHOTIC MPTOMS, SKIP TO Q.25 AND CODE INCAPACITION. Was your major responsibility at that time job, home, school, or something else? [5840] 1 = Job 2 = Home 3 = School 4 = Other CIF OTHER:) Specify: [5880] Did your functioning decline (in this of this role)? [5880]

G. MANIA/HYPOMANIA (Cont'd)

			EF	JRRENT PISODE I MONT	Н)	M	EVERE ODE	
	(IF YES to Q.	24)	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U	<u>NO</u>	<u>YES</u> 1	<u>UNK</u> U
	of thi separa	mething happen as a result s? (such as marital tion, absence from work or , loss of a job, or lower	o de la companya de	[5920	0	o	[5930	Ü
	5	S:) Specify:		[3720	1		[3330	1
	(== ==	20, 5,500=27.		[5940]			[5950]
			<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U	<u>NO</u>	<u>YES</u> 1	<u>UNK</u> U
	commen	to Q.24.a:) Did someone t on your decline in oning?		[17699	9]		[17700)]
25.	INTERVIEWER: Code based on answers to Q.15-24.			[5960] To char	nge			<mark>70]</mark> Change airment
		Decreased functioning not to meet incapacitation.					= Inca	apac. rovemt.
	function in protocol two days, hosp	N: Complete inability to rincipal role for at least pitalization, ECT, delusions tons, or inability to carryction.						
	IMPROVEMENT:	<pre>Improvement in function. (IF IMPAIRED OR INCAPAC.:) Specify:</pre>		[20590]	[20600] <u> </u>
26.	Was your func area of your	T: (IF NO CHANGE TO Q.25:) tioning in any other life affected or did you ble in any way? vsfunction)	<u>NO</u> 0	<u>YES</u> 1 [5980	<u>UNK</u> U]	<u>NO</u> 0	<u>YES</u> 1 [5990	<u>UNK</u> U]
	(IF YES:) Spe	cify:		[6000]		[6010]	
27.		ode occur during or shortly ess of some kind?	<u>NO</u> 0	<u>YES</u> 1 [6020	<u>UNK</u> U	<u>NO</u> 0	<u>YES</u> 1 [6030	<u>UNK</u> U]
	INTERVIEWER:	The following illnesses, among others, may be relevant: MS, HIV, Hyperthyroidism, Lupus, Cushing's, Brain Tumors, Encephalitis.						
	(IF YES:) Spe	cify illness:		[6040]		[6050]	
		_						

		CURRENT EPISODE (PAST MONTH)	MOST SEVERE EPISODE
28.	Did this episode begin shortly after you started using decongestants, steroids, or some other medication?	NO YES UNK 0 1 U [6060]	NO YES UNK 0 1 U [6070]
	INTERVIEWER: L-DOPA, among others, may be relevant. Antidepressants are not considered an organic precipitant for DSM-III-R and RDC.		
	(IF YES:) Specify:	[6080]	[6090]
29.	Did this episode begin shortly after you started taking an antidepressant, shortly after a course of ECT, or after beginning a course of light therapy?	NO YES UNK 0 1 U [20610]	NO YES UNK 0 1 U [20620]
	(IF YES:) Specify:	[20630]	[20640]
30.	Were you using cocaine or other street drugs or were you drinking more than usual just before this episode began?	NO YES UNK 0 1 U [6100]	NO YES UNK 0 1 U [6110]
	<pre>INTERVIEWER: Amphetamines, among others, may be relevant.</pre>		
	(IF YES:)		
	30.a) Cocaine?	0 1 U [6120]	0 1 U [6130]
	(IF YES:) Specify:	[6140]	[6150]
	30.b) Other street drugs? (IF YES:) Specify:	0 1 U [6160]	0 1 U [6170]
	<pre>30.c) Increased alcohol? (IF YES:) Specify:</pre>	0 1 U [6200]	0 1 U [6210]

INTERVIEWER: If coding current episode and it is not the most severe episode, return to Q.5 and code for Most Severe episode.

If you suspect that the episode just defined (most severe) was precipitated and maintained by an organic factor, attempt to establish another severe episode without an organic precipitant.

2.1			<u>NO</u>	YES	<u>UNK</u>
31.	INTERVIEWER: Has there been at least one "clean" episode?	[6240]	0	1	U
	INTERVIEWER: To define a manic episode, the patient must be elated and have three symptoms or be irritable and have four symptoms.				
				CLE	
	(IF YES:)			EPIS	ODES
	31.a) How many episodes like this have you had?	[62	50]	ONS	AGE.
				(CLE	
	31.b) How old were you the <u>first</u> time you had				
	an episode like this?	[62	60]	DEC	7 CE
				REC (CLE	
	31.c) How old were you the <u>last</u> time you had			(022	1111/
	an episode like this?	[62	70]		
				UNCL	EAN ODES
32.	(IF NO CLEAN EPISODES:) How many episodes like			FPIS	ODES
54.	this have you had?	[62	80]		
				ONS	
	20) 77 11			(UNCL	EAN)
	32.a) How old were you the <u>first</u> time you had an episode like this?	[62	901		
	dii opioddo iino diig,	[0 2		REC	AGE
				(UNCL	EAN)
	32.b) How old were you the <u>last</u> time you had	[63	001		
	an episode like this?	[0 3	00] HOS	L PITAL	TZED
33.	How many times were you hospitalized for an		1100		
	episode of mania?	[206	50]		
			NO	<u>YES</u>	UNK
34.	MIXED AFFECTIVE STATES: During any of these manic				
	episodes, did you also experience any of these sympt	toms			
	(MARK "YES" or "NO" FOR EACH SYMPTOM)				
	Depressed mood/loss of interest or pleasure	[20660]	0	1	U
	Appetite/weight change	[20670]			U
	Sleep difficulty	[20680]	0	1	U
	Change in activity level (psychomotor)	[20690]	0	1	U
	Fatigue/loss of energy	[20700]	0		U
	Loss of interest/pleasure	[20710]			U
	Low self-esteem/guilt	[20720]		1	U
	Decreased concentration	[20730]		1	U
	Thoughts of death or suicide	[20740]	0	1	Ū
	IF LESS THAN 5 MARKED "YES", SKIP TO Q.35			פרת	ODES
					משעט
	How many episodes like this have you had?	[207	501		
	op-souce circ diave you must	L 20 /			

INTERVIEWER: Check whether most severe episode is one of these. IF YES, try to establish another episode as most severe.

R	APID CYCLING				
			<u>NO</u>	YES	UNK
35.	Have you had at least four episodes of mood disorder within a one-year period?	r [17701]	0	1	U
36.	Have you ever switched back and forth quickly between feeling high to feeling normal or depressed	? [6330]	0	1	Ū
		<u>HRS</u>	D	AYS	WKS
	36.a) (IF YES:) Was that happening every few hours, every few days, or every few weeks?	6340] 1		2	3
	YPOMANIA		<u>NO</u>	<u>YES</u>	<u>UNK</u>
37.	(ASK ONLY IF Q.2-36 ARE SKIPPED:) I have already as you about periods of extremely high moods clearly different from your normal self. Now I'd like to a if you have ever had periods lasting even a day or when you felt unusually cheerful, energetic, or hyperiods.	sk two] 0] 1	U
	SKIP TO DYSTHYMIA (PAGE 41).				
	(IF YES:) During that period were you				
	37.a) more active than usual? 37.b) more talkative than usual? 37.c) experiencing racing thoughts?	[6360] [6370] [6380]	0		U U
	37.d) feeling you were a very important person or had special powers or talents?	[6390]	0	1	U
	37.e) needing less sleep than usual?	[6400]	0	1	U
	37.f) distractible because your attention kept jumping from one thing to another?	[6410]	0	1	U
	37.g) doing anything that could have gotten you in trouble, like buying things or having sexual indiscretions?		0	1	U
INTE	RVIEWER: If three or more symptoms coded "YES" in Q.37.a37.g., return to Q.2. (page 33) and complete Mania/Hypomania Section.			QD	ELLS
20			201	32	وبيت
38.	How many spells like this have you had?	[64	:30]	Ш	
				DAYS	
39.	What is the longest that one of these has lasted?	[17702]		<u> </u>	<u> </u>
				А	GE.
40.	How old were you when you had the first such spell?	[64	40]		

DYSTHYMIA

INTE	RVIEWER: IF SUBJECT HAS HAD MANIA OR CHRONIC PSYCHOS CHECK HERE AND SKIP TO INTERVIEWER NOTE ON	-	[6450	0]
less	re asked about episodes of depression that were severe severe periods of depression that go on for years at alk about times like that.	a time. N	ow we	want
1.	Have you ever had a period of two or more years when you felt sad, down, or blue most of the day, more days than not?	NO [6460] 0	YES	<u>UNK</u> U
	1.a) How old were you when the first period like this began?	[6470		S AGE
	1.b) How old were you when it ended	[6480		D AGE
2.	Did you have a severe episode of depression either during the first two years of this period or in the six months before this two-year period began?	<u>NO</u> [6490] 0	YES 1	<u>UNK</u> U
3.	Just before and during this period was there a change in your use of street drugs, alcohol, or prescription medications, or did you have a serious physical illness?	[6500] 0	1	Ū
	(IF YES:) Specify: [6510] EVIEWER: If YES to Q.2 or Q.3, identify another two-year of if possible and recode Q.1.a and Q.1.b.	ear		
١.	During that two-year period did you 4.a) overeat?	<u>NO</u> 0	YES 1 6520]	<u>UNK</u> U
	4.b) have a poor appetite?]	6530]	
	4.c) have trouble sleeping?		[6540]	
	4.d) sleep too much?]	6550]	
	 4.e) feel tired easily? 4.f) feel inadequate or worthless? 4.g) find it hard to concentrate or make decisions? 4.h) feel hopeless? 		[6560] [6570] [6580] [6590]	
	INTERVIEWER: IF LESS THAN TWO POSITIVE SYMPTOMS (BOX COUNT AS ONE SYMPTOM), SKIP TO Q.7.	XED ITEMS		

F			1	<u>10</u>	<u>YES</u>	<u>UNK</u>
5.	During that two-year period was your mood ever normal for as long as two months in a rowthat is, two months when you were <u>not</u> sad, blue or down?	[66	00]	0	1	U
6.	During that two-year period was there a difference in the way you managed your work, school, or househol tasks or was any other area of your life affected?	d [207	50]	0	1	U
	(IF YES): Specify: [20770]					
	RESSIVE PERSONALITY RVIEWER: IF ONSET OF MAJOR PSYCHIATRIC DISORDER:					-
	 AT AGE 20 OR YOUNGER, CHECK HERE AND SK ALCOHOL ABUSE (PAGE 44). AFTER AGE 20, ASK ABOUT PERIOD OF TIME THE FIRST EPISODE. 		[180		_	_
	See Depression Q.40 (page 32) and Mania Q. (page 39) to clarify onset ages if necessa					
7.	For much of your life up to (Now/Age of first Affective Disorder), have you been the kind of person who often has hours, days, or weeks when you feel depressed, down, blue, empty, don't care, feel sorry for yourself, or something like that?	6610	<u>NC</u>	<u>)</u>	YES 1	<u>UNK</u> U
	SKIP TO Q.15 - HYPERTHYMIC PERSONALITY					
Durin	g those times					
8.	Were you always sad, down, or blue?	6660	<u>N(</u>	<u>)</u>)	<u>YES</u> 1	<u>UNK</u> U
9.	Did you lose interest or pleasure in your usual activities?	6620] ()	1	U
10.	How long did this typically last? (If less than one week, code DAYS.)	0AYS 0630]	OR		WEEKS	
11.	How many times per year did this happen?		[66!	50]	TIM	IES
12.	How old were you when you <u>first</u> began feeling this way?		[66'	70]	ONS	AGE
13.	Did your friends or family notice or remark		NO	<u>)</u>	YES	<u>UNK</u>
	on how you felt?	6680			1	U
14.	Did you tell anyone how you felt?	6690] ()	1	U

21.

U

HYPERTHYMIC PERSONALITY

INTERVIEWER: If subject has had major affective disorder, ask about the period of time preceding the first episode.

Did you tell anyone how you felt?

<u>YES</u> <u>UNK</u> NO For much of your life up to (Now/Age of first 15. Affective Disorder), have you had times of unusual ambition, energy, optimism, high spirits, [6700] 0 1 U or great activity? SKIP TO ALCOHOL ABUSE (PAGE 44). Were you always this way? [6740] 0 1 U 16. WEEKS DAYS 17. How long did it typically last? OR (If less than one week, code DAYS.) [6710][6720] TIMES 18. How many times per year did this happen? [6730] ONS AGE 19. How old were you when you first began [6750] feeling this way? NO <u>YES</u> <u>UNK</u> 20. Did your friends or family notice [6760] or remark on how you felt? 0 1 U

[6770]

0

1

YES

1

1

I am going to ask you a series of questions about alcohol and drug use. I will use the word "often" in some of these questions; by often, we mean three or more times. Now, I would like to ask you some questions about alcoholic beverages like beer, wine, wine coolers, champagne, or hard liquor like vodka, gin, or whiskey.

1. Have you ever had a drink of alcohol?

[6780] 0

1.a) (IF NO:) So, you have never had even one drink of [6790] alcohol?

0] 0

NO

SKIP TO DRUG ABUSE (PAGE 53).

SITE OPTIONAL

2. Let us begin with the last week. Did you have any drink containing alcohol in the last week? [6800] 0 1

SKIP TO Q.4.

We would like to know the number of alcoholic drinks you have had on each day in the <u>last week</u>. Let us begin with yesterday, that is _____ [6810] _____ (Name and record day of week).

- How many drinks of (Type of Beverage) did you have on (Day)? (Record in Col. I below.)
 - 3.a) How long in minutes did it take you to consume that amount? (Record in Col. II below.)

INTERVIEWER: Ask for all types of beverages and then go to next day.

If "DON'T KNOW" or "CAN'T REMEMBER", Code "UU".

Day	BEER/LITE	E BEER	<u>WI</u>	NE TT	LIO	<u>UOR</u>
Last <u>Week</u>	լ ⊥ .	11.	,⊥.	II. <u>Minutes</u>	μ.	11.
MON	_[6820]_	_[6830]_	_[6840]_	_[6850]_	_[6860]_	_[6870]_
TUE	_[6880]_	_[6890]_	_[6900]_	_[6910]_	_[6920]_	_[6930]_
WED	_[6940]_	_[6950]_	_[6960]_	_[6970]_	_[6980]_	_[6990]_
THUR	_[7000]_	_[7010]_	_[7020]_	_[7030]_	_[7040]_	_[7050]_
FRI	_[7060]_	_[7070]_	_[7080]_	_[7090]_	_[7100]_	_[7110]_
SAT	_[7120]_	_[7130]_	_[7140]_	_[7150]_	_[7160]_	_[7170]_
SUN	_[7180]_	_[7190]_	_[7200]_	_[7210]_	_[7220]_	_[7230]_

4. Would you say that your drinking/not drinking in the past week was typical of your drinking habits? [7240] 0 1

YES NO 5. Did you ever drink regularly--that is, at least once a week, for six months or more? [7250] 0 1 SKIP TO Q.7. SITE OPTIONAL ONS AGE 5.a) (IF YES:) How old were you the <u>first</u> time [7260] you drank that regularly? (IF Q.4 IS NO--PAST WEEK NOT TYPICAL): We would like to know the number of drinks containing alcohol you would have in a typical week in the past six months when you drink. During a typical week, on (Day) how many drinks of (Type of beverage) do you have? (Record in Col. I below.) 6.a) How long in minutes does it take you to consume that amount? (Record in Col. II below.) INTERVIEWER: Ask for all types of beverages and then go to next day. If "DON'T KNOW" or "CAN'T REMEMBER", Code "UU". LIQUOR I. WINE II. Day BEER/LITE BEER of Minutes <u>Drinks</u> <u>Drinks</u> <u>Minutes</u> <u>Drinks</u> <u>Minutes</u> <u>Week</u> MON _[7270]_ _[7280]_ _[7290]_ _[7300]_ _[7310]_ _[7320]_ _[7370]_ _[7380]_ _[7330]_ _[7340]_ _[7350]_ _[7360]_ TUE _[7390]_ _[7400]_ _[7410]_ _[7420]_ _[7430]_ _[7440]_ WED _[7490]_ _[7500]_ _[7450]_ _[7460]_ _[7470]_ _[7480]_ THUR _[7510]_ _[7520]_ _[7530]_ _[7540]_ _[7550]_ _[7560]_ FRI _[7570]_ _[7580]_ _[7590]_ _[7600]_ _[7610]_ _[7620]_ SAT _[7630]_ _[7640]_ _[7650]_ _[7660]_ _[7670]_ _[7680]_ SUN **YES** <u>NO</u> 7. Did you ever get drunk--that is, when your speech was slurred or you were unsteady on your feet? [7690] 1

IF NO TO BOTH Q.5 AND Q.7, SKIP TO DRUG ABUSE (PAGE 53).

			_	DRI	NKS
8.	What is the largest number of drinks you have ever had in a 24-hour period?		[7700]		
	Record response:[7710]				
	1 PINT = 1 FIFTH =	01 06 12 20 24			
	WINE DRINK EQUIVALENTS: GLASS = 1 BOTTLE = 6 WINE COOLER = 1				
	BEER DRINK EQUIVALENTS: BOTTLE/CAN = 1 CASE = 24				
	IF 3 DRINKS OR FEWER, SKIP TO DRUG ABUSE (PAGE 53).		•		
				<u>NO</u>	YES
9.	Did you ever feel you should cut down on your drinking?		[7720]	0	1
	SITE OPTIONAL				
	9.a) (IF YES:) How old were you the <u>first</u> time you fel you should cut down on your drinking?		ON:	S AG	E
				<u>NO</u>	YES
10.	Have people annoyed you by criticizing your drinking?		[7740]	0	1
11.	Have you ever felt bad or guilty about drinking?		[7750]	0	1
12.	Did you ever have a drink first thing in the morning to steady your nerves or get rid of a hangover (eye-opener		[7760]	0	1
INT	ERVIEWER: IF Q.9-12 ARE ALL NO, SKIP TO DRUG ABUSE (PAGE	53).		
*13.	Have you often tried to stop or cut down on drinking?		[7770]	0	1
	SITE OPTIONAL				
	13.a) (IF YES:) How old were you the <u>first</u> time?	[77		S AG	
*14.	Did you ever try to stop or cut down on drinking and fi	nd	[7790]	<u>NO</u> 0	YES 1

NO YES ONCE Have you more than once gone on binges or benders when you kept drinking for a couple of days or more without sobering up? [7800] 1 2 Ω SITE OPTIONAL ONS AGE 15.a) (IF YES:) How old were you the <u>first</u> time? [7810] NO YES *16. Have you often started drinking when you promised yourself that you would not, or have you often drunk more than you intended to? [7820] 0 1 *17. Has there ever been a period when you spent so much time drinking or recovering from the effects of 0 alcohol that you had little time for anything else? [7830] 1 Did your drinking cause you to: 18. 18.a) have problems at work or at school? [7840] 0 1 18.b) get into physical fights while drinking? [7850] 0 1 18.c) hear objections about your drinking from your family, friends, doctor, or clergyman? [7860] 0 1 18.d) lose friends? [7870] 0 1 *18.e) (IF ANY YES IN Q.18a-d ABOVE:) Did you continue to drink after you knew it caused you any of 1 these problems? [17703] 0 SITE OPTIONAL ONS AGE 18.f) (IF ANY YES:) How old were you the <u>first</u> time you had (Mention items coded YES in Q.18.a-d above)? YES NODid you ever need to drink a lot more in order to get 19. an effect, or find that you could no longer get high or drunk on the amount you used to drink? [18005] 0 1 INTERVIEWER: Hand Alcohol Use Card "A" to Subject. *19.a) (IF YES:) Would you say 50 percent more? 0 1 [7890] 20. Some people try to control their drinking by making rules like not drinking before five o'clock or never drinking alone. 1 Have you ever made any rules to control your drinking? [7900]

			NO	YES
*21.	Have you ever given up or greatly reduced important activities because of your drinkinglike sports, work, or associating with friends or relatives?	[7910]	0	1
	21.a) (IF YES:) Has this happened more than once?	[7920]	0	1
22.	Have you ever had trouble driving, like having an accident, because of drinking?	[7930]	0	1
	SITE OPTIONAL			
	22.a) (IF YES:) How old were you the <u>first</u> time this happe [79		NS AGE	
23.	Have you ever been arrested for drunk driving?	[7950]	<u>NO</u> 0	YES
	-			
	SITE OPTIONAL			
	23.a) (IF YES:) How old were you the <u>first</u> time this happe [79		NS AGE	:]
24.	Have you ever been arrested or detained by the police even for a few hours because of drunken behavior (other than drunk driving)?	[7970]	<u>NO</u> 0	<u>YES</u> 1
	SITE OPTIONAL			
	24.a) (IF YES:) How old were you the <u>first</u> time this happe	_	NS AGE	
*25.	Have you often been high from drinking in a situation where it increased your chances of getting hurtfor instance, when driving, using knives or		<u>NO</u>	YES
	machinery or guns, crossing against traffic, climbing, or swimming?	[7990]	0	1
*26.	Has your drinking or being hung over often kept you from working or taking care of household responsibilities?	[8000]	0	1
	SITE OPTIONAL			
	26.a) (IF YES:) How old were you the <u>first</u> time this happe [80		NS AGE	

YES

27. Have you more than once had blackouts, when you did not pass out, but you drank enough so that the next day you could not remember things you said or did?

[8020] 0 1

NO

SITE OPTIONAL

ONS AGE

27.a) (IF YES:) How old were you the <u>first</u> time this happened? [8030]

NO YES

28. Did you ever drink unusual things such as rubbing alcohol, mouthwash, vanilla extract, cough syrup, or any other non-beverage substance containing alcohol?

[8040] 0 1

29.	when yo	u ever have any of the following problems ou stopped or cut down on drinking? IEWER: Code in Column I.	EVER NO YES 0 1	OCCUR TOGETHER NO YES 0 1
	29.a)	Were you unable to sleep?	[8050]	[8060]
	29.b)	Did you feel anxious, depressed, or irritable?	[8070]	[8080]
	29.c)	Did you sweat?	[8090]	[8100]
	29.d)	Did your heart beat fast?	[8110]	[8120]
	29.e)	Did you have nausea or vomiting?	[8130]	[8140]
	29.f)	Did you feel weak?	[8150]	[8160]
	29.g)	Did you have headaches?	[8170]	[8180]
,	*29.h)	Did you have the shakes (hands trembling)?	[8190]	[8200]
	29.i)	Did you see things that were not really there?	[8210]	[8220]
	29.j)	Did you have the DT's, that is, where you were out of your head, extremely shaky, or felt very frightened or nervous?	[8230]	[8240]
	29.k)	Did you have fits, seizures, or convulsions, where you lost consciousness, fell to the floor and had difficulty remembering what happened?	[8250]	[8260]

INTERVIEWER: IF ALL NO IN Q.29.a-k ABOVE, SKIP TO Q.30. IF ONLY ONE YES, SKIP TO Q.29.n.

29.m) (IF YES:) Which ones? (Code in Column II.)


*29.n) On three or more different occasions have you taken a drink to keep from having any of these symptoms or to make them go away? [8280] 0 1

				NO	YES
30.		are several other health problems that can result ong stretches of heavy drinking. Did drinking ever:		<u> </u>	<u> </u>
	30.a)	cause you to have liver disease or yellow jaundice?	[8290]	0	1
	30.b)	give you stomach disease or make you vomit blood?	[8300]	0	1
	30.c)	cause your feet to tingle/feel numb for many hours?	[8310]	0	1
	30.d)	give you memory problems even when you were not drinking (not blackouts)?	[8320]	0	1
	30.e)	give you pancreatitis?	[8330]	0	1
	30.f)	damage your heart (cardiomyopathy)?	[8340]	0	1
	30.g)	cause other problems? (IF OTHER:) Specify:[8360]	[8350]	O	1
	IF A	LL NO, SKIP TO Q.31.			
	*30.h)	Did you continue to drink knowing that drinking caused you to have health problems?	[8370]	0	1
*31.		rou ever continued to drink when you knew you had any r) serious physical illness that might be made worse by ng?	Dy [8380]	0	1
	(IF YE	(8390) What illness?[8390]			
32.	proble feelin	drinking, did you ever have any psychological ms start or get worse such as feeling depressed, ag paranoid, trouble thinking clearly, hearing, ng or seeing things, or feeling jumpy?		<u>NO</u>	<u>YES</u>
	(IF YE subque	S:) Specify which problems, read appropriate stion to confirm response and code.			
	Specif	[8400]			
	32.a)	feeling depressed or uninterested in things for more than 24 hours to the point that it interfered with your functioning?	[8410]	0	1
	32.b)	feeling paranoid or suspicious of people for more than 24 hours to the point that it interfered with your relationships?	[8420]	0	1
	32.c)	having such trouble thinking clearly that it interfered with your functioning?	[8430]	0	1
	32.d)	hearing, smelling, or seeing things that were not there?	[8440]	0	1
	32.e)	feeling jumpy or easily startled or nervous to the point that it interfered with your functioning?	[8450]	0	1
	*32.f)	(IF ANY YES IN Q.32.a-e ABOVE:) Did you continue to drink after you knew it caused you any of these problems?	[8460]	0	1

			<u>NO</u>	YES
33.	Have you ever had treatment for a drinking problem?	[8470]	0	1
	(IF YES:) Was this treatment			
	33.a) discussion with a professional?	[8480]	0	1
	33.b) AA or other self-help?	[8490]	0	1
	33.c) outpatient alcohol program?	[8500]	0	1
	33.d) inpatient alcohol program?	[8510]	0	1
	33.e) other? Specify:[8520]	[8530]	0	1
IN'	TERVIEWER: CHECK RESPONSES TO Q.9-33. IF ALL CODED NO, SKIP TO Q.37.			
34.	You told me you had these experiences such as (Review starred (*) positive symptoms in Q.13-33). While you		<u>NO</u>	YES
	were drinking, did you ever have at least three of these occur at any time in the same 12 month period?	[20780]	0	1
	(IF YES:) 34.a) How old were you the <u>first</u> time at least three of these experiences occurred within the same 12 mont		ONS	AGE
	34.b) How old were you the <u>last</u> time at least three of these experiences occurred within the same 12 mont		REC	AGE
35.	INTERVIEWER: Code YES if at least two symptoms of the disturbance have persisted for at least one month or have occurred over a longer period of time.	[8540]	<u>NO</u> 0	<u>YES</u> 1
	(IF UNCLEAR, ASK:) You told me you had these experiences such as (Review starred (*) positive symptoms in Q.13-33) While you were drinking, was there ever at least a month during which at least two of these occurred persistently? (IF NO:) Was there ever a longer period of time during what least two of these occurred repeatedly?			
	(IF YES:) 35.a) How old were you the <u>first</u> time at least two of these experiences occurred persistently?	[8550]	ONS	AGE
	35.b) How old were you the <u>last</u> time at least two of these experiences occurred persistently?	[8560]	REC	AGE

				SITE OPTI	ONAL		
36.	any of	these p	problems re	•	hird) time you ohol? What wa erienced?		
	35.a)	First:		[8570]		[8580]	ONS AGE
	35.b)	Second:		[8590]		[8600]	
	35.c)	Third:		[17430]		[17431]	
37.		s the las	-	had a drin	c [17432]	-	7-

MARIJUANA



J. DRUG ABUSE AND DEPENDENCE (Cont'd)

			NO	YES
* 6.	Did you ever try to cut down on marijuana and find you could not?	[8740]	0	1
* 7.	Have you often used marijuana more frequently or in larger amounts than you intended to?	[8750]	0	1
*8.	Did you ever need larger amounts of marijuana to get an effect, or did you ever find that you could no longer get high on the amount you used to use? INTERVIEWER: Code YES if at least 50% more use.	[8760]	0	1
* 9.	Did stopping or cutting down ever cause you to feel bad physically? (Co-occurrence of symptoms such as nervousness, insomnia, sweating, nausea, diarrhea.)	[8770]	0	1
	(IF YES:) Specify:[8780]	_		
	*9.a) Have you often used marijuana to make any of these withdrawal symptoms go away or to keep from having them?	[8790]	0	1
*10.	Have you often been under the effects of marijuana in a situation where it increased your chances of getting hurtfor instance, when driving, using knives or machinery or guns, crossing against traffic, climbing, or swimming?	[8800]	0	1
11.	Did anyone ever object to your marijuana use?	[8810]	0	1
	*11.a) (IF YES:) Did you continue to use marijuana after you realized it was causing this problem?	[8820]	0	1
* 12.	Have you often given up or greatly reduced important activities with friends or relatives or at work while using marijuana?	[8830]	0	1
*13.	Have you often been high on marijuana or suffering its after-effects while in school, working, or taking care of household responsibilities?	[8840]	0	1
14.	Did your marijuana use ever cause you to have legal problems, such as arrests for disorderly conduct, possession or selling?	[20810]	0	1
INT	ERVIEWER: IF Q.3-14 ARE ALL NO, SKIP TO Q.17.			
15.	You told me you had these experiences such as (Review starred (*) positive symptoms in Q.3-14). While you were using marijuana, did you ever have at least three of these occur at any time in the same 12 month period?	[20820]	0	1
	(IF YES):	[20020]	U	Т
	•		ONS	AGE
	15.a) How old were you the <u>first</u> time at least three of these experiences occurred within the same 12 months?	[20830]		
	15.b) How old were you the <u>last</u> time at least three of these experiences occurred within the same	[20840]	REC	AGE

NO<u>YES</u> 16. INTERVIEWER: Code YES if at least two symptoms (Q.3-14) of the disturbance have persisted for at least one month or have occurred repeatedly over a longer period of time. [8850] 0 1 (IF UNCLEAR, ASK:) You told me you had these experiences such as (Review starred (*) positive symptoms in Q.3-14). While you were using marijuana, was there ever at least a month during which at least two of these occurred persistently? (IF NO:) Was there ever a longer period of time during which at least two of these occurred repeatedly? (IF YES:) ONS AGE 16.a) How old were you the <u>first</u> time at least two of [8860] these experiences occurred persistently? REC AGE How old were you the <u>last</u> time at least two of 16.b) [8870] these experiences occurred persistently? When was the last time you used 16.c) [8888] marijuana? D D M O N Υ OTHER DRUGS

INTERVIEWER: Hand Drug Use Card "A" to subject.

- 17. Have you ever used any of these drugs to feel good or high, or to feel more active or alert, or when they were not prescribed for you? Or have you ever used a prescribed drug in larger quantities or for longer than prescribed?
 - 17.a) (IF YES:) Which ones?

	A	В	C	D	E	F	G	H	I	
	COC	STIM	SED	OP	PCP	HAL	SOL	OTH	COMB	_
	[8890]	[8900]	[8910]	[8920]	[8930]	[8940]	[8950]	[8960]	8970]	_
NO	0	0	0	0	0	0	0	0	0	
YES	1	1	1	1	1	1	1	1	1	-

IF ALL NO, SKIP TO PSYCHOSIS (PAGE 61).

17.b) **INTERVIEWER:** For <u>each</u> drug ask: How many times have you used (Drug) in your life?

(IF UNKNOWN, ASK:) Would you say more than 10 times?

	A	В	C	D	E	F	G	Н	I
	COC	STIM	SED	OP	PCP	HAL	SOL	OTH	COMB
	[8980]	[8990]	[9000]	[9010]	[9020]	[9030]	[9040]	[9050]	[9060]
# OF TIMES									

 \mathbf{E} Α COC PCP [9070] [9080] (FOR COCAINE AND PCP USERS ONLY:) How old were you 17.c) the first time you used (Drug)? YES 17.d) Have you ever injected a drug? [9090] 0 1 IF ALL DRUGS IN Q.17.b WERE USED LESS THAN 11 TIMES, **INTERVIEWER:** SKIP TO PSYCHOSIS (PAGE 61). For drugs used 11 or more times, rank order according to number of times used and ask about at least the two most frequently used. C D Ε MISC COC STIM SED OP 9100 91101 9120 9130 91401 What is the longest period DAYS you used (Drug) almost every day? INTERVIEWER: If never used daily, code 000. Α В C D Ε COC STIM SED OP MISC *19. Has there ever been a period of a month or more when a great deal of your time was spent using (Drug), YES=1 [9150] [9160] [9170] [9180] [9190] getting (Drug), or getting over effects? *20. Have you often wanted to or tried to YES=1 cut down on (Drug)? *21. Did you ever find you could not stop NO=0 YES=1 [9250] [9260] [9270] [9280] [9290] or cut down? *22. Did you ever need larger amounts of (Drug) to get an effect, or find that you could no longer get high on the amount you used to use? NO=0 YES=1 [9300] [9310] [9320] [9330] [9340] INTERVIEWER: Code YES if at least 50% more use. *23. Have you often given up or greatly NO=0YES=1 [9350] [9360] [9370] [9380] [9390] reduced important activities with friends or relatives or at work in order to use (Drug)? *24. Have you often used (Drug) more days or NO=0 [9400] [9410] [9420] [9430] [9440] in larger amounts than you intended to? YES=1 INTERVIEWER: Refer to back of Drug Use Card "B". Has stopping, cutting down on, or quitting (Drug) ever caused you any of these problems? YES=1 25.a) feel depressed? 25.b) feel nervous, tense, NO=0 YES=1 [9500] [9510] [9520] [9530] [9540] restless, or irritable?

				·	A COC	B STIM	C SED	D OP	E MISC
	25.c)	feel tired, sleepy, or weak?	?	NO=0 YES=1	[9550]	[9560]	[9570]	[9580]	[9590]
	25.d)	have trouble sleeping?		NO=0 YES=1	[9600]	[9610]	[9620]	[9630]	[9640]
	25.e)	have an increase or decrease in appetite?		NO=0 YES=1	[9650]	[9660]	[9670]	[9680]	[9690]
	25.f)	tremble or twitching?		NO=0 YES=1			[9700]	[9710]	[9720]
	25.g)	sweat or have a fever?		NO=0 YES=1			[9730]	[9740]	[9750]
	25.h)	have nausea or vomiting?		NO=0 YES=1			[9760]	[9770]	[9780]
	25.i)	have diarrhea or stomach aches?		NO=0 YES=1			[9790]	[9800]	[9810]
	25.j)	have your eyes water or nose run?		NO=0 YES=1				[9820]	[9830]
	25.k)	have muscle pains?		NO=0 YES=1				[9840]	[9850]
	25.1)	yawn?		NO=0 YES=1				[9860]	[9870]
	25.m)	have your heart race?		NO=0 YES=1			[9880]		[9890]
	25.n)	have seizures?		NO=0 YES=1			[9900]		[9910]
		(IF YES:) How many times?	# OF	TIMES		[9	920]	[9930]
II	NTERVIE	WER: IF Q.25.a-n ARE ALL NO,	SKIP	TO Q.	28.				
					A COC	B STIM	C SED	D OP	E MISC
*26.	of the	ere a time when two or more se symptoms occurred together e you were not using (Drug)?	r	NO=0 YES=1	[9940]	[9950]	[9960]	[9970]	[9980]
* 27.	these w	ou often used (Drug) to make withdrawal symptoms go away keep from having them?		NO=0 YES=1	[9990]	[10000][10010][10020][10030]
28.	any oti	ing (Drug) cause you to have her physical health problems than withdrawal)?		NO=0 YES=1	[10040]	[10050][10060][10070][10080]
	(IF YE	S:) Specify:[10090]							
			_						

			_	A COC	B STIM	C SED	D OP	E MISC
	*28.a)	Did you continue to use (Drug) after you knew it caused this problem?	NO=0 YES=1	10100]	[10110]	[10120]	[10130]	[10140]
29.	from fa	u ever experience objections amily, friends, clergyman, r people at work or school e of your (Drug) use?	NO=0 YES=1	10150]	[10160]	[10170]	[10180]	[10190]
	*29.a)	(IF YES:) Did you continue to use (Drug) after you realized it was causing a problem?	NO=0 YES=1	10200]	[10210]	[10220]	[10230]	[10240]
*30.	suffer: in sch	ou often been high on (Drug) or ing its after-effects while ool, working, or taking care of old responsibilities?	NO=0 YES=1	10250]	[10260]	[10270]	[10280]	[10290]
31.	to have	ur use of (Drug) ever cause you e legal problems such as arrests sorderly conduct, possession ling?	NO=0 YES=1	20850]	[20860]	[20870]	[20880]	[20890]
32.	any psy get wor feeling clearly	using (Drug), did you ever have ychological problems start or rse, such as feeling depressed, g paranoid, trouble thinking y, hearing, smelling, or seeing, or feeling jumpy?						
	appropr	S:) Specify which problems, read riate subquestions to confirm se and code.						
	Specify	y:[10300]						
	32.a)	feeling depressed or uninterested in things for more than 24 hours to the point where it interfered with your functioning?	NO=0 YES=1	10310]	[10320]	[10330]	[10340]	[10350]
	32.b)	feeling paranoid or suspicious of people for more than 24 hours to the point that it interfered with your relationships?	NO=0 YES=1	10360]	[10370]	[10380]	[10390]	[10400]
	32.c)	having such trouble thinking clearly that it interfered with your functioning?	NO=0 YES=1	10410]	[10420]	[10430]	[10440]	[10450]
	32.d)	hearing, seeing, or smelling things that were not really there?	NO=0 YES=1	10460]	[10470]	[10480]	[10490]	[10500]
	32.e)	feeling jumpy or easily startled or nervous for more than 24 hours to the point that it interfered with your functioning?	NO=0 YES=1	10510]	[10520]	[10530][10540]	10550]

				A COC	B STIM	C SED	D OP	E MISC
	*32.f)	(IF ANY YES IN Q.29.a-e:) Did you continue to use (Drug) after you knew it caused any of these problems?	NO=0 YES=1		[10570]	[10580]	[10590]	[10600]
*33.	effect: where getting driving or gun	ou often been under the s of (Drug) in a situation it increased your chances of hurtfor instance, when g, using knives or machinery s, crossing against traffic, ag, or swimming?	NO=0 YES=1	[10610]	[10620]	[10630]	[10640]	[10650]
34.	such as sympton using three of	ld me you had these experiences s (Review starred (*) positive ms in Q. 19-33). While you were (Drug) did you ever have at least of these occur at any time same 12 month period?	-	[20900]	[20910]	[10920]	[20930]	[20940]
	(IF YE	s):					ON	G 7 GE
	34.a)	How old were you the <u>first</u> time of these experiences occurred wi 12 months?				[20950]	S AGE C AGE
	34.b)	How old were you the <u>last</u> time a of these experiences occurred wi 12 months?				[20960		CAGE
35.	have po	IEWER: Code YES if at least mptoms of the disturbance ersisted for at least one or have occurred repeatedly longer period of time.	NO=0 YES=1		[10670]	[10680]	[10690]	[10700]
	had the starred Q.19-3. was the which a	CLEAR, ASK:) You told me you ese experiences such as (Review d (*) positive symptoms in 3). While you were using drugs, ere ever at least a month during at least two of these occurred tently?						
	period	e) Was there ever a longer of time during which at least these occurred repeatedly?						
	(IF YE	S:)						
	35.a)	How old were you the <u>first</u> time at least two of ONS these experiences occurred persistently?	AGE	10710] [10720]	[10730]	[10740]	[10750]
	35.b)	How old were you the <u>last</u> time at least two of these REC experiences occurred persistently?	AGE	10760] [10770]	[10780]	[10790]	[10800]

J. DRUG ABUSE AND DEPENDENCE (Cont'd)

								NO	<u>,</u>	YES_
36.	Have you ever been treated for a drug problem?				[108	10]	0		1
	(IF YES:) Was this treatment:									
	36.a) discussion with a professional?				[108	20]	0		1
	36.b) NA or other self-help?				[108	30]	0		1
	36.c) outpatient drug-free program?				[108	40]	0		1
	36.d) inpatient drug-free program?				[108	50]	0		1
	36.e) other? (IF YES:) Specify:[10870]				[108	60]	0		1
37.	When was the last time you used: 37.a) Cocaine? [10880]]_				_		
		D	D	<u>.</u>	М	0	N		Y	Y
	37.b) Stimulants? [10890]			_				_		
		D	D		M	0	N		Y	Y
	37.c) Sedatives, hypnotics, or tranquilizers? [10900]]						
		D	D		М	0	N		Y	Y
	37.d) Opiates? [10910]			_				_		
		D	D		M	0	N		Y	Y
	37.e) Other drugs? [17433]]_				_		
		D	D		M	0	N		Y	Y

Now I would like to read you a list of experiences that other people have reported. Tell me which ones you have had.

INTERVIEWER: For each positive response, ask the following standard probes:

Were you convinced?

How did you explain it?

Did you change your behavior?

How often did this happen?

How long did it last?

Record an example of each positive response in the margins.

						arra p	
1.	Has	there been a time when		<u>NO</u>	<u>YES</u>	SUSP- ECTED	<u>UNK</u>
	1.a)	you heard voices? For example, some people have had the experience of hearing people's voices whispering or talking to them, even when no one was actually present.		0	1	2	Ū
	1.b)	you had visions or saw things that were not visible to others?	[10930]	0	1	2	U
	1.c)	you had beliefs or ideas that others not share or later found out were not truelike people being against you people trying to harm you, or people talking about you?	ot ,	0	1	2	U
		you believed that you were being gives special messages (e.g., through the or the radio)?					
		you believed that you had done some terrible for which you should be put					
		you believed that you were especial important in some way, or that you powers to do things that other people could not do?	had				
		you had the feeling that you were us the control of some force or power of than yourself?					
		you had a change in your body or in physical appearance that others cou.					
(IF	YES T	O ANY:) Describe:[10950]					

INTERVIEWER: IF THERE IS NO EVIDENCE, FROM ANY SOURCE, OF $\underline{\text{ANY}}$ PSYCHOSIS OR IF THE EXPERIENCES

REPORTED DID NOT LAST PERSISTENTLY THROUGH-OUT THE DAY FOR ONE DAY OR INTERMITTENTLY

FOR A PERIOD OF THREE DAYS, SKIP TO

SCHIZOTYPAL (BIPOLAR CENTERS - PAGE 87) OR SIS (SCHIZOPHRENIA CENTERS - PAGE 89).

NO YES <u>UNK</u> Are you currently experiencing (Psychotic symptoms)?[10960] 0 1 U 2. WEEKS 2.a) (IF YES:) How long ago did this begin? OR Record response:____[10970]_____ [10980]REC AGE 3. (IF NO:) How old were you the <u>last</u> time you [11000] had (Psychotic symptoms)? WEEKS DAYS 3.a) How long did these symptoms last? OR [11010] [11020] YES <u>NO</u> UNK 4. Since you first began experiencing (Psychotic symptoms) have you ever returned to your normal self for at least two months? [17704] 0 U INTERVIEWER: For Q.5-Q.62, if there are positive symptoms in the Ever column, be sure to code the presence/absence of

DELUSIONS

INTERVIEWER: IF NO DELUSIONS (Q.1.c) SKIP TO HALLUCINATIONS (PAGE 69) (corrected

page number - from 67 to 69 - on 7/7/2015.

INTERVIEWER: For each positive response use the standard probes and record examples in the margins.

those symptoms in the Current/Most Recent column.

		EVER		CURRENT OR MOST RECENT EPISODE	
			NO YES UNK	NO YES UNK	
5.	Persecutory Delusions		0 1 U	0 1 U	
	Have you ever felt that people were out to get you or deliberately trying to harm you? (IF YES:) Specify: [11080]	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11050] [11060] [11070] [11090]	[11040]	
6.	Jealousy Delusions		0 1 U	0 1 U	
	Have you ever been convinced that your (husband/wife/boyfriend/girlfriend) was being unfaithful to you?	Psychosis Only Depression Mania Alcohol Drugs	[11110] [11130] [11140] [11150] [11160]	[11120]	

Other (med.)

[11170]



EVER CURRENT OR MOST RECENT EPISODE YES UNK YES UNK NO 7. Guilt or Sin Delusions [11190] Have you ever been Psychosis Only [11180] Depression [11200] convinced that you Mania [11210]committed a crime, sinned Alcohol [11220] greatly, or deserved Drugs [11230] punishment? [11240] Other (med.) Grandiose Delusions 8. 1 U 1 U 0 Have you ever felt you Psychosis Only [11250] [11260] had any special powers, Depression [11270] Mania [11280] talents, or abilities Alcohol [11290] much more than other Drugs [11300] people? Other (med.) [11310] (PROBES: having a special purpose, mission or identity?) 9. Religious Delusions 0 1 U 1 U Psychosis Only [11320] [11330] Have you had any relig-Depression [11340] ious beliefs or exper-Mania [11350] iences that other people Alcohol [11360] didn't share? Drugs [11370] Other (med.) [11380] (IF YES:) Tell me about that. Somatic Delusions 10. 0 1 U 1 U Have you ever had a Psychosis Only [11390] [11400] Depression [11410] change in your body or Mania [11420] the way it was working Alcohol [11430] for which the doctor Drugs [11440] could find no cause? Other (med.) [11450] (PROBE: like incurable cancer, bowels stopped up, insides rotting?) Erotomanic Delusions 1 U 11. Ω 1 U Have you ever believed Psychosis Only [20970] [20980] Depression [20990] that another person was Mania [21000] in love with you when Alcohol [21010] there was no real reason Drugs [21020] to think so? Other (med.) [21030] (IF YES:) Specify:____ ____[21040]____

EVER CURRENT OR MOST RECENT EPISODE YES UNK NO YES UNK Delusions of Reference U Psychosis Only [11460] [11470] Have you ever seen things Depression [11480]in magazines or on TV Mania [11490]that seem to refer spe-Alcohol [11500] cifically to you or Drugs [11510] contain a special message Other (med.) [11520] for you? Have you ever been sure that people were talking about you, laughing at you, or watching you? 13. Being Controlled U 1 1 TJ Have you ever felt you Psychosis Only [11530] [11540] Depression [11550] were being controlled or Mania [11560] possessed by some outside Alcohol [11570] force or person? Drugs [11580] Other (med.) [11590] SITE OPTIONAL FOR BIPOLAR SITES 14. Delusions of Mind 1 Reading [11610] Psychosis Only [11600] Have you ever had the Depression [11620] Mania [11630] feeling that people Alcohol [11640] could read your mind or Drugs [11650] know what you are Other (med.) [11660] thinking? 15. Thought Broadcasting 0 1 U 1 TJ Psychosis Only [11670] [11680] Have you ever felt your Depression thoughts were broadcast [11690] so other people could Mania [11700] Alcohol [11710]hear them? Drugs [11720] Other (med.) [11730] Thought Insertion 1 1 U 16. Have you ever felt that Psychosis Only [11740] [11750] Depression thoughts that were not [11760]Mania your own were being put [11770]Alcohol [11780] into your head by some Drugs [11790] outside force? Other (med.) [11800]

		EVER		CURRENT OR MOST RECENT EPISODE	
			NO YES UNK	NO YES UNK	
17.	Thought Withdrawal		0 1 U	0 1 U	
	Have you ever felt your thoughts were taken out of your head by some outside force?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11810] [11830] [11840] [11850] [11860] [11870]	[11820]	
18.	Other Delusions		0 1 U	0 1 U	
	Have you ever had any other thoughts or beliefs that others did not share or thought were odd other than those we have just discussed?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	[11880] [11900] [11910] [11920] [11930] [11940]	[11890]	
	(IF YES:) Specify delusions:	[11950]		[11960]	

19. How long did your longest period of
 (Delusions) last?

EVER			CURRENT/RECENT			
WEEKS			WEEKS			
[]	11970	1		[1	1980	1

INTERVIEWER: Rate Q.20-Q.23 for Current/Most Recent Episode.

SITE OPTIONAL FOR BIPOLAR SITES

20. When you believed any (Delusion) ...

were you at all confused about where you were or the time of day?

did you have trouble with your memory?

INTERVIEWER: Rate Sensorium While Delusional.

[11990]

- 1 = Questionable
- 2 = Definite: Sensorium is clouded, due to some physical cause, (e.g., drugs, physical illness).
- 3 = **Definite**: Clouded sensorium, but <u>not</u> due to physical cause.
- U = **Unknown**: No Information.
- 21. INTERVIEWER: Rate Fragmentary Nature of Delusions.

[12000]

- 0 = Not at all: All delusions are around a single theme, such as persecution.
- 1 = Somewhat fragmentary: Several different, but possibly related themes.
- 2 = **Definitely fragmentary:** Unrelated themes.
- U = Unknown
- 22. INTERVIEWER: Rate Widespread Delusions.

[12010]

- 0 = Not widespread.
- 1 = Widespread: Delusions intrude into most aspects of patient's
 life and/or preoccupy patient most of the time.
- U = Unknown
- 23. INTERVIEWER: Rate Bizarre Quality of Delusions.

[12020]

- 0 = Not at all: (e.g., wife is unfaithful).
- 1 = Somewhat bizarre: (e.g., subject is being persecuted by witches).
- 2 = **Definitely bizarre:** (e.g., little green men from Mars have been recording his dreams and broadcasting them back home).
- U = Unknown

HALLUCINATIONS

INTERVIEWER: IF NO AUDITORY HALLUCINATIONS (Q.1.a), SKIP TO Q.31.

INTERVIEWER: For each positive response use the standard probes and record examples in the margins.

		EVER		CURRENT OR MOST RECENT EPISODE	
			NO YES UNK	NO YES UNK	
24.	Auditory - Voices, Noises, Music Have you ever heard sounds or voices other people could not hear? 24.a) (IF YES:) Did they say bad things about you or threaten you?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12030] [12050] [12060] [12070] [12080] [12090]	0 1 U [12040]	
25.	Auditory - Running Commentary Have you ever heard voices that described or commented on what you were doing or thinking?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12100] [12120] [12130] [12140] [12150] [12160]	0 1 U	
26.	Auditory - Two or More Voices Have you ever heard two or more voices talking with each other?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12170] [12190] [12220] [12220] [12230]	0 1 U [12180]	
27.	Thought Echo Have you ever experienced hearing your thoughts repeated or echoed?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12240] [12260] [12270] [12280] [12290] [12300]	0 1 U [12250]	

smells that others

didn't notice?

EVER CURRENT OR MOST RECENT EPISODE NO YES UNK NO YES UNK SITE OPTIONAL FOR BIPOLAR SITES 28. Audible Thoughts 1 U 1 U Have you ever heard Psychosis Only [12310] [12320] Depression [12330] your own thoughts as Mania [12340] a voice spoken out Alcohol [12350] loud? Drugs [12360] Other (med.) [12370] 1 0 U 1 IJ Psychosis Only [12380] [12390] 29. Did you ever talk to Depression [12400] any voices you heard? Mania [12410] Alcohol [12420] Drugs [12430] Other (med.) [12440] 1 0 1 TJ U Psychosis Only [12450] [12460] 30. When you heard the Depression [12470] voices, did you also Mania [12480] see the person talking, Alcohol [12490] even though others did Drugs [12500] not see that person? Other (med.) [12510] Somatic or Tactile U 31. 0 1 0 1 IJ [12530] Psychosis Only [12520] Have you ever had Depression [12540] unusual sensations or Mania [12550] other strange feelings Alcohol [12560] in your body? Drugs [12570] Other (med.) [12580] (PROBE: like electricity shooting through your body or your body parts moving around or growing?) 32. Olfactory Have you ever Psychosis Only [12590] [12600] experienced Depression [12610] Mania any strange smells you [12620]Alcohol [12630] couldn't account for or Drugs [12640]

Other (med.)

[12650]

		EVER	CURRENT OR MOST RECENT EPISODE
		NO YES UNK	NO YES UNK
33.	Visual	0 1 U	0 1 U
	Have you ever had visions or seen things that other people could not see? (IF YES:) Did this occur when you were falling asleep or waking up?	Psychosis Only [12660] Depression [12680] Mania [12690] Alcohol [12700] Drugs [12710] Other (med.) [12720]	[12670]
34.	Gustatory	0 1 U	0 1 U
	Have you ever had a strange taste in your mouth that you couldn't account for?	Psychosis Only [12730] Depression [12750] Mania [12760] Alcohol [12770] Drugs [12780] Other (med.) [12790]	[12740]
35.	How long did your longest period of (Hallucinations) last?	DAYS [12800]	DAYS [12810]
36.	Did you (Hallucinate)	<u>NO YES UNK</u>	NO YES UNK
	throughout the day for at least several days during this period?	0 1 U [12820]	0 1 U [12830]
37.	INTERVIEWER: Are there mood incongruent hallucinations?	0 1 U [17706]	0 1 U
	37.a) (IF YES:) Did they last throughout the day for several days or intermittently throughout a one- week period?	0 1 U [17707]	0 1 U [17709]

		EVER	CURRENT OR MOST RECENT EPISODE
38.	(IF DELUSIONS ALSO:) Was there a time when you believed (Delusion) that you were also (Hallucination)?	NO YES UNK 0 1 U [12840]	NO YES UNK 0 1 U [12850]
	(IF YES:) 38.a) INTERVIEWER: Rate the longest period of time they ever occurred together.	DAYS [12860]	N/A
	38.b) Specify nature of delusions occurring with hallucinations	[12890]	[12900]
	38.c) INTERVIEWER: Code YES if persecutory delusions or jealous delusions are present in 38.b.	NO YES UNK 0 1 U [12870]	NO YES UNK 0 1 U [12880]

SITE OPTIONAL FOR BIPOLAR SITES

39. During the Current/Most Recent Episode, when you were (Hallucinating) ...

were you at all confused about where you were or the time of day?

did you have trouble with your memory?

INTERVIEWER: Rate Sensorium While Hallucinating.

[12910]

- 1 = Questionable
- 3 = **Definite**: Clouded sensorium, but <u>not</u> due to physical cause.
- U = Unknown: No Information.

DISORGANIZED BEHAVIOR

INTERVIEWER: For each positive response use the standard probes and record examples in the margins.

	EVER	CURRENT OR MOST RECENT EPISODE
40.a) Have you ever engaged in any unusual behavior like digging through garbage, wearing unusual clothes, or collecting things that other people	NO YES UNK 0 1 U Psychosis Only [12920] Depression [12940] Mania [12950] Alcohol [12960] Drugs [12970] Other (med.) [12980]	NO YES UNK 0 1 U [12930]
40.b) Have there been times when you did things that other people thought were socially or sexually inappropriate, disorganized or objectionable? For example, being too aggressive or doing things that didn't make any sense?	0 1 U Psychosis Only [21050] Depression [21070] Mania [21080] Alcohol [21090] Drugs [21100] Other (med.) [21110]	0 1 U [21060]

	EVER WEEKS	CURRENT/RECENT WEEKS
41. How long did (Disorganized behavior) last?	[17710]	[17711]

FORMAL THOUGHT DISORDER

Have people ever complained that your speech was mixed up or did not make sense?

(IF YES:) How did they describe it?

INTERVIEWER: If subject is unable to describe their past speech pattern, code based on observation or code UNKNOWN.

		EVE	R	CURRENT OR MOST RECENT EPISODE
			NO YES UNK	NO YES UNK
42.	Disorganized Speech (Incoherent, disturbed, and/or illogical speech)	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [12990] [13010] [13020] [13030] [13040] [13050]	0 1 U [13000]
43.	Odd Speech (Digressive, vague, over-elaborate, circumstancial, metaphorical; loosening of associations)	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [13060] [13080] [13090] [13100] [13110] [13120]	0 1 U [13070]

44. How long did (Positive thought disorder) last?

EVER	CURRENT/RECENT					
WEEKS	WEEKS					
[13130]	[13140]					

CATATONIC MOTOR BEHAVIOR


		EVE	R	CURRENT OR MOST RECENT EPISODE
			NO YES UNK	NO YES UNK
45.	Rigidity Did your body ever get stuck in one position so that you could not move?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [13150] [13170] [13180] [13190] [13200] [13210]	0 1 U [13160]
46.	Stupor Have you ever had any periods when you were unable to speak, move, or respond to what was going on around you, even though you were awake? (IF YES:) Did anyone	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [17712] [17714] [17715] [17716] [17717] [17718]	0 1 U [17713]
47.	Excitement Have you ever been so excited that you moved around a lot without purpose (aside from mania)?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [17719] [17720] [17721] [17722] [17723] [17724]	0 1 U [17725]
48.	Motoric immobility as evidenced by catalepsy (including waxy flexibility) Did you find that you would stay in one position for long periods of time and could be posed by other people moving your body?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [21120] [21140] [21150] [21160] [21170] [21180]	0 1 U [21130]
49.	Extreme negativism Did you find that you could not help yourself from resisting instructions by others or from remaining mute (that is, not talking for long periods of time)?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [21190] [21210] [21220] [21230] [21240] [21250]	0 1 U [21200]

VERSION 2.0

20-JAN-95

		EVE	R	CURRENT OR MOST RECENT EPISODE
			NO YES UNK	NO YES UNK
50.	Peculiarities of voluntary movement Did you make movements either with your whole body, parts of your body or your face that were unusual or had to be repeated over and over without any ability to control these movements yourself?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [21260] [21280] [21290] [21300] [21310] [21320]	0 1 U [21270]
51.	Echolalia or echopraxia Did you find yourself repeating other people's words or movements and that you could not stop yourself from doing this?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [21330] [21350] [21360] [21370] [21380] [21390]	0 1 U [21340]

52. How long did (Catatonic symptoms) last?



AVOLITION/APATHY

	EVE	R	CURRENT OR MOST RECENT EPISODE
		NO YES UNK	NO YES UNK
53. Have you had many days in a row when you weren't up to getting dressed or would start things but would not finish them (aside from depression)?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [13240] [13260] [13270] [13280] [13290] [13300]	0 1 U [13250]

INTERVIEWER: This item is only rated when the individual is unable to initiate and persist in goal-directed activities.


54. How long did (Avolition/apathy) last?

EVER CURRENT/RECENT WEEKS WEEKS [17726] [17727]

ALOGIA

		EVER CURRENT OR MOS RECENT EPISOD							
			NO	YES	UNK		NO	YES	UNK
55.	Alogia		0	1	Ū		0	1	U
	Have you often felt that you just had nothing to say? Have others commented that you don't talk much, even when someone is asking you questions, or that you take a long time to answer?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)]]]]	21400 21420 21430 21440 21450 21460)])])]			21410]

56. How long did (Alogia) last?




AFFECT

		EVE	R	CURRENT OR MOST RECENT EPISODE
			NO YES UNK	NO YES UNK
57.	Have you ever appeared to have no emotions?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [13310] [13330] [13340] [13350] [13360] [13370]	0 1 U [13320]
58.	Did you ever show emotions that did not fit what was going on?	Psychosis Only Depression Mania Alcohol Drugs Other (med.)	0 1 U [17728] [17730] [17731] [17732] [17733] [17734]	0 1 U [17729]

59. How long did (Flat affect/inappropriate affect) last?





SITE OPTIONAL FOR BIPOLAR SITES DEPERSONALIZATION/ DEREALIZATION **EVER** CURRENT OR MOST RECENT EPISODE NO YES UNK NO YES UNK 60. Depersonalization Psychosis Only [13380] [13390] [13400] Depression Mania [13410] Have you ever felt as Alcohol [13420] if you were outside your Drugs [13430] body, or as if part of Other (med.) [13440] your body did not belong to you? 1 U 1 U 61. Derealization Psychosis Only [13450] [13460] Depression [13470] Mania [13480] Have things around you Alcohol [13490] ever seemed unreal? As Drugs [13500] if you were in a dream? Other (med.) [13510] **EVER** CURRENT/RECENT WEEKS WEEKS 62. How long did the (Feelings of Depersonalization/Derealization) last? [13520] [13530]

INTERVIEWER: DO NOT SKIP OUT OF THE PSYCHOSIS SECTION IF THE SUBJECT HAS A CHRONIC PSYCHIATRIC DISORDER WITH PSYCHOTIC FEATURES.

INTERVIEWER: IF PSYCHOSIS IS REPORTED WITHOUT CONCURRENT MAJOR DEPRESSION OR MANIA, SKIP TO Q.64.

		SITE OPTIONAL (BIPOLAR CENTERS ASK THI	s QUESTION)		
				NO	YES
63.	had (P	ere ever a period of time when you sychotic symptoms) when you were eling (depressed/high or excited)?	[13540]	0	1
	63.a)	(IF YES:) Did these symptoms ever last as long as one week while you were not (depressed/high)?	[13550]	0	1
	63.b)	(IF NO TO Q.63 OR Q.63.a:) INTERVIEWER: Review all psychotic symptoms coded present during depression and code YES if mood incongruent psychotic symptoms were present during major depression.	[13560]	0	1
		O COMORBIDITY ASSESSMENT (PAGE 113) OR AGE 89).			

ONS	SET OF FIRST SYMPTOMS/EPISODE				
64.	How old were you the <u>first</u> time that you were experions (Describe delusions, hallucinations, or other crit schizophrenia noted by the subject previously)			[135	
		DAYS	ī	WEEKS	
65.	How long did those (Psychotic symptoms) last? (If less than one week, code DAYS.)	OR			
		[13580]		[1359	0]
66.	Did you return to feeling like your normal self fo	r	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	at least two months?	[13600]	0	1	U
				EPIS	ODES
67.	How many episodes have you had? (By episodes I measurement separated by periods of being your normal self for two months.)			[136	10]
	RVIEWER: Record total (minimum) number of episodes periods of psychosis (separated from each by at least two months). If subject never to pre-morbid state for at least two month as one period of illness. Make sure Q.4-Q coded in both Current/Most Recent column a column.	other returned s, count .62 are			
68.a) INTERVIEWER: Do you suspect autism on the basis	o.f	<u>NO</u>	YES	<u>UNK</u>
00.a) INTERVIEWER: Do you suspect autism on the basis the medical history section or other information		0	1	U
68.b	INTERVIEWER: Do you suspect another Pervasive Developmental Disorder on the basis of the medic history section or other information?	a l [21490]	0	1	Ū
DE	LINEATION OF CURRENT OR MOST RECENT EPISODE				
			NO	VEC	TINTIZ
69.	During the current/most recent episode, have you also been experiencing		<u>NO</u>	<u>YES</u>	<u>UNK</u>
	69.a) a low/depressive episode?	[13620]	0	1	U
	69.b) a high/manic episode?	[13630]	0	1	U
70.	Did the current/most recent episode follow increased or excessive use of alcohol?	[13640]	0	1	U
	(IF YES:) Specify:[13650]				
71.	Did the current/most recent episode follow use of street drugs?	[13660]	0	1	U

(IF YES:) Specify:_____[13670]____

NO YES <u>UNK</u> Did the current/most recent episode follow serious medical illness? [13680] 0 1 U (IF YES:) Specify:_____[13690]____ 73. Did the current/most recent episode follow use of [13700] 0 1 prescription medications? (IF YES:) Specify:_____[13710]_____ 74. Did the current/most recent episode follow an extremely stressful life event (such as your house burning down or a violent death of a [17738] 0 1 family member or friend)? (IF YES:) Specify:_____[17739]_____ 75.a) During the current/most recent episode, was there a change in your ability to function at work or with family and friends? (That is, were you unable to do your job, go to school, do your work at home, or perform self-care activities?) Was there a decrease in your ability to have relationships with family [13720] 0 1 and/or friends? INTERVIEWER: Code for deterioration of function: during the course of the disturbance, functioning in such areas as work, social relations, and self care is markedly below the highest level achieved before onset of the disturbance (or when the onset is in childhood or adolescence, failure to achieve expected level of social development). 75.b) (IF YES): Has this change in your functioning continued for much of the time since this episode began? [21500] 0 1 76. DSM III-R Brief Reactive Psychosis During the current/most recent episode, did you experience unpredictable, intense mood changes or did you feel baffled? [17740] 0 1 77. (IF FEMALE): Did the current/most recent episode begin within four weeks of childbirth? [21510] 0 1

PRODROMAL AND RESIDUAL SYMPTOMS

INTERVIEWER: COMPLETE THE PRODROMAL PERIOD FIRST THEN COMPLETE
THE RESIDUAL PERIOD. IF SUBJECT IS ACTIVELY PSYCHOTIC,
COMPLETE THE PRODROMAL PERIOD ONLY, THEN SKIP TO Q.79.

Do not count as positive, symptoms that are due to a disturbance in mood or a psychoactive substance disorder.

Establishing the Prodromal Period:

Establishing the Residual Period: (Ask after completing Q.78.a-n)

78. Now I would like to ask you about the year before (Active psychotic symptoms) started.

During that time did you....

Now I would like to ask you about the year after your (Psychotic symptoms) stopped. During that time did you....

		PRODROMAL PERIOD		RESII	UAL	PΕ	RIOD	
		NO	YES	UNK	NO	YES	S	UNK
78.a)	stay away from family and friends, become socially isolated?	0	1 [13730	U D]	0	1 1374		U
78.b)	have trouble doing your job, going to school, or doing your work at home?		[1375(0]	[1376	0]	
78.c)	do anything unusual, like collecting garbage, talking to yourself in public, hoarding food?		[1377()]	[1378	0]	
78.d)	neglect grooming, bathing, and keeping your clothes cleaned?		[13790	0]	[1380	0]	
78.e)	appear to have no emotions or		[21520	0]	[2153	0]	
	show emotions that did not fit with what was going on (for example, giggle or cry at the wrong time)?		[2154(0]	[2155	0]	
78.f)	speak in a way that was hard to understand, have a hard time getting to the point, or were you at a loss for words (not due to a speech impediment)?		[13830	0]	[1384	0]	
78.g)	have unusual beliefs or magical thinking (e.g., superstitiousness, belief in clairvoyance, telepathy, sixth sense, feeling that "others can feel my feelings"), have ideas that were not quite true, think others were referring to you when they really were							
	not?		[13850)]	[1386	0]	

1

PRODROMAL PERIOD RESIDUAL PERIOD YES UNK NO YES UNK 0 U 78.h) have unusual visual experiences TJ or experiences of hearing (e.g., whispers, crackling), sense the presence of a force or person not actually there, [13870] [13880] or feel the world is unreal? 78.i) have trouble getting going, or have no interests or energy? [13890] [13900] 78.j) think that things around you, such as TV programs or newspaper articles, had some special meaning just for you? think people were talking about you or laughing at you? think you were receiving special messages in other ways? [13910] [13920] 78.k) get nervous about being around other people, or about going to parties or other social events? take criticism badly? [13930] [13940] 78.1) worry that people had it in for you? feel that most people were your enemies? think people were making fun of you? [13950] [13960] (PRODROMAL ONLY:) WEEKS 78.m) How long did you have these N/A experiences before you had (Active psychotic features)? [13970] 78.n) Was this year typical of your usual self (that is, as subject YES UNK NO was prior to onset of earliest symptoms)? [13980] N/A INTERVIEWER: Return to page 79 to establish the Residual period and code in Residual Column. (RESIDUAL ONLY:) WEEKS 78.0) How long did you have these N/A experiences after your (Active psychotic features) stopped? [13990] NO UNK 78.p) Did you return to your usual self YES (as subject was prior to age of onset of earliest symptoms) ? N/A [14000]

SCHIZOAFFECTIVE DISORDER, MANIC TYPE

INT	ERVIEWER:	IF SUBJECT HAS NEVER HAD A PERIOD OF MANIA OR HYPOMANIA, SKIP TO Q.89. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MANIA, CONTINUE.			
	mentioned ic moods)	before that you have had periods when you felt	NO	YES	
79.	were fee.	usions or Hallucinations) ever occur when you ling extremely good or high, or when you were unusually irritable? [14010]	0] 1	
	(IF YES:	Record response:[14020]			
80.		nanic episode correspond to either of c episodes described previously?	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	INTERVIE	WER: Indicate if manic episode corresponds periods described in the MANIA section. [14030]	0	1	U
81.	During to	ne period of feeling especially good or high were also having (Psychotic symptoms) were riencing			
	INTERVIE		<u>NO</u>	YES 1	<u>UNK</u> U
		Pressure speech/talkativeness?		[14040]]
		Racing thoughts?		[14050]]
		Inflated self esteem/grandiosity?		[14060]]
		Decreased sleep?		[14070]]
		Distractibility?		[14080]]
		Increased activity/psychomotor agitation?		[14090]]
		Poor judgment/reckless behavior?		[14100]]
82.	[If Eupho	WER: Enter number of definite symptoms. pric, criterion = 3 [14] table only, criterion = 4	110	SX]	
83.		e episodes <u>only</u> follow alcohol or drug intake	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
	INTERVI	EWER: IF SUBJECT DOES NOT MEET CRITERIA FOR MANIA, SKIP TO Q.89.			

84. Presence of Mood-Congruent Psychotic Symptoms

Code YES if psychotic symptoms occurring during any manic episode had content that was entirely consistent with themes of inflated worth, power, etc.[14120] 0 1 U

Code YES if psychotic symptoms occurring during any manic episode had content that was not consistent with themes of inflated worth, power, knowledge, identity, or special relationship to a deity or a famous person. Persistence of Psychotic Symptoms with Affective Clearing 86. Did the (Hallucinations/delusions) ever continue after your mood returned to normal? [14140] 0 1 86.a) (IF YES:) What is the longest time they lasted after your mood became normal? [14150] 87. Did the (Other psychotic symptoms such as formal thought disorder, bizarre behavior, catatonia) ever continue after your mood returned to normal? [17742] 0 1 87.a) (IF YES:) What is the longest time they lasted after your mood became normal? [17743] 88. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [14160] 0 1 SCHIZOAFFECTIVE DISORDER, DEPRESSED TYPE INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIF TO Q.99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. You mentioned before that you have had periods when you were feeling especially depressed? (IF YES:) Record response: [14180]						
Code YES if psychotic symptoms occurring during any manic episode had content that was not consistent with themes of inflated worth, power, knowledge, identity, or special relationship to a deity or a famous person. [14130] 0 1 Persistence of Psychotic Symptoms with Affective Clearing 86. Did the (Hallucinations/delusions) ever continue after your mood returned to normal? 86.a) (IF YES:) What is the longest time they lasted after your mood became normal? 87. Did the (Other psychotic symptoms such as formal thought disorder, bizarre behavior, catatonia) ever continue after your mood returned to normal? [17742] 0 1 87.a) (IF YES:) What is the longest time they lasted after your mood became normal? [17743] 88. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [14160] 0 1 SCHIZOAFFECTIVE DISORDER, DEPRESSED TYPE INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIP TO Q.99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. You mentioned before that you have had periods when you felt (Depressed mood) lasting at least one week. 89. Did (Delusions or hallucinations) ever occur when you were feeling especially depressed? (IF YES:) Record response: [14180] SKIP TO Q.99. SKIP TO Q.99. 100. YES	85	Presence of Mood-Incongruent Psychotic Symptoms		<u>NO</u>	<u>YES</u>	<u>UNK</u>
after your mood returned to normal? [14140] 0 1 86.a) (IF YES:) What is the longest time they lasted after your mood became normal? [14150] 87. Did the (Other psychotic symptoms such as formal thought disorder, bizarre behavior, catatonia) ever continue after your mood returned to normal? [17742] 0 1 87.a) (IF YES:) What is the longest time they lasted after your mood became normal? [17743] 88. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [14160] 0 1 SCHIZOAFFECTIVE DISORDER, DEPRESSED TYPE INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIP TO Q.99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. COU mentioned before that you have had periods when you were feeling especially depressed? (IF YES:) Record response: [14180] SKIP TO Q.99. 100. Did the depressive episode correspond to either of		Code YES if psychotic symptoms occurring during any manic episode had content that was not consistent with themes of inflated worth, power, knowledge, identity, or special relationship to	[14130]	0	1	Ū
after your mood returned to normal? [14140] 0 1 WEEKS 86.a) (IF YES:) What is the longest time they lasted after your mood became normal? [14150] NO YES 87. Did the (Other psychotic symptoms such as formal thought disorder, bizarre behavior, catatonia) ever continue after your mood returned to normal? [17742] 0 1 87.a) (IF YES:) What is the longest time they lasted after your mood became normal? [17743] NO YES 88. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [14160] 0 1 SCHIZOAFFECTIVE DISORDER, DEPRESSED TYPE INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIP TO Q. 99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. (Ou mentioned before that you have had periods when you felt (Depressed mood) lasting at least one week. 39. Did (Delusions or hallucinations) ever occur when you were feeling especially depressed? [14170] 0 1 SKIP TO Q. 99. 100. Did the depressive episode correspond to either of	Pers	istence of Psychotic Symptoms with Affective Clear	ing			
86.a) (IF YES:) What is the longest time they lasted after your mood became normal? NO YES 87. Did the (Other psychotic symptoms such as formal thought disorder, bizarre behavior, catatonia) ever continue after your mood returned to normal? [17742] 0 1 87.a) (IF YES:) What is the longest time they lasted after your mood became normal? [17743] 88. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [14160] 0 1 SCHIZOAFFECTIVE DISORDER, DEPRESSED TYPE INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIP TO Q.99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. Four mentioned before that you have had periods when you felt (Depressed mood) lasting at least one week. 89. Did (Delusions or hallucinations) ever occur when you were feeling especially depressed? (IF YES:) Record response: [14180] [14170] 0 1 SKIP TO Q.99.	36.		[14140]	0	1	U
Total the (Other psychotic symptoms such as formal thought disorder, bizarre behavior, catatonia) ever continue after your mood returned to normal? [17742] 0 1 WEEKS 87.a) (IF YES:) What is the longest time they lasted after your mood became normal? [17743] NO YES 88. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [14160] 0 1 SCHIZOAFFECTIVE DISORDER, DEPRESSED TYPE INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIP TO Q.99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. Four mentioned before that you have had periods when you felt (Depressed mood) lasting at least one week. 89. Did (Delusions or hallucinations) ever occur when you were feeling especially depressed? (IF YES:) Record response: [14180] 1 SKIP TO Q.99.					WEEKS	5
87.a) (IF YES:) What is the longest time they lasted after your mood became normal? [17743] 88. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [14160] 0 1 SCHIZOAFFECTIVE DISORDER, DEPRESSED TYPE INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIP TO Q.99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. You mentioned before that you have had periods when you felt (Depressed mood) lasting at least one week. 39. Did (Delusions or hallucinations) ever occur when you were feeling especially depressed? (IF YES:) Record response: [14180] SKIP TO Q.99. NO YES 1	37.			<u>NO</u>	<u>YES</u>	<u>UN</u>
87.a) (IF YES:) What is the longest time they lasted after your mood became normal? [17743] 88. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [14160] 0 1 SCHIZOAFFECTIVE DISORDER, DEPRESSED TYPE INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIP TO Q.99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. You mentioned before that you have had periods when you felt (Depressed mood) lasting at least one week. By Did (Delusions or hallucinations) ever occur when you were feeling especially depressed? (IF YES:) Record response: [14180] SKIP TO Q.99. NO YES INDICATE: IN THE STATE OF THE S		<pre>ever continue after your mood returned to normal?</pre>	[17742]	0	_	U
SCHIZOAFFECTIVE DISORDER, DEPRESSED TYPE INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIP TO Q.99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. You mentioned before that you have had periods when you felt (Depressed mood) lasting at least one week. By. Did (Delusions or hallucinations) ever occur when you were feeling especially depressed? (IF YES:) Record response: [14180] 1 SKIP TO Q.99. NO YES 1					WEEK	
INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF DEPRESSION LASTING AT LEAST ONE WEEK, SKIP TO Q.99. IF PSYCHOTIC SYMPTOMS OCCURRED DURING MAJOR DEPRESSION, CONTINUE. Tou mentioned before that you have had periods when rou felt (Depressed mood) lasting at least one week. 19. Did (Delusions or hallucinations) ever occur when you were feeling especially depressed? (IF YES:) Record response: [14180] SKIP TO Q.99. NO YES NO YES NO YES O. Did the depressive episode correspond to either of	38.	-	[14160]			
you felt (Depressed mood) lasting at least one week. NO YES 39. Did (Delusions or hallucinations) ever occur when you were feeling especially depressed? (IF YES:) Record response: [14180] 1 SKIP TO Q.99. NO YES I		INTERVIEWER: IF SUBJECT HAS NEVER HAD A PERIOD OF LASTING AT LEAST ONE WEEK, SKIP TO Q IF PSYCHOTIC SYMPTOMS OCCURRED DURING	.99.	ON		
(IF YES:) Record response: [14180] SKIP TO Q.99. NO YES IN The depressive episode correspond to either of	70u	felt (Depressed mood) lasting at least one week. Did (Delusions or hallucinations) ever occur when				
90. Did the depressive episode correspond to either of						
	∍0.			_		<u>UNK</u> U

91.		n you were	also havi	eeling especiall ng (Psychotic	Y			
	INTERVIEWER:	Mark "YES"	or "NO"	for each symptom	١.	NO	YES	<u>UNK</u>
		Appetite/	weight ch	ange?		0	1 [14200	U]
		Sleep dif	ficulty?				[14210]
		Change in	activity	level? (psychomo	tor)		[14220]
		Fatigue/l	oss of en	ergy?			[14230]
		Loss of i	nterest/p	leasure?			[14240]
		Low self	esteem/gu	ilt?			[14250]
		Decreased	concentr	ation?			[14260]
		Thoughts	of death	or suicide?			[14270]
92.		(Criterion	= 4 if cu	Einitive symptoms		280]	SX	
		(Criterion	= 3 if pa	st)		NO	YES	UNK
93.	Did these epi or withdrawal		follow al	cohol or drug int	take [17744]	0	1	U
94.	DEPR	ESSION, SKI						
	Code YES if p during any de was <u>entirely</u> personal inad	pressed epi consistent	sode had with them	content that	[14290]	0	1	Ū
95.	Presence of M	lood-Incongr	uent Psyc	chotic Symptoms				
	Code YES if p during any de was <u>not</u> consi inadequacy, g	pressed epi stent with	sode had	content that	[14300]	0	1	Ū
Pers	sistence of Psy	chotic Symp	toms with	n Affective Clear	ing			
96.	Did the (Hall after your mo			s) <u>ever</u> continue al?	[14310]	0	1	U
							WEEKS	
		S:) What is your mood be		gest time they la mal?	[14320]			
97.				s such as formal or, catatonia)		<u>NO</u>	<u>YES</u>	<u>UNK</u>
				urned to normal?	[17745]	0	1	U
							WEEKS	
				gest time they la				
	atter	your mood b	ecame nor	maı?	[17746]	L		

VERSION 2.0

20-JAN-95

98. INTERVIEWER: Were the Affective syndromes brief relative to the Psychotic symptoms? [14330] 0 1

POLYDYPSIA

99. Have you ever consumed excess fluids over an extended period of time such that you had problems of low sodium, seizures, confusion, urinary tract difficulties or other medical complications? [14340] 0 1 U

PATTERN OF SYMPTOMS

This rating can be made only for people with psychotic episodes.

- 100. INTERVIEWER: Circle appropriate pattern from descriptions below:[14350]
 - 1 = **Continuously Positive:** The subject has predominantly positive symptoms when ill. During periods of remission, he/she may have mild negative symptoms or be relatively asymptomatic.
 - 2 = Predominantly Negative: The subject may have periods of mild psychosis with some delusions and hallucinations, but the predominant clinical features during most of his/her illness are negative symptoms. Thus, he/she is in a chronic deficit state most of the time with occasional flickers of delusions, hallucinations, or social disorganization.
 - 3 = Predominantly Positive Converting to Predominantly Negative: The
 subject begins with a number of episodes characterized by positive
 symptoms, but these become more widely spaced, and the subject
 passes into a deficit state in between. Eventually, he/she remains
 in a deficit state for a prolonged period of time (e.g., two or
 three years), during which he/she may have occasional mild
 flickerings of positive symptoms.
 - 4 = Negative Converting to Positive: The subject begins in a deficit state with a history of poor premorbid functioning. He/she then develops a florid psychotic picture that is relatively prominent and persistent and thereafter does not spend much time in the deficit state. It is likely that this pattern will be quite uncommon. Subjects who have an adolescent history of poor premorbid adjustment and who simply return to this level of functioning between episodes should be classified as Pattern 1 described above rather than as Pattern 4.
 - 5 = Continuous Mixture of Positive and Negative Symptoms: Pattern is one of concurrent and continuous active psychosis and negative symptoms.

Classification of Longitudinal Course for Schizophrenia

- 101. These specifiers can be applied only after at least 1 year has elapsed since the initial onset of active-phase symptoms. [21560]
 - Episodic With Interepisode Residual Symptoms: when the course is characterized by episodes in which Criterion A for Schizophrenia is met and there are clinically significant residual symptoms between the episodes. With Prominent Negative Symptoms can be added if prominent negative symptoms are present during these residual periods.
 - Episodic With No Interepisode Residual Symptoms: when the course is characterized by episodes in which Criterion A for Schizophrenia is met and there are no clinically significant residual symptoms between the episodes.
 - Continuous: when characteristic symptoms of Criterion A are met
 throughout all (or most) of the course. With Prominent Negative
 Symptoms can be added if prominent negative symptoms are also
 present.
 - Single Episode in Partial Remission: when there has been a single
 episode in which Criterion A for Schizophrenia is met and some
 clinically significant residual symptoms remain. With Prominent
 Negative Symptoms can be added if these residual symptoms include
 prominent negative symptoms.
 - Single Episode in Full Remission: when there has been a single episode in which Criterion A for Schizophrenia has been met and no clinically significant residual symptoms remain.
 - Other or Unspecified Pattern: if another or an unspecified course pattern has been present.

PATTERN OF SEVERITY

102. Pattern of Severity (Circle appropriate pattern): 1 2 3 4 5 [14360]

1 = Episodic Shift

Episodes of illness are interspersed between periods of health or near normality.

2 = Mild Deterioration

Periods of illness occur, but there are also extended periods of return to near normality, with some ability to work at a job and near normal or normal social functioning.

3 = Moderate Deterioration

The subject may occasionally experience some resolution of symptoms, but overall the course is downhill culminating in a relatively severe degree of social and occupational incapacitation.

4 = Severe Deterioration

The subject's illness has become chronic resulting in inability to maintain employment (outside of sheltered workshop) and social impairment.

5 = Relatively Stable

The subject's illness has not changed significantly.

BIPOLAR CENTERS ONLY

1. INTERVIEWER: Do you have reasonable suspicion from any source (e.g., Overview, Psychosis Screen, behavior or appearance during interview, information from relatives, medical records) that subject may have Schizotypal Personality features? [14380] 0 1 U

The next part of the interview is designed to learn more about your personality—the kind of person you are in general. Please answer the way that has been most typical for you for most of your adult life (excluding times when you were depressed or manic).

INTERVIEWER: These items refer to the subjects' usual functioning independent of another psychiatric illness (e.g., when not depressed in a person with major depressive disorder).

In general did you....

111 90	eneral did you	<u>NO</u> 0	<u>YES</u> 1	<u>UNK</u> U
2.	stay away from family and friends, becoming socially isolated with no close friends or confidants?	Ü	[1774	J
3.	have trouble doing your job, going to school, or doing your work at home?		[1439	0]
4.	do anything unusual, like collecting garbage, talking to yourself in public, hoarding food, wearing clothing that was unusual and would			
	call attention to yourself?		[1440	0]
5.	not take care of hygiene and grooming?		[1441	0]
6.	not appear to have emotions, or not respond with emotion when appropriate or show emotions that did not fit with what was going on?		[1442	0]
7.	speak in a way that was hard to understand, have a hard time getting to the point, or were you at a loss for words (not due to a speech impediment)?		[1443	0]
8.	have unusual beliefs or magical thinking (e.g., superstitiousness, belief in clairvoyance, telepathy, "sixth sense," feeling that "others can feel my feelings,")?		[1444	0]
9.	have unusual visual experiences or experiences of hearing (e.g., whispers, crackling), or sense the presence of a force or person not actually there, or feel the world was unreal?		[1445	0]
				-

NO YES <u>UNK</u> U 10. think that things around you, such as TV programs or newspaper articles, had some special meaning just for you? think people were talking about you or laughing think you were receiving special messages in other ways? [14460] 11. get nervous about being around other people, or about going to parties or other social events? [14470] 12. worry that people had it in for you? feel that most people were your enemies? have ideas that were not quite true, thinking others were referring to you when they really were not? [14480] think people were making fun of you?

SCHIZOPHRENIA CENTERS ONLY

SUBJECT ID NUMBER:]_						
Date of Interview:]_] —		
	D	D		M	0	N		Y	Y
Interviewer Number:									
Length of Interview	:	(min	utes)				
Time SIS Interview	Bega:	n:							


^{*} Developed by Kenneth S. Kendler, M.D.

^{**} Modified by NIMH Genetics Initiative Schizophrenia Linkage Sites

Up until now, I have been asking you about specific feelings, emotions, or experiences you may have had in your life. The next part of the interview is designed to learn more about your personality—the kind of person you are in general. For some of the questions, your feelings may have changed over the years. In that case, please answer the way that has been most typical for you for most of your adult life.

SOCIAL ISOLATION/INTROVERSION

 How many friends do you have? By friends, I mean people you would have contact with, on a regular basis, either in person, by phone, or by letter.



IF NONE, SKIP TO Q.4

NO YES 6 0 [17449]

- 1.a) (IF ONLY ONE FRIEND:) Do you wish you had more friends?
- 2. How often do you have contact with friends--either see them (him/her), talk to them on the phone, or write letters? Would you say everyday, two or three times a week, once a week, once a month, less than once a month, or never?

IF NEVER, CODE 6 AND SKIP TO Q.4

[17450]

- 0 = Every day
- 1 = Two or three times a week
- 2 = Once a week
- 3 = Once a month
- 4 = Less than once a month
- 6 = Never

IF CODED 0, 1, OR 2, SKIP TO Q.3

2.a) <u>Follow-up Probe</u>: Do you wish you had more contact than you do?

NO YES 6 0 [17451]

3. How close do you feel to your friend(s)? Would you say very close, somewhat close, a little close, or not at all close?

[17452]

- 0 = Very close
- 2 = Somewhat close
- 4 = A little close
- 6 = Not at all close

4. Another thing we'd like to know is how often you have contact with your relatives (not counting the ones you live with). How often would you see them, talk to them on the phone, or write letters? Would you say every day, two or three times a week, once a week, once a month, less than once a month, or never? [17453] 0 = Every day 1 = Two or three times a week 2 = Once a week3 = Once a month4 = Less than once a month 6 = Never How often do you attend meetings of clubs or other organizations? In answering, please do not count religious services. Would you say more than once a week, once a week, a few times a month, once a month, less than once a month, or never? [17454] 0 = More than once a week 1 = Once a week 2 = A few times a month 3 = Once a month4 = Less than once a month 6 = NeverHow often do you attend religious services? Would you say more than once a week, once a week, a few times a month, once a month, less than once a month, or never? [17455] 0 = More than once a week 1 = Once a week 2 = A few times a month 3 = Once a month4 = Less than once a month 6 = NeverYES NO Is there anyone with whom you have a close relationship outside of your immediate family that you can share your most private feelings? (IF MARRIED, ADD: "This could include your husband/wife.") [17456] 0 CODE Q.8 AS "00". PEOPLE How many people do you have that kind of relationship with? 8. [17457] INTERVIEWER: Rate Global Assessment of Social Isolation ABSENT MILD MODERATE MARKED

2

0

3

5

6

[17458]

SKIP TO Q.11

10. INTERVIEWER: Rate Objective Reason for Social Isolation

(e.g., illness, physical handicap, most of friends died, lives in very isolated area with no transportation).

PROBES: Has your physical health made it difficult for you to get out to meet people? Has your living situation or lack of transportation made it difficult for you to get out to meet people?

[17459]

- 0 = Definite objective reason--probably explains all
- 3 = Some objective reason--cannot explain all
- 6 = No objective reason
- 11. People differ in terms of how much they like to be alone versus to be with other people. That is, some people are more loners and others are more outgoing. Overall, would you consider yourself to be very much of a loner, somewhat of a loner, a little bit of a loner, or not at all a loner?

[17460]

- 0 = Not at all a loner
- 2 = A little bit of a loner
- 4 = Somewhat of a loner
- 6 = Very much of a loner
- 12. Overall, would you consider yourself to be <u>very</u> outgoing, <u>somewhat</u> outgoing, <u>a little bit</u> outgoing, or <u>not at all</u> outgoing?

[17461]

- 0 = Very outgoing
- 2 = Somewhat outgoing
- 4 = A little bit outgoing
- 6 = Not at all outgoing
- 13. Please answer the following questions for the kind of person you have been for most of your life. Answer either <u>True</u> or <u>False</u>.

		<u>T</u>	'RUE	FAL:	SE
13.a)	I prefer hobbies and leisure activities that do not involve other people.	[17462]	6	0	1
13.b)	I am usually content to just sit alone, thinking and day-dreaming.	[17463]	6	0	
13.c)	I could be happy living all alone in a cabin in the woods or mountains.	[17464]	6	0	
13.d)	If given the choice, I would much rather be alone than with others.	[17465]	6	0	

IF Q.11, 12, AND 13.a-d ALL CODED 0, SKIP TO GLOBAL ASSESSMENT OF INTROVERSION - Q.15.

14.	The following	is a list of	questions.	Please answe	r them with
	regard to the	kind of pers	son you are i	n general. A	$nswer\underline{Yes}$ or \underline{No} .

14.a)	Are you a talkative person?	YES NO 6 [17466]
14.b)	Are you rather lively?	[17467]
14.c)	Do you usually take the initiative in making new friends?	[17468]
14.d)	Do you enjoy cooperating with others?	[17469]
14.e)	Do you tend to keep in the background on social occasions?	[17470]
14.f)	Do you like mixing with people?	[17471]
14.g)	Do you like plenty of bustle and excitement around you?	[17472]
14.h)	Are you mostly quiet when you are with other people?	[17473]
14.i)	Can you get a party going?	[17474]
14.j)	Do you enjoy meeting new people?	[17475]

15. INTERVIEWER: Rate Global Assessment of Introversion. (Based on Q.11-14.)

ABSENT MILD MODERATE MARKED

0 1 2 3 4 5 6 [17476]

SENSITIVITY

16. In general, how sensitive are you to comments or remarks made about you? Would you say <u>very</u> sensitive, <u>somewhat</u> sensitive, <u>a little bit</u> sensitive, or <u>not at all</u> sensitive?

[17477]

- 0 = Not at all
- 2 = A little bit
- 4 = Somewhat sensitive
- 6 = Very sensitive
- 17. If someone made a nasty comment about you that you didn't deserve, how long would you take to get over it? Would you say a week or more, 2-3 days, a day, an hour, or just a minute?

[17478]

- 0 = A minute
- 1 = An hour
- 2 = A day
- 4 = Two to three days

6 = A week or more

18. The following is a list of statements. Please tell me whether you think each item is <u>definitely true</u> for you, <u>probably true</u> for you, <u>probably not true</u> for you, or <u>definitely not true</u> for you. [SIS CARDS, P.1]

		DEFINITELY TRUE	PROBABLY TRUE	PROBABLY NOT TRUE		INITELY F TRUE
18.a)	I avoid doing things because I'm afraid that I might make a fool of myself.	6	4	2	0	[17479]
18.b)	I am touchy.	6	4	2	0	[17480]
18.c)	Emotionally, I'm pretty "thin-skinned."	6	4	2	0	[17481]
18.d)	I worry a lot about appearing foolish in front of other people.	6	4	2	0	[17482]
18.e)	Any kind of criticism really gets me upset.	6	4	2	0	[17483]

ABSENT MILD MODERATE MARKED

0 1 2 3 4 5 6 [17484]

ANGER TO PERCEIVED SLIGHTS

- 20. Do people say that you sometimes look for and find 0 6 criticism that wasn't really intended? [17485]
- 21. Did you ever break off a relationship or leave a social situation because of being insulted? [17486]
 - 21.a) (IF YES:) How often has that happened? [17487]

2 = Rarely

4 = Sometimes

6 = Often

- 22. There is a saying that the best defense is a good offense. Are you prone to attack back if you feel slighted or insulted by others?
- [17488]

22.a) (IF YES:) How often does this happen?

[17489]

2 = Rarely

4 = Sometimes

6 = Often

NO YES

23. Do you lose your temper easily?

[17490] 0 6

23.a) (IF YES:) How often?

[17491]

2 = Rarely

4 = Sometimes

6 = Often

24. INTERVIEWER: Rate Global Assessment of Anger in Response to Perceived Slights.

ABSENT MILD MODERATE MARKED


0 1 2 3 4 5 6 [17492]

SOCIAL ANXIETY

25. I'd like to read to you a list of questions about how you have felt in social situations. The possible answers to these questions are <u>always</u>, <u>often</u>, <u>sometimes</u>, or <u>never</u>. [SIS CARDS] Again, answer these questions for what would be most typical for you for most of your adult life.

		ALWAYS	OFTEN	SOMETIMES	1	NEVER
25.a)	When you are in social situations, how often do you feel uncomfortable? Would you say always, often, sometimes, or never?	6	4	2	0	[17493]
25.b)	Before you attend a social event, how often do you feel anxious?	6	4	2	0	[17494]
25.c)	When you are in a social situation, how often do you worry too much about what other people might think of you?	6	4	2	0	[17495]
25.d)	How often would you avoid social situations where you knew you would have to be with people?	6	4	2	0	[17496]
25.e)	When you are in a social situation, how much of the time are you worrying that you'll say the wrong thing or appear foolish?	6	4	2	0	[17497]

26. INTERVIEWER: Rate Global Assessment of Social Anxiety.



SKIP TO IDEAS OF REFERENCE (PART 1) - Q.28.

108 NO YES You've mentioned feeling uncomfortable or ill at ease in some social situations. Does your discomfort tend to diminish after getting to know people? [17499] 6 0 IDEAS OF REFERENCE (PART I) - BEING WATCHED 28. At one time or another, when in public, many people have had the feeling they are being watched. How often have you had such a feeling? Would you say often, sometimes, <u>rarely</u>, or <u>never</u>? [17500] Never SKIP TO Q.35 2 = Rarely 4 = Sometimes6 = Often When this happens, do you feel you are being watched by a lot of people, by just a few people, or by only one person? [17501] 2 = One4 = A few6 = A lotWhen this happens (the feeling of being watched), do you feel you are being singled out for special attention? [17502] 2 = No4 = Possibly6 = Definitely 31. Could you give me an example of one time you remember when you had the feeling of being watched by others? Record response verbatim: [17503] Why did you think that you were being looked at? INTERVIEWER: Record any realistic reasons why subject might have been looked at (e.g., sexual "checking-out", physical anomaly, poor clothing, accent, etc.), then rate. [17504] Strong realistic reasons describing normal reaction SKIP TO Q.35

- 2 = Some realistic reason, but over-reaction
- 4 = Little realistic reason, very exaggerated reaction

6 = No evident realistic reason

33.	Where have you been when you had the feeling of being watched?	[18505]
	PROBE: Has it only been near where you live? How about when you travel to another town?	[17505]
	0 = Not applicable, hasn't traveled far from home	
	2 = Only near home	
	4 = Only far from home	
	6 = Both near and far from home	
34.	The people who appear to be watching you, are they people you know, you don't know, or both?	[17506]
	2 = Only known	[17506]
	4 = Only unknown	
	6 = Both known and unknown	
35.	If you were going to a public place tomorrow, do you think you would be watched? Would you say <u>definitely</u> , <u>probably</u> , <u>probably not</u> , or <u>definitely not</u> ?	[17507]
		[17507]
	0 = Definitely not	
	2 = Probably not	
	IF Q.32 "SKIPPED OUT" OR RATED 0, SKIP TO	
	SCHIZOTYPAL SOCIAL ANXIETY RATING - Q.36.	
	4 = Probably	
	6 = Definitely	
	35.a) (IF Q.26 IS RATED 2 OR MORE:) I want to go back a bit. Before you talked about feeling uncomfortable or ill	NO YES
	at ease in social situations. Would you say that your discomfort is related to the feeling that you're being watched or that others are paying special attention to you? [17508]	0 6
	SKIP TO SCHIZOTYPAL SOCIAL ANXIETY RATING Q.36	
	35.b) (IF YES:) Is your discomfort about being watched greater when in public among people you don't know than in situations where you know people? [17509]	0 6
	SKIP TO SCHIZOTYPAL SOCIAL ANXIETY RATING Q.36	
	35.c) (IF YES:) How much greater is your discomfort (with unfamiliar people)?	
	Record response verbatim:[17510]	

36. INTERVIEWER: Rate Schizotypal Social Anxiety. Rate the degree of social anxiety involving unfamiliar people that tends to be associated with paranoid fears or does not diminish with familiarity. (Based on Q.26-Q.28, Q.32, Q.35, Q.35a and Q.35b) ABSENT MILD MODERATE MARKED 0 2 4 5 [17511] 1 3 6 IDEAS OF REFERENCE (PART II) - REMARKS NO YES When in public places, people sometimes have the feeling that the people around them are talking about them. Have you ever had a feeling like that? [17512] 6 SKIP TO Q.38 37.a) (IF YES:) How often do you have this feeling? Would you say <u>often</u>, <u>sometimes</u>, or only <u>rarely</u>? [17513] 2 = Rarely 4 = Sometimes6 = OftenHow about the feeling of being laughed at in public? Does this happen to you often, sometimes, rarely, or <u>never</u>? [17514] Never IF NO TO Q.37 AND NEVER TO Q.38, SKIP TO Q.41 2 = Rarely 4 = Sometimes6 = Often Are they talking about (and/or) laughing at you more than about other people? [17515] 2 = No4 = Possibly6 = Definitely Why do you think they are talking about (and/or) laughing at you? [17516] INTERVIEWER: Rate Objective Reasons for Reactions 0 = Strong realistic reasons describing normal reaction


2 = Some realistic reason, but over-reaction

4 = Little realistic reason, very exaggerated reaction

6 = No evident realistic reason

When you are in public, how often do you feel that other people are dropping hints about you? (Probe: How often do people try to tell you something without saying it directly or straight out?) Would this happen often, sometimes, rarely, or never?

[17517]



Rarely 4 = Sometimes6 = Often

42. Could you give me an example or two of this (a time when people were dropping hints about you)?

[17518]

0 = Definitely normal2 = Probably normal


4 = Probably pathological
6 = Definitely pathological

Do people ever seem to be using a kind of "double-talk" around you, where it may appear that they are just talking normally, but they are really slipping in nasty comments about you?

NO YES

0

[17519]



43.a) (IF YES:) How often do people seem to use this kind of "double-talk" around you? Would you say often, sometimes, or only rarely?

[17520]

2 = Rarely 4 = Sometimes

6 = Often

INTERVIEWER: Rate Global Assessment of Ideas of Reference

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17521]

SUSPICIOUSNESS

Remember that in this part of the interview I'm asking about the kind of person you are <u>in general</u>. Please answer these questions in the way that has been most typical for you for most of your adult life.

45. Some people tend to be very trusting by nature, while others are less inclined to trust people. Overall, would you consider yourself to be a very trusting person, somewhat trusting, a little bit trusting, or not at all trusting?

[17522]

- 0 = Very trusting
- 2 = Somewhat trusting
- 4 = A little bit trusting
- 6 = Not at all trusting
- 46. People differ in their views about people and how much they can really be trusted. Here are two different views about people. The first is, "Most people are untrustworthy. Given the opportunity, they will take advantage of you." The second view is "Most people are basically trustworthy. Given the opportunity, they will do their best to help their fellow man." Which of these views do you believe in most?

[17523]

- 0 = Second statement
- 3 = In-between
- 6 = First statement
- 47.I would now like to read a list of feelings that some people have. I want you to tell me how often you have had feelings like that. The possible answers are often, sometimes, rarely, or never? [SIS CARDS, P.3]

		Often	Sometimes	Rarely	Rarely Neve	
47.a)	I feel that the people I know cannot really be trusted. Would you say often, sometimes, rarely, or never?	6	4	2	0	[17524]
47.b)	I feel that people criticize me more than I deserve.	6	4	2	0	[17525]
47.c)	I feel that I need to be on my guard around other people.	6	4	2	0	[17526]
47.d)	I feel that people blame me for things that are not my fault.	6	4	2	0	[17527]

48. For the following statements, would you say that you <u>definitely agree</u>, <u>probably agree</u>, <u>probably disagree</u>, or <u>definitely disagree</u> with them?
[SIS CARDS, P.4]

		DEFINITELY AGREE	PROBABLY AGREE	PROBABLY DISAGREE		INITELY SAGREE
48.a)	All in all, it is probably safer never to trust anyone.	6	4	2	0	[17528]
48.b)	If I trust too much in people, sooner or later they will let me down.	6	4	2	0	[17529]
48.c)	If I am not careful, others will take advantage of me.	6	4	2	0	[17530]
48.d)	People seem to lie to me a lot.	6	4	2	0	[17531]
48.e)	If you confide in people, sooner or later they will use the information you gave them to hurt you.	6	4	2	0	[17532]
48.f)	I hold grudges for a long time.	6	4	2	0	[17533]
48.g)	I feel that I have been the victim of some kind of conspiracy.	6	4	2	0	[17534]

49. Are there people who have gone out of their way to deliberately hold you back in life and to make things difficult for you? [17535] 0 6

49.a) (IF YES:) What makes you think that? How did they hold you back?

[17536]

0 = Definitely normal

2 = Probably normal

SKIP TO Q.50

4 = Probably pathological

6 = Definitely pathological

50. In order to protect yourself from others, do you feel that you have to go out of your way to take precautions? [17537] 0 6

SKIP TO Q.51

50.a) (IF YES:) What precautions do you take?


[17538]

- 0 = Definitely normal
- 2 = Probably normal
- 4 = Probably pathological
- 6 = Definitely pathological
- 51. How well do you get along with your neighbors?

PROBES: Have you had any arguments with them? Have any of them gone out of their way to make trouble for you? Why have they acted that way?

[17539]

- 0 = No trouble with neighbors
- 2 = Trouble with neighbors, but appears justified
- 4 = Trouble with neighbors unlikely to be justified
- 6 = Major unjustified trouble with neighbors
- 52. INTERVIEWER: Rate Global Assessment of Suspiciousness.
 (Based on Self-Report Only)



53. INTERVIEWER: Rate Objective Reasons For Suspiciousness.

PROBE: You said "....". Has anything happened in your life to make you feel that way?

Rate based on probe and responses to Q.49.a, Q.50.a, and Q.51.

[17541]

- 0 = A lot
- 2 = Some
- 4 = A little
- 6 = None

PATHOLOGICAL JEALOUSY

SKI	you get jealous easily? SKIP TO Q.55 F YES:) .a) What types of things make you jealous? Record response verbatim[17543]	
(IF Y	ES:)	
54.a)	What types of things make you jealous?	
	Record response verbatim:[17543]	
54.b)	How much of the time do you feel jealous?	 [17
	4 = Sometimes	
54.c)		
54.d)	INTERVIEWER: Rate Based on Q.54.a-c.	[17
	2 = Probably normal 4 = Probably pathological	
		NO [17547] 0
ski	P TO GLOBAL RATING - Q.56	

55.b)	(IF	YES:)	How	did	you	react	to	the	situation?
-------	-----	-------	-----	-----	-----	-------	----	-----	------------

Record response verbatim: _____[17549]_____

55.c) INTERVIEWER: Rate Based on Q.55.a-b.

[17550]

- 0 = Definitely normal
- 2 = Probably normal
- 4 = Probably pathological
- 6 = Definitely pathological

56. INTERVIEWER: Rate Global Assessment of Pathological Jealousy.

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17551]

RESTRICTED EMOTION

57. The following is a list of brief statements. Could you tell me if they are true for you <u>often</u>, <u>sometimes</u>, <u>rarely</u>, or <u>never</u>? [SIS CARDS, P.3]

	Often	Sometimes	Rarely	N	ever
57.a) I want to hug people I feel close to.	0	2	4	6	[17552]
57.b) I feel very happy.	0	2	4	6	[17553]
57.c) I feel very sad.	0	2	4	6	[17554]
57.d) I show my true feelings.	0	2	4	6	[17555]
57.e) I feel strongly about a social or political issue.	0	2	4	6	[17556]
57.f) I feel emotionally moved by things like music or the beauty of nature.	0	2	4	6	[17557]
57.g) I feel sentimental.	0	2	4	6	[17558]
57.h) I show affection to the people I care about.	0	2	4	6	[17559]

58.INTERVIEWER: Rate Global Assessment of Restricted Emotion.

ABSENT MILD MODERATE MARKED

120

0 1 2 3 4 5 6 [17560]

MAGICAL THINKING

59. I have a list of statements here. Could you tell me if you think they are <u>definitely true</u> for you, <u>probably true</u> for you, <u>probably true</u> for you, or <u>definitely not true</u> for you? [SIS CARDS, P.1]

		DEFINITELY TRUE	PROBABLY TRUE	PROBABLY NOT TRUE		NITELY TRUE
59.a)	I think I could learn to read other people's minds if I wanted to.	6	4	2	0	[17561]
59.b)	Horoscopes are right too often for it to be a coincidence.	6	4	2	0	[17562]
59.c)	Numbers like 13 and 7 have special powers.	6	4	2	0	[17563]
59.d)	I can sometimes foretell the future.	6	4	2	0	[17564]
59.e)	Good luck charms keep evil away.	6	4	2	0	[17565]
59.f)	I have felt that I might cause something to happen just by thinking too much about it.	6	4	2	0	[17566]
59.g)	I feel that the spirits of the dead can influence the living.	6	4	2	0	[17567]
59.h)	I believe in black magic.	6	4	2	0	[17568]
59.i)	Accidents can be caused by mysterious forces.	6	4	2	0	[17569]

60. Now, I have another list of statements. I'd like to know how often you have experiences like this. The possible responses are <u>often</u>, <u>sometimes</u>, <u>rarely</u>, or <u>never</u>. [SIS CARDS, P.3]

		Often	Sometimes	Rarely	1	Never
60.a)	I communicate with other people using only my mind. Would you say often, sometimes, rarely, or never?	6	4	2	0	[17570]
60.b)	I sense when bad things are going to happen to people close to me.	6	4	2	0	[17571]
60.c)	I feel the presence of an evil spirit around me.	6	4	2	0	[17572]
60.d)	Dreams that I have come true.	6	4	2	0	[17573]

VERSION 2.0 20-JAN-95

M. MODIFIED SIS (Cont'd)

122

60.e) I feel that other people are reading my mind.

6 4 2 0 [17574]

61.	INTERVIEWER: Rate Deviance of Magical Thinking from Subcultural Norms.
	0 = Not applicable, no magical thinking [17575]
	1 = Not deviant
	2 = Mildly deviant
	4 = Moderately deviant
	6 = Markedly deviant
62.	Many people think that there are things that can bring bad luck or misfortune, such as seeing a black cat, walking under a ladder, breaking a mirror, or Friday the 13th. Do you have any beliefs like that? [17576] 0 6 SKIP TO Q.63
	62.a) (IF YES:) What sorts of beliefs like these do you have? Any more?
	Record response verbatim:[17577]
	No YES
63.	Many people do things to keep evil away or to bring themselves good luck, such as keeping a rabbit's foot
	or a lucky horseshoe, knocking on (touching) wood, or
	throwing salt over their shoulder if they spill it. Do you do any things like that to keep evil away or
	bring good luck? [17578] 0 6
	INTERVIEWER: Only score superstitious responses as YES.
	INTERVIEWER: Only score superscrittous responses as res.
	IF NO TO Q.62 AND Q.63, SKIP TO GLOBAL RATING - Q.68.
	IF NO ONLY TO Q.63, SKIP TO Q.64.
	63.a) (IF YES:) Tell me what sorts of things you do to keep evil away. Any more?
	Record response verbatim:[17579]
	<u> </u>

64. INTERVIEWER: Read the list of recorded superstitions to subject (and/or) what he/she does to keep evil away

How sure are you (that these beliefs are really true) and/or (that you need to do this to keep evil away)? **PROBE:** Could they just be "old wives' tales"?

[17580]

- 0 = Considerable doubt as to veracity of superstitions
- 2 = Some doubt as to veracity of superstitions
- 4 = A little doubt as to veracity of superstitions
- 6 = No doubt as to veracity of superstitions
- 65. INTERVIEWER: Rate Number of Superstitious Beliefs.

[17581]

- 2 = Few
- 4 = Some
- 6 = Many
- 66. INTERVIEWER: Rate Deviance of Superstitions from Sub-Cultural Norms.

[17582]

- 0 = Not at all deviant
- 2 = Mildly deviant
- 4 = Moderately deviant
- 6 = Markedly deviant
- 67. Do these beliefs (List superstitions) have a practical effect on your life?

 [17583] 0 6

SKIP TO GLOBAL RATING - Q.68

67.a) (IF YES:) In what way do they affect you?
PROBE: What do you do different because of what you believe?

[17584]

- 2 = Minimal effect on behavior
- 4 = Modest effect on behavior
- 6 = Large effect on behavior
- 68. INTERVIEWER: Rate Global Assessment of Magical Thinking.

ABSENT		MILD		MODERATE		MARKED	
0	1	2	3	4	5	6	[17585]

ILLUSIONS

69. People sometimes have the experience of mistaking an object for a person or an animal. For example, driving at dusk you might see a lamp post (gate post) out of the corner of your eye and think it is a man standing by the road. How often have you had experiences like that? Would you say often, sometimes, rarely, or never?

[17586]

- 0 = Never
- 2 = Rarely
- 4 = Sometimes
- 6 = Often
- 70. People also sometimes hear crackling or knocking sounds or bells ringing, sounds that are probably not real. How often have you heard sounds like that? Would you say often, sometimes, rarely, or never?

[17587]

- 0 = Never
- 2 = Rarely
- 4 = Sometimes
- 6 = Often
- 71. How often have you had the experience of hearing your name called but realizing that it must have been your imagination? Would you say often, sometimes, rarely, or never?

[17588]

- 0 = Never
- 2 = Rarely
- 4 = Sometimes
- 6 = Often
- 72. When it's quiet, some people have the experience of hearing people's voices whispering or talking to them, even when no one is actually present. Have you ever had such an experience?

NO YES

6

[17589]

0

SKIP TO Q.73

72.a) (IF YES:) How often have you had this experience (of hearing whispers or voices)? Would you say often, sometimes, or rarely?

[17590]

- 2 = Rarely
- 4 = Sometimes
- 6 = Often

73. Have you ever had the experience that some person or force was around you even if you could not see anyone? PROBES: When did this happen? What kind of person or force did you experience?

0 = No

SKIP TO GLOBAL ASSESSMENT - Q.74

2 = Yes, other

4 = Yes, religious experience

6 = Yes, dead relative or close friend

73.a) (IF YES:) How often would you have this experience (feeling that some person or force was around you)? Would you say often, sometimes, or rarely?

[17592]

2 = Rarely

4 = Sometimes

6 = Often

74. INTERVIEWER: Rate Global Assessment of Illusions.

ABSENT MILD MODERATE MARKED

0 1 2 3 4 5 6 [17593]

PSYCHOTIC-LIKE PHENOMENA

75. How often do your thoughts become muddled or confused? Would you say <u>often</u>, <u>sometimes</u>, <u>rarely</u>, or <u>never</u>?

[17594]

0 = Never

2 = Rarely

4 = Sometimes

6 = Often

76. How often do your thoughts suddenly stop, causing you to lose completely your train of thought? Would you say often, sometimes, rarely, or never?

[17595]



2 = Rarely

4 = Sometimes

6 = Often

4 = Sometimes 6 = Often

77. Do you ever feel as if some outside agency or power is causing your thoughts to stop, or even taking the thoughts out of your head? [17596] 0 = No3 = Yes, just stopping 6 = Yes, out of head NO YES 78. Sometimes people feel that their thoughts are so real that it seems as if they are spoken out loud so that other people could hear them. Have you ever experienced that? [17597] 6 SKIP TO Q.79 78.a) (IF YES:) How often have you had this experience (of feeling like your thoughts were being spoken out loud)? Would you say often, sometimes, or rarely? [17598] 2 = Rarely 4 = Sometimes6 = Often 79. How often do thoughts or feelings come into your mind which feel like they don't belong? Would you say often, sometimes, rarely, or never? [17599] 0 = Never 2 = Rarely4 = Sometimes 6 = Often 80. How often do thoughts or feelings come into your mind which feel like they are not yours? Would you say often, sometimes, rarely, or never? [17600] 0 = Never 2 = Rarely 4 = Sometimes 6 = Often 81. How often do thoughts or feelings come into your mind which feel like they were placed there by an agency or power outside yourself? Would you say often, <u>sometimes</u>, <u>rarely</u>, or <u>never</u>? [17601] Never SKIP TO GLOBAL ASSESSMENT RATING - Q.82 2 = Rarely

81.a) What agency or power do you feel places thoughts or feelings in your mind? [17602] INTERVIEWER: Circle all that apply. 1 = Close relative or friend 2 = Devil3 = God4 = Other, Specify:_____[17603]_____ 81.b) How is it that (this agency or power) places thoughts or feelings in your mind? [17604] 0 = Not at all deviant 2 = Slightly deviant 4 = Moderately deviant 6 = Very deviant INTERVIEWER: Rate Global Assessment of Psychotic-Like Symptoms. 82. ABSENT MILD MODERATE MARKED 0 1 2 3 4 5 6 [17605] SEXUAL ANHEDONIA Finally, I want to ask you just a few questions about your sexual experiences. YES NO 83. Over your adult life, have you had one or more relationship(s) in which sex was a part of that relationship(s)? [17606] 0 83.a) (IF NO:) Do you wish you had? [17607] 6 Over your adult life, would you say that your drive for sexual relations has been: [17608] 0 = Very strong 2 = Somewhat strong 4 = Not too strong 6 = Almost nonexistent 85. INTERVIEWER: Rate Global Assessment of Sexual Anhedonia. ABSENT MILD MODERATE MARKED 0 1 2 3 4 5 6 [17609]

That's all the questions I have in this part of the interview.

Time SIS Ended: :

INTERVIEWER: At the conclusion of the interview, review the following set of global ratings. If any of the following are rated 3 or more, then return to page 61 and administer the Psychosis Section items.

86. SIS Summary

SIS Item	SIS Item Description	Rating	
86.a) Q.44	Global Ideas of Reference		[17610]
86.b) Q.52	Global Suspiciousness		[17611]
86.c) Q.68	Global Magical Thinking		[17612]
86.d) Q.74	Global Illusions		[17613]
86.e) Q.82	Global Psychotic-Like Symptoms		[17614]

ABSENT		MILD		MODERATI	Ε	MARKED
0	1	2	3	4	5	6

INTERVIEWER: SUBJECTS WHO HAVE SIGNIFICANT HISTORY OF ALCOHOL, MARIJUANA, OR OTHER DRUG ABUSE AND EVIDENCE OF DEPRESSION, MANIA, HYPO-MANIA, DYSTHYMIA, OR PSYCHOSIS SHOULD BE ASKED THIS SECTION.

Check here if this section does not apply to subject.

1. You mentioned earlier your (Mood changes/Psychotic symptoms), and also that you were using (Alcohol/Drugs) heavily. Think about the first time you had any of these problems. Which came first (Mood changes/Psychotic symptoms) or (Alcohol/Drugs)?


INTERVIEWER: Rate first occurrence.

[17748]

- 1 = Mood changes/psychotic symptoms occurred first.
- 2 = Alcohol/drug abuse occurred first.
- 3 = Mood changes/psychotic symptoms and alcohol/drug abuse occurred at the same time.
- 4 = Not clear.
- 1.a) (IF MOOD CHANGES/PSYCHOTIC SYMPTOMS
 OCCURRED FIRST:) For how long did you
 have (Mood changes/Psychotic symptoms)
 before you started using (Alcohol/Drugs)
 heavily?
- DAYS WEEKS
 OR [14510]
- 1.b) (IF ALCOHOL/DRUGS OCCURRED FIRST:)

 For how long were you using (Alcohol/Drugs)

 heavily before your (Mood changes/
 Psychotic symptoms) began?



INTERVIEWER: IF ONLY ONE EPISODE (TOTAL) OF MOOD CHANGES/PSYCHOTIC SYMPTOMS, SKIP TO SUICIDAL BEHAVIOR (PAGE 115).

INTERVIEWER: Hand Comorbidity Card to subject.

[14540]

- Now I would like you to think about other episodes of (Mood changes/Psychotic symptoms) and tell me which statement on the card best characterizes these episodes.
 - 1 = Emotional/thinking difficulties always occurred first
 [Ask Q.4 only]
 - 2 = Alcohol/drug abuse always occurred first
 [Ask Q.3 only]
 - 3 = Emotional/thinking difficulties and alcohol/drug abuse always occurred at the same time [Ask Q.3 and Q.4]
 - 4 = No strict pattern (sometimes emotional/thinking difficulties first, sometimes alcohol/drugs first) [Ask Q.3 and Q.4]

= Emotional/thinking difficulties and alcohol/drug abuse always occurred independently

SKIP TO SUICIDAL BEHAVIOR (PAGE 115)

[Ask Q.3 and Q.4]

NO YES UNK Have your (Mood/Psychotic) episodes <u>ever</u> continued 3. after you stopped using (Alcohol/Drugs) heavily? [14570] 0 1 U DAYS WEEKS (IF YES:) What was the longest time a 3.a) OR (Mood/Psychotic) episode ever continued after you stopped using (Alcohol/Drugs)? [14580] [14590] (If less than one week, code DAYS.) YES UNK 4. Did you ever continue to use (Alcohol/Drugs) heavily after your (Mood/Psychotic) episode stopped? [14630] 0 U 1 DAYS WEEKS 4.a) (IF YES:) What was the longest you OR

used (Alcohol/Drugs) heavily after a (Mood/Psychotic) episode stopped? (If less than one week, code DAYS.)

Now	I'm	going	to	ask	you	some	(further)	questions	about
suid	cidal	l behav	7io	r.					

	<u>NO</u>	<u>YES</u>	<u>UNK</u>
Have you ever tried to kill yourself?	[14670] 0	1	U
SKIP TO ANXIETY DISORDERS (PAGE 117).			
		TIM	IES
<pre>1.a) (IF YES:) How many times have you tried to kill yourself?</pre>	[14680]		
		AG	ξE
<pre>1.b) How old were you the first time you tried to kill yourself?</pre>	[21570]		

INTERVIEWER: For the following questions, ask about the \underline{most} $\underline{serious}$ attempt.

2. How did you try to kill yourself?

Record	response:	[14690]

3. How old were you?

	ONS	AGE
[14700]		

4. Did you require medical treatment after this attempt?

5. Were you admitted to a hospital after the attempt?

6. Did you want to die?

7. Did you think you would die from what you had done?

[14740]

8. INTERVIEWER: Rate intent of most serious attempt.

[14750]

- 1 = No intent or minimal intent, manipulative gesture.
- 2 = Definite intent, but ambivalent.
- 3 = Serious intent, expected to die.
- U = No information, not sure.

9. INTERVIEWER: Rate <u>lethality</u> of most serious attempt.

[14760]


- 1 = No danger (no effects, held pills in hand).
- 2 = Minimal (scratch on wrist).
- 3 = Mild (10 aspirin, mild gastritis).
- 4 = Moderate (10 Seconals, briefly unconscious).
- 5 = **Severe** (cut throat).
- 6 = **Extreme** (respiratory arrest or prolonged coma).
- U = No information, not sure.
- 10. Did the suicidal behavior described occur during...

10.a) Depression?	NO YES UNK 0 1 U [14770]
10.b) Mania?	[14780]
10.c) Alcohol Abuse?	[14790]
10.d) Drug Abuse?	[14800]
10.e) Psychosis?	[14810]
10.f) Other? (IF YES:) Specify:[14820]	[14830]

P. ANXIETY DISORDERS

Now I would like to ask you some questions about certain situations and reactions you may have experienced.

OBSESSIONS



COMPULSIONS

2. Have you ever had to repeat some act over and over which you could not resist repeating in order to feel less anxious--like washing your hands, counting things, or checking things? (PROBE: Another example might be doing things in a certain order and having to start over again if you get the order wrong.)

IF NO OBSESSIONS (any NO in Q.1) AND NO COMPULSIONS, SKIP TO Q.11.

IF NO COMPULSIONS ONLY, SKIP TO Q.4

- 2.a) What was it you did over and over? ___[14910] ____
- 2.b) What were you afraid would happen if you did not do it?

[14920]

	2.c) INTERVIEWER: Code YES if the behavior is design to neutralize or prevent something unwanted, ye		<u>NO</u>	<u>YES</u>	<u>UNK</u>
	is not realistically connected with what it is meant to neutralize or prevent.	[14930]	0	1	U
3.	Did you ever feel that these behaviors were excessiv or unreasonable?	e [14940]	0	1	Ū
			M	INUTE	S
4.	How much time did you spend doing (Compulsion) and or thinking about (Obsession) each day?	[14970]			
5.	Did you seek help from anyone, like a doctor or othe	r	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	professional?		0	1	U
6.	Did you take any medication?	[14990]	0	1	U
	(IF YES:) Specify:[15000]				
7.	What effect did these (Obsessions and/or Compulsions have on your life? [15010])			
			<u>NO</u>	<u>YES</u>	<u>UNK</u>
	7.a) Did these (Obsessions and/or Compulsions) bother you a lot?	er [15020]	0	1	Ū
	7.b) Did they significantly interfere with how you managed your work, school, household tasks, or social relationships?	[15030]	0	1	Ū
				ONS	AGE
8.	How old were you the \underline{first} time you were bothered by (Obsession and/or Compulsion)?	[15	040]		
				REC	AGE
9.	How old were you the <u>last</u> time you were bothered by (Obsession and/or Compulsion)?	[15	050]		
			<u>NO</u>	<u>YES</u>	<u>UNK</u>
10.	Did you ever have (Obsession and/or Compulsion) at so time other than within two months of having (Depressi				
	Psychosis).	[15060]	0	1	U

U

PANIC DISORDER

- YES <u>NO</u> UNK 11. Have you ever had panic attacks or anxiety attacks when you suddenly felt very frightened in situations that 0 are usually not considered threatening? [15510] 1 TJ (IF NO:) Have you ever had <u>sudden</u>, <u>unexplained</u> 11.a) episodes of physical symptoms such as rapid or loud heartbeat, feeling faint or lightheaded, sweating, trembling? How about <u>sudden</u>, unexplained episodes of chest tightness or a feeling of smothering? [15520] 1 TJ SKIP TO Q.28 - PHOBIC DISORDER
- Describe spells and situations in which (Symptoms indicated above) happen: (Are the attacks predictable?)

[15530]

12.a)	INTERVIEWER: Code NO if the attacks were always predictable. Code YES if attacks were at least initially unexpected and seemed to be coming out of the blue even if they later became triggered	<u>NO</u>	<u>YES</u>	<u>UNK</u>
	by one particular stimulus. [15540]	0	1	ŢŢ

- INTERVIEWER: Code NO if the attacks were 12.b) associated exclusively with physical exertionor life-threatening situations. [15550] 0 U
- MOST 13. During the attacks, did you experience any of the following symptoms: EVER ATTACKS NO YES UNK NO YES UNK ŢŢ 13.a) sudden rapid heartbeat, your heart pounding [15560] [15570] loudly? 13.b) choking? [15580] [15590] [15600] [15610] 13.c) sudden sweating? 13.d) sudden trembling or shaking? [15620] [15630] 13.e) hot flashes or chills? [15640] [15650] 13.f) chest tightness or pain? [15660] [15670] 13.g) shortness of breath, or a feeling of smothering, or lightheadedness? [15680] [15690] [15700] [15710] 13.h) dizziness or unsteady feelings? 13.i) numbness or tingling? [15720] [15730] 13.j) fear of dying during the attack? [15740] [15750]

VERSION 2.0 20-JAN-95

P. ANXIETY DISORDERS (Cont'd)

140

13.k) nausea or abdominal distress?

[15760]

[15770]

14.

15.

16.

17.

MOST

ATTACKS

[15890]

EVER

	NO YES UNF	NO 0	YES 1	UNK U	
13.1) feeling that you or the world around you was strange or unreal?	[15780]		[15790)]	
13.m) fear of going crazy or doing something uncontrolled?	[15800]		[15810]		
INTERVIEWER: IF LESS THAN TWO SYMPTOMS, SKIP TO Q.28 - PHOBIC DISORDER.					
INTERVIEWER: If more than two symptoms are coded YES in Q.13 and subject progressed past Q.4 in Somatization, review corresponding items in Somatization disorder (Q.3.e, 7.b, 10.e, 16.a, 16.e, 16.f) to make sure they did not occur only during panic attacks. If they did, recode those items as "NO" in Somatization section. Which symptoms occurred during most attacks? (Code in Column II.)					
14.a) Count Symptoms in Column II and enter here	· [158	201	5	SX	
14.4) Count Symptoms in Column II and enter here	. [130	020]			
Was there ever a time when four of these symptoms occurred together?	[15830]	NO 0	<u>YES</u>] 1	<u>UNK</u> U	
IF Q.14.a IS 2 OR LESS AND Q.15 IS NO, SKIP TO Q.28 - PHOBIC DISORDER.					
(IF YES:)					
15.a) Did you have at least three of these symptoduring most attacks?	ms [15840]	0	1	U	
15.b) Did these symptoms develop and become interwithin 10 minutes?	se [15850]	0	1	U	
15.c) (IF YES:) Did this happen more than once?	[15860]	0	1	U	
			ATTA	ACKS	
How many panic attacks like this have you had?	[21	580]			
		<u>NO</u> 0	YES 1	<u>UNK</u> U	
Have you had as many as six panic attacks, spread over a six-week period?			[15870]		
17.a) (IF YES:) Were you nervous between the attacks?			[15880]		

18. Have you ever had at least four of these attacks

within a four-week period?

19.a) After having an attack, have you been afraid of having another one?

[15900]

			NO	<u>YES</u>	UNK
19.b)	Have you been worried about the implications or consequences of the attack?	[21610	0] 0	1	U
19.c)	Have you changed your behavior?	[21620	0] 0	1	U
	(IF YES:) Specify:[21630]				
				WEE	EKS
19.d)	(IF YES TO Q.19.a,b,or c:) How long did the fear, worry or change in your behavior last	[1	5910]		
	(weeks)?		<u>NO</u>	YES	UNK
20.	Did you seek help from anyone, like a doctor or other professional?	[15920	0] 0	1	U
21.	Did you take any medications for these attacks?	[15930	0] 0	1	U
22.	Did you only have the attacks when you were consumina lot of caffeine or alcohol or taking drugs like amphetamines? (IF YES:) Specify: [17754]	g [1595(0] 0	1	υ
23.	Did a doctor ever tell you that you had a medical condition that might have been responsible for these attacks (e.g., overactive thyroid) ?	[15960	0] 0	1	Ū
24.	Did these attacks significantly interfere with how you managed your work, school, household tasks or social relationships?	[15980	0] 0	1	Ū
	(IF YES:) Specify:[15990]				
25.	How old were you the <u>first</u> time you had a panic atta	ck? [1	6000]	ONS	AGE
0.5		I-0 [1	C0101	REC	AGE
26.	How old were you the <u>last</u> time you had a panic attac	κ? [<u>1</u>		VES	TTNTT

27. Did you ever have a panic attack at some time other than within two months before or after having

VERSION 2.0 20-JAN-95


P. ANXIETY DISORDERS (Cont'd)

144

(Depression/Psychosis)?

[16020] 0 1 U

PHOBIC DISORDER



30.f) INTERVIEWER: Did the avoidant behavior begin

VERSION 2.0 20-JAN-95

P. ANXIETY DISORDERS (Cont'd)

146

during or just after a panic attack?

[17753] 0 1 U

INTE	RVIEWER: For each fear, ask	AGO	RAPHO	BIC	s	OCIA	L		MPL	
Q.31	through Q.40.	N O	Y E S	U N K	N O	Y E S	U N K	N O	Y E S	U N K
31.	Did you almost always become anxious when you were experiencing (Feared object/situation)?	0	1 N/A	U	0 [1	1 15170	U]	0 [1	1.5180	U)]
32.	Do you think that you should have been that anxious?	[15190]	[1	5200]	[1	.521()]
33.	INTERVIEWER: Code YES if there is persistent fear of an object, activity, or situation which the subject tends to avoid or else endures with intense anxiety.	[15220]	[1	15230]	[1	.524()]
33.a	Were you greatly upset about <u>having</u> the fear?	[18001]	[]	18002	!]	[1	.8003	3]
34.	Because of (Feared object/ situation), was there a difference in your social life or in how you managed your work, school, or household tasks?	[15250]	[]	15260]	[1	.527()]
	(IF YES:) Specify:	_[15280]_	_[1	5290]_	_[1	.5300)]_
35.	INTERVIEWER: For Social Phobia: Code YES if the fear is unrelated to a pre-existing Axis I or Axis III disorder [e.g., stuttering, trembling (Parkinson's), or exhibiting abnormal eating behavior (Anorexia Nervosa or Bulimia Nervosa)].		N/A		[1	L 531 0	1]	[1	.532()]
	For Simple Phobia: Code YES if fear is unrelated to Obsessive Compulsive Disorder or Post Traumatic Stress Disorder.									
36.	Did you seek help from anyone, like a doctor or other professional?]	15330]	[]	15340)]	[1	.535()]
37.	Did you take any medications?	[15360]	[]	15370]	[1	5380)]
	(IF YES:) Specify:	_[15390	1_	_[1	15400]_	_[1	5410)]_
38.	Did you ever have this problem at some time other than two months before or after having (Depression/Psychosis)?	[15420	1	[]	5430]	[1	.544()]

- 39. How old were you the <u>first</u> time you had this problem?
- 40. How old were you the <u>last</u> time you had this problem?

AGORAPHOBIC	SOCIAL	SIMPLE/ SPECIFIC
ONS AGE [15450]	ONS AGE [15460]	ONS AGE [15470]
REC AGE [15480]	REC AGE [15490]	REC AGE [15500]

6.

[16090] 1 2

3

NO YES UNK

Q. EATING DISORDERS

Now, I would like to ask you some questions about your eating habits and your weight.

AN	OREXIA NERVOSA				
1.	Was there ever a time when you weighed much less the other people thought you ought to weigh?	an [16030]	NO 0	<u>YES</u> 1	<u>UNK</u> U
	SKIP TO Q.14.				
2.	At that time, had you lost a lot of weight on purpose or was it while you were growing up and you kept you weight down on purpose?		P	1	Ū
	SKIP TO Q.14.				
				POUND	S
3.	What was your lowest weight at that time?	[16050]			
				INC	HES
4.	How tall were you? Record response:[16060]	[160	70]		
				AG	E
5.	How old were you?	[160	080]		
		Ē	MALL	MED.	LG.

WEIGHT CRITERION FOR ANOREXIA (15% BELOW EXPECTED WEIGHT)

INTERVIEWER: Note body frame.

WE.	IGHI CKIIE	KION FOR A	NOKENIA (I	O PETOM E	XPECTED WE.	IGHI)	
MEN	Small Frame	Medium Frame	Large Frame	*WOMEN	Small Frame	Medium Frame	Large Frame
5'2" 5'3" 5'4" 5'5" 5'6" 5'7" 5'8" 5'9" 5'10" 4'11" 6'0" 6'1" 6'2" 6'3"	99 101 104 107 109 112 116 119 124 127 130 134 137 141	105 108 111 113 116 119 124 127 130 134 138 142 145 150	113 116 119 122 125 129 133 136 139 144 148 152 156 160	4'10" 4'11" 5'0" 5'1" 5'2" 5'3" 5'4" 5'5" 5'6" 5'7" 5'8" 5'9" 5'10" 5'11" 6'0"	80 83 85 87 91 93 95 97 101 104 108 111 114 118	86 88 91 94 96 99 102 104 109 112 116 119 122 126 129	95 97 100 102 104 108 110 113 117 120 124 127 131 135

* For women 18 to 25 years old, subtract one pound for each year under 25.

6.a) INTERVIEWER: Is lowest weight (Q.3) more than table entry for height, gender, and body? [17749] 0 1 U

7. At that time did you still feel fat or did you see

VERSION 2.0 20-JAN-95

Q. EATING DISORDERS

150

yourself as too fat in some ways?

[16100] 0 1 U

	<u>NC</u>	<u>YES UNK</u>
8.	Were you still very much afraid that you could become fat?	[16110]
9.	(IF FEMALE:) Did your periods stop even when you were not pregnant?	[16120]
	9.a) (IF YES:) Did you miss at least three cycles in a row?	[16130]
10.	Was there a medical disorder causing your weight loss?	[16140]
	(IF YES:) Specify:[16150]	
11.	Did your lowered weight follow the use of diet pills, amphetamines, cocaine, or other substances?	[16160]
	(IF YES:) Specify:[16170]	
12.	How old were you the <u>first</u> time your weight was below? (See weight criterion table for loss of 15%.) [16180]	ONS AGE
13.	How old were you the <u>last</u> time your weight was below? (See weight criterion table for loss of 15%.) [16190]	REC AGE
BU	ILIMIA	
14.	Has there been a time in your life when you went on food binges (i.e., rapid consumption of a large amount of food in a discrete period of time, usually less than two hours)?	YES UNK
	SKIP TO PATHOLOGICAL GAMBLING (PAGE 127).	
15.	During these binges were you afraid you could not stop eating, or that your eating was out of control?	[16210]
16.	Did you have eating binges as often as twice a week for at least three months?	[16220]
17.	Did you do anything to make up for eating so much, perhaps like	
	17.a) making yourself vomit?	[16230]
	17.b) taking laxatives or diuretics?	[16240]
	17.c) strictly dieting?	[16250]
	17.d) fasting?	[16260]
	17.e) exercising a lot?	[16270]
	17.f) other? (IF YES:) Specify:[16280]	[16290]
18.	At this time were you a lot more concerned about your weight and/or shape than most people your age?	[16300]
		ONS AGE
19.	(IF YES TO Q.16) How old were you when you first binged regularly? [16310]	

20. (IF YES TO Q.16) How old were you the <u>last</u> time you binged regularly?

[16320]

SITE OPTIONAL YES UNK 1. Have you ever gambled or bet too often or too much? 1 IJ [16330] SKIP TO ANTISOCIAL PERSONALITY (PAGE 128). 2. Do you frequently gamble larger amounts or over a [16340] longer period of time than you intend? 3. Do you need to increase the size or frequency of the [16350] bets to achieve excitement? 4. Do you become restless or irritable if you are unable [16360] to gamble? 5. Do you sustain repeated losses by trying to win back [16370] losses? 6. Are you frequently preoccupied with gambling? [16380] 7. Have you made repeated attempts to stop or reduce [16390] your gambling? 8. Have you frequently neglected family, social, or job [16400] obligations when you gamble? 9. Has gambling ever caused you to skip important social, [16410] job, or recreational activities? 10. Have you continued to gamble in spite of debts and/or [16420] other consequences? INTERVIEWER: IF LESS THAN FOUR YES RESPONSES, SKIP TO ANTISOCIAL PERSONALITY (PAGE 128). ONS AGE [16430] 11. How old were you when you first gambled heavily? REC AGE [16440] 12. How old were you the <u>last</u> time you gambled heavily? YES UNK 13. Have you ever sought help for a problem with gambling? [17750]

Now I would like to ask you some questions about when you were younger.

-				<u>NO</u>	YES
1.	Befor	re you were 15 years old			
	1.a)	did you often skip school?	[16450]	0	1
	1.b)	did you run away from home overnight more than one or did you run away from home without returning?	ce [16460]	0	1
	1.c)	did you often start physical fights?	[16470]	0	1
	1.d)	did you more than once use a weapon like a club, gun, or knife in a fight?	[16480]	0	1
	1.e)	did you more than once steal things or did you more than once forge anyone's signature on a check or credit card?	[16490]	0	1
	1.f)	were you often mean to animals including pets or did you ever hurt an animal on purpose?	[16500]	0	1
	1.g)	did you physically hurt another person on purpose (other than in a fight)?	[16510]	0	1
	1.h)	did you ever set fires when you were not supposed	t@16520]	0	1
	1.i)	did you ever destroy someone's property on purpose (other than fire setting)?	[16530]	0	1
	1.j)	did you often tell lies?	[16540]	0	1
		(IF YES:) Why did you tell a lot of lies?			
		[16550]			
		INTERVIEWER: Code NO if subject lied to avoid physical or sexual abuse.			
		ALL NO, END OF QUESTIONS ASKED OF SUBJECTCODE Q.2 GAS (PAGE 158). corrected page # - from 131 to 158 -			
	1.k)	did you ever force someone to have sex with you?	[16560]	0	1
	1.1)	did you ever take money or property from someone else by threatening them or using force, like snatching a purse or robbing someone?	[16570]	0	1
2.	INTER	eVIEWER: Record the number of positive symptoms in Q.1.	16580]	Ç	SX
		THAN THREE POSITIVE SYMPTOMS, JESTIONS ASKED OF SUBJECTSKIP TO GAS (PAGE 131)	_		

3. How old were you the <u>first</u> time you (list positive symptoms in Q.1.)?

ONS AGE
[16590]

INTERVIEWER: For Q.4-15 do not count as positive items that

are solely related to alcohol and/or drug abuse. For subjects with a history of alcohol/drug abuse,

use the following probe:

"Was this (Behavior) <u>always</u> due to your use of

alcohol/drugs?"

Now I am going to ask you questions about yourself after the age of 15.

<u>NO</u> YES 1 In the last five years, have you been unemployed for 4. six months or more, other than when you were in school, sick, on strike, laid off, a full-time housewife, retired, or in jail? [16600] 5. When you were working, were you often absent from work when you were not ill or did you repeatedly miss work because you did not want to go? [16610] INTERVIEWER: Code NO if absence due to illness in family. Since you were 15, have you quit three or more jobs 6. without having another job lined up? [16620] 7. Since you were 15, have you repeatedly done things that you could have been arrested for like stealing, or engaging in illegal occupations such as selling drugs or stolen goods, destroying property, or harassing others? [16630] Since you were 15, have you often thrown things, hit or 8. physically attacked anyone (including your wife/husband, partner, or children)? [16640] 9. Since you were 15, have you often failed to pay back debts that you owed like credit card charges or loans, or have you failed to take care of other financial responsibilities like child support or providing support for other dependents? [16650] Since you were 15, have you ever travelled from place to 10. place without knowing where you were going to stay or work or have you had no regular place to live for a month or more? [16660] Since you were 15, have you frequently lied, used an 11. alias, or conned others for personal profit or pleasure? [16670] 12. Since you were 15, have you received three or more speeding tickets or have you often driven while intoxicated? [16680]

INTERVIEWER: IF SUBJECT HAS NEVER BEEN RESPONSIBLE FORCHILDREN, SKIP TO Q.14.

YES <u>NO</u> Since you were 15, has anyone ever said that you were 13. not taking proper care of a child of yours (or a child you were responsible for) like... 13.a) not giving the child enough food? [16690] 13.b) not keeping the child clean resulting in his/her illness? [16700] 13.c) not getting medical care when the child was seriously ill? [16710] leaving the child with neighbors because you 13.d) were not able to take care of the child at home? [16720] (except for babysitting) 13.e) not arranging for anyone to take care of the child when you were away? [16730] 13.f) running out of money to take care of the child more than once because you spent the money on yourself? [16740] 14. Since you were 15, have you ever been faithful to one person in a romantic or love relationship for one year or longer; that is, you did not have an affair or any one-night stands during that time? INTERVIEWER: Code YES (for positive symptom) if subject has never sustained a totally monogamous relationship for more than one year. [16750] 15. Did you feel it was okay for you to have stolen, hurt, hit, destroyed, or (List other antisocial acts from Q.7-12)?[16760] REC AGE You said that you (Review positive symptoms in Q.4-15). How old were you the <u>last</u> time you did any of these [16770] things:

Rate subject's lowest level of functioning during the past month (or at time of admission if hospitalized). Rate actual functioning regardless of treatment or prognosis.

			<u>NO</u>	<u>YES</u>
1. Is	the subject hospitalized?	[167	780] 0	1
		CURRENT	EPISODE	GAS
2. GAS	: At Worst Point During Current Episode	[16790]		
		P.A	AST MONTH	GAS
3. GAS	: During Past Month	[16800]		
SCORE 100 91	CRITERIA Superior functioning in a wide range of activinever seem to get out of hand, is sought out his warmth and integrity. No symptoms.			3
90 81	Good functioning in all areas, many interests, generally satisfied with life. There may or many symptoms and "everyday" worries that only occaphand.	may not be tr	ransient	
80 71	No more than slight impairment in functioning, "everyday" worries and problems that sometimes Minimal symptoms may or may not be present.	varying deg get out of	grees of hand.	
70 61	Some mild symptoms (e.g., depressive mood and difficulty in several areas of functioning, buing pretty well, has some meaningful interpers and most untrained people would not consider here	at generally sonal relatio	function-	
60 51	Moderate symptoms OR generally functioning wit (e.g., few friends and flat affect, depressed self-doubt, euphoric mood and pressure of specantisocial behavior.	mood and pat	chologica:	
50 41	Any serious symptomatology or impairment in fuclinicians would think obviously requires trea (e.g., suicidal preoccupation or gesture, severituals, frequent anxiety attacks, serious and compulsive drinking, mild but definite manic serious and serious drinking, mild but definite manic serious and serious drinking, mild but definite manic serious and serious drinking, mild but definite manic serious drinking, mild but definite manic serious drinking, mild but definite manic serious drinking.	atment or att ere obsession cisocial beha	tention nal	
40 31	Major impairment in several areas, such as wor judgment, thinking or mood (e.g., depressed wo neglects family, unable to do housework), OR sreality testing or communication (e.g., speech illogical, or irrelevant) OR single suicide at	oman avoids f some impairme n is at times	friends, ent in	,
30 21	Unable to function in almost all areas (e.g., OR behavior is considerably influenced by eith hallucinations OR serious impairment in commur sometimes incoherent or unresponsive) or judgm grossly inappropriate).	ner delusions nication (e.g	or J.,)
20 11	Needs some supervision to prevent hurting self maintain minimal personal hygiene (e.g., repeating frequently violent, manic excitement, smears fimpairment in communication (e.g., largely incompared to the second	ated suicide Eeces), OR gr	attempts coss	,
10 1	Needs constant supervision for several days to or others or makes no attempt to maintain mini or serious suicide act with clear intent and e	lmal personal	l hygiene	Ē

See SANS Manual for detailed coding definitions (N. Andreason, 1984).

INTERVIEWER: Ratings are to be based on the last 30 days.

		NONE				SE	VERE UNK
AF	FECTIVE FLATTENING OR BLUNTING						
1.	Unchanging Facial Expression The patient's face appears woodenchanges less than expected as emotional content of discourse changes.	0	1	2	3	4	5 U [16810]
2.	Decreased Spontaneous Movements The patient shows few or no spontaneous movements, does not shift position, move extremities, etc.	0	1	2	3	4	5 U [16820]
3.	Paucity of Expressive Gestures The patient does not use hand gestures or body position as an aid in expressing his ideas.	0	1	2	3	4	5 U [16830]
4.	Poor Eye Contact The patient avoids eye contact or "stares through" interviewer even when speaking.	0	1	2	3	4	5 U [16840]
5.	Affective Nonresponsivity The patient fails to laugh or smile when prompted.	0	1	2	3	4	5 U [16850]
6.	<pre>Inappropriate Affect The patient's affect is inappropriate or incongruous, not simply flat or blunted.</pre>	0	1	2	3	4	5 U [16860]
7.	Lack of Vocal Inflections The patient fails to show normal vocal emphasis patterns, is often monotonic.	0	1	2	3	4	5 [16870]
8.	Global Rating of Affective Flattening This rating should focus on overall severity of symptoms, especially unresponsiveness, inappropriateness and an overall decrease in emotional intensity.	0	1	2	3	4	5 U [16880]
AL	OGIA						
9.	Poverty of Speech The patient's replies to questions are restricted in amount , tend to be brief, concrete, unelaborated.	0	1	2	3	4	5 [16890]
10.	Poverty of Content of Speech The patient's replies are adequate in amount but tend to be vague, over concrete or over generalized, and convey little in information.	0	1	2	3	4	5 [16900]
					_		

	SANS CODES	
0 = None/Not at All	3 = Moderate	U = Unknown/
1 = Questionable	4 = Marked	Cannot Be Assessed/
2 = Mild	5 = Severe	Not Assessed

2 = Mild

NONE -SEVERE UNK Blocking 1 2 3 5 11. 0 4 The patient indicates, either [16910] spontaneously or with prompting, that his train of thought was interrupted. Increased Latency of Response 0 1 2 3 5 12. The patient takes a long time to reply to [16920] questions, prompting indicates the patient is aware of the question. Global Rating of Alogia 0 1 2 5 3 The core features of alogia are poverty of [16930] speech and poverty of content. AVOLITION/APATHY 5 Grooming and Hygiene 1 2 3 The patient's clothes may be sloppy or [16940] soiled, and he may have greasy hair, body odor, etc. Inpersistence at Work or School 15. 1 2 3 5 U The patient has difficulty seeking or [16950] maintaining employment, completing school work, keeping house, etc. If an inpatient, cannot persist at ward activities, such as OT, playing cards, etc. 16. Physical Anergia 0 1 2 3 4 5 II The patient tends to be physically inert. [16960] He may sit for hours and not initiate spontaneous activity. 5 Global Rating of Avolition/Apathy Ω 1 2 3 TJ Strong weight may be given to one or two [16970] prominent symptoms if particularly striking. ANHEDONIA/ASOCIALITY 18. Recreational Interests and Activities 0 1 2 5 3 4 [16980] The patient may have few or no interests. Both the quality and quantity of interests should be taken into account. SANS CODES 3 = Moderate U = Unknown/ 0 = None/Not at All 1 = Questionable 4 = Marked Cannot Be Assessed/

5 = Severe

Not Assessed

and on tests.

VERSION 2.0

20-JAN-95

U. SANS (Cont'd)

NONE -SEVERE UNK 2 19. Sexual Activity 1 3 4 5 U The patient may show decrease in sexual [16990] interest and activity, or no enjoyment when active. Ability to Feel Intimacy and Closeness 0 2 5 U The patient may display an inability to [17000] form close or intimate relationships, especially with opposite sex and family. 21. Relationships with Friends and Peers 0 1 2 3 5 U The patient may have few or no friends [17010] and may prefer to spend all his time isolated. Global Rating of Anhedonia/Asociality 0 1 2 3 4 5 U [17020] This rating should reflect overall severity, taking into account the patient's age, family status, etc. ATTENTION 5 U 23. Social Inattentiveness 3 4 The patient appears uninvolved or [17030] unengaged. He may seem "spacey". Inattentiveness During Mental Status 1 2 3 5 U 24. 0 [17040] Testing Refer to tests of "serial 7s" (at least five subtractions) and spelling "world" backwards. 25. Global Rating of Attention 2 5 U 0 1 3 4 This rating should assess the patient's [17050] overall concentration, both clinically

	SANS CODES	
0 = None/Not at All	3 = Moderate	U = Unknown/
1 = Questionable	4 = Marked	Cannot Be Assessed/
2 = Mild	5 = Severe	Not Assessed

See SAPS Manual for detailed coding definitions (N. Andreason, 1984)

		NONE	<u> </u>			→ <u>SEVERE</u>
НА	LLUCINATIONS					
1.	Auditory Hallucinations The patient reports voices, noises, or other sounds that no one else hears.	0	1	2	3	4 5 [17060]
2.	Voices Commenting The patient reports a voice which makes a running commentary on his behavior or thoughts.	0	1	2	3	4 5 [17070]
3.	Voices Conversing The patient reports hearing two or more voices conversing.	0	1	2	3	4 5 [17080]
4.	Somatic or Tactile Hallucinations The patient reports experiencing peculiar physical sensations in the body.	0	1	2	3	4 5 [17090]
5.	Olfactory Hallucinations The patient reports experiencing unusual smells which no one else notices.	0	1	2	3	4 5 [17100]
6.	Visual Hallucinations The patient sees shapes or people that are not actually present.	0	1	2	3	4 5 [17110]
7.	Global Rating of Hallucinations This rating should be based on the duration and severity of the hallucinations and their effects on the patient's life.	0	1	2	3	4 5 [17120]
DE	LUSIONS					
8.	Persecutory Delusions The patient believes he is being conspired against or persecuted in some way.	0	1	2	3	4 5 [17130]
9.	Delusions of Jealousy The patient believes his spouse is having an affair with someone.	0	1	2	3	4 5 [17140]
10.	Delusions of Guilt or Sin The patient believes that he has committed some terrible sin or done something unforgivable.	0	1	2	3	4 5 [17150]
11.	Grandiose Delusions The patient believes he has special powers or abilities.	0	1	2	3	4 5 [17160]

	SAPS CODES	
0 = None/Not at All 1 = Questionable 2 = Mild	4	= Moderate = Marked = Severe

NONE -SEVERE UNK Religious Delusions 2 3 5 12. 0 1 4 The patient is preoccupied with false [17170] beliefs of a religious nature. 13. Somatic Delusions 0 1 2 3 5 The patient believes that somehow his body [17180] is diseased, abnormal, or changed. Delusions of Reference 0 1 2 3 [17190] The patient believes that insignificant remarks or events refer to him or have special meaning. Delusions of Being Controlled 0 1 2 3 [17200] The patient feels that his feelings or actions are controlled by some outside force. Delusions of Mind Reading 16. 0 2 1 3 [17210] The patient feels that people can read his mind or know his thoughts. 5 Thought Broadcasting 0 1 2 3 The patient believes that his thoughts are [17220] broadcast so that he himself or others can hear them. Thought Insertion 18. 0 1 2 3 5 The patient believes that thoughts that [17230] are not his own have been inserted into his mind. 19. Thought Withdrawal 2 5 0 1 3 The patient believes that thoughts have [17240] been taken away from his mind. Global Rating of Delusions 0 1 2 3 5 This rating should be based on the [17250] duration and persistence of the delusions and their effect on the patient's life. BIZARRE BEHAVIOR 21. Clothing and Appearance 0 1 2 3 5 The patient dresses in an unusual manner [17260] or does other strange things to alter his appearance. 22. Social and Sexual Behavior 0 1 2 3 4 5 TJ The patient may do things considered [17270] inappropriate according to usual social norms (e.g., masturbating in public).

	SAPS CODES	
<pre>0 = None/Not at All 1 = Questionable 2 = Mild</pre>	3 = Moderate 4 = Marked 5 = Severe	U = Unknown/ Cannot Be Assessed/ Not Assessed

2 = Mild

NONE -SEVERE UNK Aggressive and Agitated Behavior 2. 3 5 TJ The patient may behave in an aggressive, agitated manner, often unpredictably. [17280] Repetitive or Stereotyped Behavior 0 1 2 3 5 U The patient develops a set of repetitive [17290] actions or rituals that he must perform over and over. Global Rating of Bizzare Behavior 0 1 2 3 5 TJ This rating should reflect the type of [17300] behavior and the extent to which it deviates from social norms. POSITIVE FORMAL THOUGHT DISORDER Derailment 0 1 2 3 5 26. A pattern of speech in which ideas slip [17310] off track onto ideas obliquely related or unrelated. Tangentiality 0 1 2 3 5 27. [17320] The patient replys to a question in an oblique or irrelevant manner. 28. Incoherence 0 1 2 3 4 5 A pattern of speech that is essentially [17330] incomprehensible at times. 5 29. Illogicality 0 1 2 3 4 A pattern of speech in which conclusions [17340] are reached that do not follow logically. 30. Circumstantiality 5 0 1 2 3 4 A pattern of speech that is very indirect [17350] and delayed in reaching its goal idea. Pressure of Speech 0 1 2 3 5 The patient's speech is rapid and [17360] difficult to interrupt; the amount of speech produced is greater than that considered normal. Distractible Speech 5 0 1 2. 3 The patient is distracted by nearby [17370] stimuli which interrupt his flow of speech. 33. Clanging 0 1 2 3 5 A pattern of speech in which sounds rather [17380] than meaningful relationships govern word choice. Global Rating of Positive Formal Thought 1 2 5 Disorder [17390] The frequency of this rating should reflect the frequency of abnormality and degree to which it affects the patient's ability to communicate. SAPS CODES 0 = None/Not at All 3 = Moderate U = Unknown/ 1 = Questionable 4 = MarkedCannot Be Assessed/

5 = Severe

Not Assessed

INTERVIEWER: The following items should be rated after the interview.

Rate Q.1 - Q.27 from observation during the interview.

RAPPORT

1. **INTERVIEWER:** Rate Eye Contact. How often did the subject look at you during the interview? How good was eye contact? How would it compare to an average interview with a "normal" person?

[17615]

- 0 = Average
- 1 = More than average
- 2 = Less than average
- 3 = Much less than average
- 4 = Absent
- 2. **INTERVIEWER:** Rate Body Language Did the subject nod and smile at appropriate times? Did the subject appropriately say hello and goodbye with a handshake or other appropriate gesture? Did the subject's body language convey a sense of emotional involvement in the interview, or was his/her body turned away?

[17616]

- 0 = Good: body language appropriate, indicates emotional involvement in interview.
- 1 = Fair to Good: body language only subtly indicates distance and detachment.

2 = Fair: body language sometimes indicates distance, detachment from interview.

3 = Poor: body language often demonstrates distance, detachment from interview. 4 = Very Poor: body language indicates almost no involvement in interview.

3. **INTERVIEWER:** Rate Emotional Rapport How well was the subject able to convey affect to you in the course of the interview? How warm and close did you feel the interview was?

[17617]

- 0 = Good: emotional rapport close, but some appropriate distance.
- 1 = Fair to Good: emotional rapport usually present, but
 occasionally subject is too distant.
- 2 = Fair: emotional rapport sometimes present, but sometimes felt to be too distant.

3 = Poor: emotional rapport only rarely present.

168

4. INTERVIEWER: Rate Global Rapport.

<u>Good</u>	<u>Fair to Good</u>	<u>Fair</u>	<u>Poor</u>	<u>Very Poor</u>
0	1	2	3	4 [17618]

AFFECT

5. INTERVIEWER: Rate Fullness of Affect. Did the subject demonstrate an expected range of emotions during the interview (e.g., sadness, joy, anger and humor)? Your rating must take into account what affect might normally be displayed, given the subject matter of the interview. That is, if nothing really sad was discussed, do not rate affect as less full because the subject did not demonstrate sadness.

[17619]

- 0 = Good: full affective range.
- 1 = Fair to Good: affective range subtly muted.
- 2 = Fair: some affective range, but often aloof.
- 3 = Poor: affect nearly always aloof, sometimes blunted.
- 4 = Very Poor: affect flat.
- 6. **INTERVIEWER:** Rate Appropriateness of Affect. Did the subject express affect that was not expected, given the content of the interview? Score only the presence of inappropriate affect. (Flat affect, by itself, is not inappropriate.)

[17620]

- 0 = Good: affect never inappropriate.
- 1 = Fair to Good: affect rarely inappropriate.
- 2 = Fair: affect sometimes appropriate, but occasionally inappropriate.
- 3 = Poor: affect frequently inappropriate.
- 4 = Very Poor: affect nearly always inappropriate/incongruous.
- 7. **INTERVIEWER:** Rate Lability/Stability of Affect. How rapidly did the subject's affect change during the interview? Assess appropriateness of affective change during the interview.

[17621]

- 0 = Good: affect very stable, well modulated.
- 1 = Fair to Good: affect usually stable, well modulated. Only rarely labile.
- 2 = Fair: some lability of affect.
- 3 = Poor: affect frequently labile.
- 4 = Very Poor: affect very frequently and dramatically changing throughout interview.
- 8. INTERVIEWER: Rate General Warmth versus Coldness of Subject's Affect. If the interview occurred during a home visit, how welcome did you feel?

[17622]

- 0 = Very Warm
- 1 = Warm
- 2 = Neutral
- 3 = Cold
- 4 = Very Cold
- 9. INTERVIEWER: Rate Global Rapport.

<u>Good</u>	Fair to Good	<u>Fair</u>	<u>Poor</u>	<u>Very Poor</u>
0	1	2	3	4 [17623]

ORGANIZATION OF SPEECH/THOUGHT

INTERVIEWER: This section should be assessed based in part on subject's speech during an unstructured part of your contact with him/her.

10. INTERVIEWER: Rate Goal-Directedness of Speech/Thought. Did the subject stick to the subject of the questions, and answer them in a direct, logical manner? Or did the subject digress from the subject under discussion? If so, how often and how far did the subject digress from the theme being discussed? Include here "circumstantiality," that is, digressions that eventually make it back to the subject under discussion, and "vagueness," and inability to follow the subject's thinking pattern clearly.

[17624]

- 0 = Good: speech always goal-directed.
- 1 = Fair to Good: speech usually goal-directed, but with occasional
 digression.
- 2 = Fair: speech in general goal-directed, but digression not infrequent.
- 3 = Poor: frequent digression away from content of question.
- 4 = Very Poor: subject digresses nearly all the time, rarely sticks to subject of question.
- 11. INTERVIEWER: Rate Organization of Associations. Did the subject's associations during the interview make sense? Could you follow the subject's line of reasoning? With many individuals, even though they are digressive, it is easy to follow their lines of "digression." With others, this is much more difficult. Take into account educational level, accents, articulation difficulties, etc.

[17625]

- 0 = Good: subject's associations always tight, easy to follow.
- 1 = Fair to Good: subject's associations nearly always tight, occasional tangentiality.
- 2 = Fair: subject's associations usually appropriate, but tangentiality
 definitely present.
- 3 = Poor: subject nearly always tangential, but derailment and incoherence rare.
- 4 = Very Poor: subject often derails, incoherence definitely present--a "Schizophrenic" speech pattern.
- 12. INTERVIEWER: Evaluate Rate of Subject's Speech. What was the average speed of the subject's speech? Was it difficult to interrupt the subject when speaking?

[17626]

- 0 = Average
- 1 = Slightly pressured speech
- 2 = Definitely pressured speech
- 3 = Slow rate slower than normal
- 4 = Very Slow long pauses in subject's speech

13. **INTERVIEWER:** Rate Amount of Subject's Speech. How much would the subject say in response to questions? How often would you need to prod or probe the subject to get information?

[17627]

- 0 = Amount of speech average
- 1 = More than average amount of speech
- 2 = Greatly more speech than average
- 3 = Possible poverty of speech
- 4 = Definite poverty of speech
- 14. **INTERVIEWER:** Rate Poverty of Content of Subject's Speech. Subject's speech may be adequate in amount, but conveys little information. Score especially repetitive, stereotyped, empty speech.

[17628]

- 0 = Absent
- 1 = Slight
- 2 = Mild
- 3 = Moderate
- 4 = Marked
- 15. INTERVIEWER: Rate Global Organization of Speech/Thought.

<u>Good</u>	<u>Fair to Good</u>	<u>Fair</u>	<u>Poor</u>	<u>Very Poor</u>
0	1	2	3	4 [17629]

ODD/ECCENTRIC BEHAVIOR

16. INTERVIEWER: Rate Motor Behavior--Posture, Gait, Body Movements. Was the subject's non-verbal behavior odd or eccentric? Did the subject hold his/her body in an unusual posture? Did the subject have any odd tics or other motor movements?

[17630]

- 0 = No evidence of odd motor behavior
- 1 = Motor behavior slightly odd
- 2 = Motor behavior mildly odd
- 3 = Motor behavior moderately odd
- 4 = Motor behavior definitely odd
- 17. INTERVIEWER: Rate Appropriateness of Subject's Social Behavior. Was the subject's behavior socially inappropriate in any way? Was it, for example, too familiar, e.g., invading your body space, staring, inappropriately seductive, flirtatious, or hostile? Could you read the subject's social cues, or was "something missing"? Include "talking to self" and inappropriate attempts at humor here.

[17631]

- 0 = No evidence of social oddness
- 1 = Social behavior slightly odd
- 2 = Social behavior mildly odd
- 3 = Social behavior moderately odd
- 4 = Social behavior definitely odd

18. **INTERVIEWER:** Rate Appropriateness of Dress, Grooming, Cleanliness. In this rating, you must consider social circumstances and job (i.e., rate a farmer differently from an office worker).

[17632]

- 0 = Good: dress, grooming, fully appropriate
- 1 = Fair to Good: dress, grooming, generally appropriate
- 2 = Fair: dress, grooming, somewhat inappropriate
- 3 = Poor: dress, grooming, markedly inappropriate
- 4 = Very Poor: dress, grooming, clearly inappropriate
- 19. INTERVIEWER: Rate Global Oddness.

Take into account motor, social, and dressing behaviors.

<u>None</u>	<u>Slight</u>	<u>Mild</u>	<u>Moderate</u>	<u>Marked</u>
0	1	2	3	4 [17633]

SUSPICIOUSNESS/GUARDEDNESS

20. INTERVIEWER: Rate Non-Verbal Aspects of Suspiciousness/Guardedness. What is subject's level of vigilance, does subject have a "squint-eyed" suspicious look, continually scanning environment for danger. If interview occurred during a home visit, was there inappropriate hesitancy to let you into home. Note that many of these behaviors have the result of making the interviewer feel "on edge."

[17634]

- 0 = None: absolutely no evidence of nonverbal sus/guard
- 1 = Slight: suspicious behavior possibly present, but only occurs rarely
- 2 = Mild: suspicious behavior definitely present, but only occasionally
- 3 = Moderate: suspicious behavior definitely present, moderately
 frequent
- 4 = Marked: nearly continual suspicious behavior
- 21. **INTERVIEWER:** Rate Verbal Aspects of Suspiciousness/Guardedness. Did the subject ask repetitive questions about the object of the study, question the validity of your answers to questions, or look for "hidden" meaning in questions?

[17635]

- 0 = None: absolutely no evidence of verbal suspiciousness/guardedness
- 1 = Slight: suspicious comments possibly made, but only rarely
- 2 = Mild: suspicious comments definitely made, but only occasionally
- 3 = Moderate: suspicious comments definitely made, with moderate
 frequency
- 4 = Marked: suspicious comments made nearly continually
- 22. INTERVIEWER: Rate Global Suspiciousness.

<u>None</u>	<u>Slight</u>	<u>Mild</u>	<u>Moderate</u>	<u>Marked</u>
0	1	2	3	4 [17636]

IRRITABILITY

23. **INTERVIEWER:** Rate Irritable Behavior. Is the subject cranky, argumentative? This includes both behavior toward the interviewer and also toward other people in the area if observed.

[17637]

- 0 = None: absolutely no evidence of irritability
- 1 = Slight: irritable behavior possibly present, but only occurs rarely
- 2 = Mild: irritable behavior definitely present, but only occurs
 occasionally
- 3 = Moderate: irritable behavior definitely present, occurs with
 moderate frequency
- 4 = Marked: irritable behavior present continually
- 24. INTERVIEWER: Rate Social and Interpersonal Functioning. Given the subject's background, sex, and age, how well was the subject functioning socially and interpersonally? Consider both acquaintances/friends and enduring intimate relations. Has the subject been able to socialize, e.g., enjoy social life, have meaningful friendships, have intimate love relationships?

[17638]

- 0 = Excellent: excellent interpersonal/social functioning
- 1 = Good: good interpersonal/social functioning
- 2 = Fair: slight decrement in interpersonal/social functioning
- 3 = Poor: clear decrement in interpersonal/social functioning
- 4 = Very Poor: very poor interpersonal/social functioning
- 25. INTERVIEWER: How did the subject react to the length of the interview?

1	2	3	4	5	U [17639]
TOO LONG, R WAS TIRED, BORED, OR CONCERNED ABOUT TIME		ABOUT RIGHT		TOO SHORT, R WANTED TO TALK MORE, TELL MORE THAN WE HAD TIME FOR	DON'T KNOW

26. INTERVIEWER: When answering the questions, how open and forthcoming do you think the respondent was?

0	1	2	3	4	5	6	[17640]
VERY			ABOUT			NOT A	Γ
OPEN			AVERAGE			ALL OPE	EN

27. INTERVIEWER: How was the subject's understanding of the questions?

[17641]

- 0 = Excellent
- 1 = Good
- 2 = Fair
- 3 = Poor

28. INTERVIEWER: Rate the overall quality of this interview.

[17642]

0 = High quality

1 = Generally reliable

2 = Questionable

3 = Unsatisfactory

INTERVIEWER: Remember to review interview.

INTERVIEWER: Indicate how reliable you think the information provided by the subject is in the following areas.

		GOOD	<u>FAIR</u>	UNRELIABLE	
1.	SOMATIZATION	1	2	3	[17400]
2.	MAJOR DEPRESSION	1	2	3	[17410]
3.	MANIA	1	2	3	[17420]
4.	ALCOHOL ABUSE	1	2	3	[17442]
5.	DRUG ABUSE	1	2	3	[17443]
6.	PSYCHOSIS	1	2	3	[17444]
7.	ANXIETY DISORDERS	1	2	3	[17445]
8.	EATING DISORDERS	1	2	3	[17446]
9.	ANTISOCIAL PERSONALITY	1	2	3	[17447]
10.	OVERALL RELIABILITY	1	2	3	[18004]

Y. NARRATIVE SUMMARY

[17672]

							177
SUBJECT ID:		SUBJECT	C NAME:	First	MI	Last	
DATE OF BIRTH:	D M O N						
PHYSICIAN NAME	HOSPITAL/CLINIC NAME	CITY	STATE	TREATMENT DATES		CONDITION	

INTERVIEWER: Rate each item for $\underline{\text{all}}$ subjects based on information obtained during interview.

Course of disorder.

Score this item in hierarchical fashion, e.g., if subject's course in the past is rated 2, but for the time-period now being considered it rates 4, then the correct rating is 4.

[17658]

- 1 = Single episode with good recovery
- 2 = Multiple episodes with good recovery between episodes
- 3 = Multiple episodes with partial recovery between episodes
- 4 = Continuous, chronic illness without deterioration
- 5 = Continuous, chronic illness with deterioration
- 6 = Not applicable, no disorder.

INTERVIEWER: IF Q.1 EQUALS 6 "NOT APPLICABLE, NO DISORDER", SKIP OUT OF THE SECTION.

2. Duration of illness.

[17643]

WEEKS

The answer to this question is used to determine whether the respondent had an episode that met diagnostic criteria for duration. Total duration of illness (psychosis, major depression, mania and/or dysthymia) includes prodromal and residual disabilities as well as the active phase of illness. In a psychotic disorder, "prodromal/residual phase" symptoms count as any two of the following before or after an active episode:

Social isolation/marked impairment in role Markedly peculiar behavior
Marked impairment in personal hygiene
Blunted, flat, or inappropriate affect
Digressive, vague, or over-elaborate speech
Odd or bizarre ideation
Unusual perceptual experiences

Increased sociability.

None = No increase in sociability

NONE MODERATE MARKED

1

0

Moderate = Over-familiarity

Marked = Loss in social inhibitions resulting in behavior which is inappropriate to the circumstance and out of character.

4. Other non-affective auditory hallucinations present. NO

Rate any other kind of auditory hallucinations. These include pleasant or neutral voices and non-verbal hallucinations. This category <u>does not</u> include thought echo, third person auditory hallucinations, running commentary, abusive/accusatory/persecutory hallucinations.

0 1 U [17645]

YES

2 [17644]

UNK

LACKS

YES

TINIK

INSIGHT INSIGHT

NO

VFC

MO

5. Other delusions (see page	62).
----------------------	----------	------

Rate any other k	kind of delusions. These include:	<u>NO</u>	<u>YES</u>	<u>UNK</u>
-	elusional perception	0	1 [17646]	U
5.b) Delusional	l mood		[17647]	
5.c) Nihilistic	c delusions		[17648]	
5.d) Poverty			[17649]	
5.e) Political	delusions		[17650]	
5.f) Delusions	that others are imposters		[17651]	

Subject's insight. 6.

Subject lacks insight if unable to recognize that his/ 0 [17652] her experiences are abnormal or that they are the product of an anomalous mental process, or subject recognizes that his/her experiences are abnormal but gives a delusional explanation.

7. Rapport difficulty.

Interviewer finds difficulty in establishing contact 1 with subject who appears remote or detached. Do not [17653] include subjects who are difficult to interview because of hostility or irritability.

8. Deterioration from premorbid level of functioning.

Subject does not regain his/her premorbid functioning after an acute episode of illness:

arter	an acute episode of fillness.	0	1 <u>1115</u>	II
8.a)	Social functioning	Ü	[17654]	O
8.b)	Occupational functioning		[17655]	
8.c)	Emotional functioning		[17656]	

Psychotic symptoms respond to neuroleptics. 9.


Rate globally over total period. Score positively if [17657] illness appears to respond to any type of neuroleptics, (depot or oral) or if any relapse occurs when medication is stopped.

MODIFIED MMS CARD

CLOSE YOUR EYES

VERSION 2.0 20-JAN-95

MODIFIED MMS CARD



ALCOHOL USE CARD

ALCOHOL USE CARD "A"

IF YOU USED TO DRINK: 50% MORE IS:
2 Drinks/Bottles 3 Drinks/Bottles
4 Drinks/Bottles 6 Drinks/Bottles
6 Drinks/Bottles 9 Drinks/Bottles
8 Drinks/Bottles 12 Drinks/Bottles
1 Pint 1 1/2 Pints
2 Pints 3 Pints
1 Quart 1 1/2 Quart
2 Quarts 3 Quarts

ALCOHOL USE CARD "B"

LIST OF SYMPTOMS

Feel you should cut down on drinking	
People annoyed you by criticizing your drinking	
Feel guilty about drinking behavior	
Have a drink first thing in the morning	
Tried often to stop or cut down on drinking	
Tried to stop or cut down on drinking but could not	
Gone on binges or benders	
Started drinking when you said you wouldn't or drank	
more than you intended	
Spent so much time drinking or recovering	
Cause you to have problems such as	
problems at work/school	
physical fights	
objections from family, friends, doctor, clergy	
lost friends	
Need to drink more to get an effect	
Made rules to control drinking	
Given up or reduced important activities	
Trouble driving	
Arrested for drunk driving	
Arrested because of drunken behavior	
Been drinking where increased your chances of getting hurt	
Kept you from working or taking care of household	
responsibilities	
Had blackouts	
Drink unusual things like rubbing alcohol, mouthwash	
Cutting down caused you to:	
be unable to sleep	
feel anxious, depressed, irritable	
sweatsweat	
feel weak	
heart beat faster	
have nausea/vomiting	
have headaches	
have the shakes	
see things that weren't there	
have the DT's	
have fits, seizures, convulsions	
Cause health problems	
liver disease	
stomach disease	
feet to tingle	
memory problems	
pancreatitis	
other problems	
Continue to drink with these problems	
Drank when you knew other illness could be made worse	
Any psychological problem start or get worse	
Had treatment for drinking	

LIST OF SYMPTOMS

Spend so much time using marijuana or recovering Used marijuana when you knew it caused	
psychological problems	
Tried to cut down on marijuana but could not	
Used marijuana more frequently or in larger amounts	
Need to use more to get an effect	
Cutting down causes you to:	
feel nervous	
be unable to sleep (insomnia)	
sweat	
have nausea	
have diarrhea	
Used marijuana to make these symptoms go away Under effects of marijuana where it increased your	
chances of getting hurt	
Given up or reduced important activities	
Under effects while in school, working or taking care	
of household responsibilities	
or mousement responsibiliteres	

DRUG USE CARD

DRUG USE CARD "A"

A. <u>Cocaine</u>

Cocaine (girl) Coca Leaves Freebase Rock Crack Toot

B. Stimulants

Amphetamine Methamphetamine Meth. Speed Crystal Beauties (Black Beauties)

Diet Pills

C. <u>Sedatives</u>, <u>Hypnotics</u>, <u>Tranquilizers</u>

Quaaludes (Ludes)

Valium Librium Xanax Barbiturates Barbs Seconal

D. Opiates

Heroin Boy Smack Opium Darvon Codeine Percodan Demerol Methadone Dilaudid

E. PCP

Angel Dust (Dust)

Seryl Dip Wack Water

F. <u>Hallucinogens</u>

LSD Purple Microdot Blotters Mescaline

Peyote Mushrooms (Magic Mushrooms)

Psilocybin MDMA (Ecstasy)

G. Solvents

Glue Toluene Gasoline Paint

Paint Thinner

H. Other

Nitrous Oxide Amyl Nitrite Poppers Butyl Nitrite Khat Betel Nut

I. Combination

Speedball T's and Blues

LIST OF SYMPTOMS "B"

- A. Feel depressed
- B. Feel nervous, tense, restless, or irritable
- C. Feel tired, sleepy, or weak
- D. Have trouble sleeping
- E. Have an increase or decrease in appetite
- F. Tremble or twitch
- G. Sweat or have a fever
- H. Have nausea or vomiting
- I. Have diarrhea or stomach aches
- J. Have your eyes or nose run
- K. Have muscle pains
- L. Yawn
- M. Have your heart race
- N. Have seizures

שמונים	TICE	CADD	11 (7 11

LIST OF SYMPTOMS

Need to use more to get an effect. Given up or reduced important activities. Used (Drug) more frequently or in larger amounts. Two of these occurred together because not using (Drug): feel depressed, anxious, irritable. feel tired, sleepy, weak. be unable to sleep. have an increase or decrease in appetite. tremble, twitch. sweat, have fever. have nausea/vomiting. have diarrhea/stomach aches. have eyes water/nose run. have muscle pains. yawn. have heart race. have seizures. Used (Drug) to make these symptoms go away. Used (Drug) when you knew other "illness" could be made worse. Used (Drug) when you knew boss, family, etc., objected. Under effects of (Drug) while in school, working	
Under effects of (Drug) while in school, working or taking care of household responsibilities	
Under effects of (Drug) where it increased your chances of getting hurt	

- 1 = Emotional/Thinking Difficulties Always Occurred First.
- 2 = Alcohol/Drug Abuse Always Occurred First.
- 3 = Emotional/Thinking Difficulties and Alcohol/Drug Abuse Always Occurred At The Same Time.
- 4 = No Strict Pattern (Sometimes Emotional/Thinking Difficulties First, Sometimes Alcohol/Drugs First).
- 5 = Emotional/Thinking Difficulties and Alcohol/Drug Abuse Always Occurred Independently.
- 6 = Not Clear.

DEFINITELY TRUE

PROBABLY TRUE

PROBABLY NOT TRUE

DEFINITELY NOT TRUE

ALWAYS

OFTEN

SOMETIMES

NEVER

OFTEN

SOMETIMES

RARELY

NEVER

DEFINITELY AGREE

PROBABLY AGREE

PROBABLY DISAGREE

DEFINITELY DISAGREE